12/3/2012



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. J. Todd Frank Bayer HealthCare LLC Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390 DEC - 3 2013

Subject: Label Notification(s) for Pesticide Registration Notice 98-10.

Dear Mr. Frank:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 November 21, 2013 for the following product(s):

CO-Ral ® Animal Insecticide EPA Reg. No. 11556-14 1% Bulk Dust

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Lenda A De Live

Richard J. Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

	2/10			
Please read instructions on reverse before completing form.	Form Approved. No. 2070-0060			
United States Environmental Protection Age Washington, DC 20460	Other			
Application for	Pesticide - Section I			
1. Company/Product Number 11556-14	2. EPA Product Manager     3. Proposed Classification       Richard Gebken     Image: Classification			
4. Company/Product (Name) CO-RAL (Coumaphos) Animal Insecticide 1% Bulk Dust	PM# Restricted Restricted			
5. Name and Address of Applicant (Include ZIP Code) Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or the product of the product of the product of the product of the product Name			
Sec	ction - II			
Amendment - Explain below.     Resubmission in response to Agency letter dated     Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.			
Minor Formulation Amendment per PR Notice 98-10. See attache E-mail Contact: todd.frank@bayer.com				
Sec	tion - III			
1. Material This Product Will Be Packaged In:				
Yes No * Construction must If "Yes" No. per If "Yes"	r Soluble Packaging Yes No s <sup>o</sup> No. per age wgt container 1 2. Type of Container Metal Plastic Glass Paper Other (Specify)			
3. Location of Net Contents Information       4. Size(s) Retail Container         Label       Container	iner 5. Location of Label Directions On Label On Label On Label product			
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled	Other			
	tion - IV			
1. Contact Point (Complete items directly below for identification of indi	vidual to be contacted, if necessary, to process this applice.iv;			
Name Title J. Todd Frank Reg. Af	fairs Consultant Telephone No. (Include Area Code) 913-268-2585			
<b>Certification</b> I certify that the statements I have made on this form and all attac I acknowledge that any knowingly false or misleading statement m both under applicable law.				
2. Signature 3. Title				
9. Toos Fm2 Regula	tory Affairs Consultant			
4. Typed Name         5. Date           J. Todd Frank         11/21/	2013			
11/21/				

EPA Form 6570-1 (Rev. 8	3-94) I	Previous	oditions	are	obsolete.
-------------------------	---------	----------	----------	-----	-----------

# Bayer HealthCare

November 21, 2013

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attention: Richard Gebken, Team 10

## Subject: CO-RAL (Coumaphos) Animal Insecticide 1% Bulk Dust EPA Reg. No. 11556-14 Application for Notification

Dear Mr. Gebken,

Please find the enclosed Pesticide Notification application for subject product which includes one highlighted label copy and the un-highlighted label copies.

As allowed by PR Notice 98-10, Bayer HealthCare LLC Animal Health Division is adding an alternate package size and additional optional labeling. The alternate package size will include two fully labeled 12.5 pound containers of bulk dust as well as an application bag. Full labeling will be on the new outer package identical to the individual packages with the optional text stating that an application bag is included.

Thank you for your assistance with this notification process, and please contact me at (913) 268-2585 or <u>todd.frank@bayer.com</u> if you have any questions or need further information.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Regards,

BAYER HEALTHCARE LLC ANIMLAL HEALTH DIVISION

9. Toda File

J. Todd Frank Regulatory Affairs Consultant



Bayer HealthCare LLC

Animal Health

P.O. Box 390 Shawnee Mission, KS 66201-0390

Date: 11/20/2013 Supersedes: 06/27/2013 Page 1 of 7

## **Co-Ral®** Animal Insecticide

#### 1% Bulk Dust

NOTIFICATION

DEC - 3 2013

Control of Horn Flies and Lice on Beef and Dairy Cattle, Reduction of Face Flies on Beef and Dairy Cattle, Control of Lice on Swine

[Atternate Brand Name: Co-Ral 1% Livestock Dust]

Use in Dust Bag or Shaker Can

Optional text in brackets [Contains:] [Contains refillable dispenser bag] [Two 12.5 lb: bags of dust]

	Percent by Weight
Active Ingredient:	
coumaphos	1%
Other Ingredients	99%
TOTAL	100%

EPA Reg. No. 11556-14

EPA Est. No. TBD

## Keep Out of Reach of Children

## CAUTION

Harmful if swallowed, absorbed through the skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing.

#### See Side Panel for First Aid and Other Precautionary Statements

NET CONTENTS: [12.5 POUNDS]; [2 Pounds], [Two 12.5 Pounds]

Manufactured for Bayer HealthCare LLC, Animal Health Division PO Box 390 Shawnee Mission, Kansas 66201

5/10

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

	FIRST AID
Cont	ains an organophosphate that inhibits cholinesterase.
If swallowed:	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
If inhaled:	<ul> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
If on skin or clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
	<b>n:</b> Prolonged exposure will result in cholinesterase depression. y injection is antidotal. 2-PAM is also antidotal and may be
	injunction with atropine.
	<b>BER:</b> Have the product container or label with you when calling a
	ton on destant on gaing for treatment. For amonganay medical

poison control center or doctor, or going for treatment. For emergency medical treatment call 1-800-422-9874. For customer service or to obtain product information, including the MSDS, call 1-800-633-3796.

Date: 11/20/2013 Supersedes: 06/27/2013 Page 3 of 7

## CAUTION

#### PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are rubber or waterproof material. If you want more options, follow the instructions for Category A on an EPA chemical-resistance category selection chart.

Loaders, applicators and others handlers must wear long-sleeve shirt and long pants, chemical-resistant gloves, shoes plus socks, chemical-resistant apron, and a NIOSH-approved dust/mist respirator, with MSHA/NIOSH approval number prefix TC21C or a NIOSH-approved respirator with any N, R, P, or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from the other laundry.

#### **User Safety Recommendations**

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to mammals, birds, fish and aquatic invertebrates. Coumaphos washed off of wading treated livestock may be hazardous to aquatic organismus. Do not contaminate water when disposing of equipment washwater or rinsate.

Date: 11/20/2013 Supersedes: 06/27/2013 Page 4 of 7

2 5 5

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and Conditions of Sale before using this product.

Co-Ral 1% Bulk Dust [Alternate Brand Name] may be used to fill cattle dust bags or it may be applied directly to cattle, swine or swine bedding by use of a shaker can. When used as recommended, Co-Ral 1% Dust [Alternate Brand Name] controls horn flies and lice on beef and dairy cattle and lice on swine. Co-Ral 1% Dust [Alternate Brand Name] will also reduce face fly populations on cattle; however, as face flies are able to travel over an area of several miles, best reduction of face fly populations is achieved when Co-Ral 1% Dust [Alternate Brand Name] is used on an area-wide basis.

## **APPLICATION RESTRICTIONS**

The use of mechanical dusters is prohibited.

For external insecticidal use only on specified animals. Do not contaminate feed, troughs, water or water utensils. Provide thorough ventilation while dusting. Do not apply to sick, stressed or convalescent animals.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Individuals must limit the number of animals they can treat per day with shaker can to no more than 25 and the area of swine bedding they can treat per day to 1,000 sq. ft.

Do not treat areas such as drinking cups, mangers, or troughs where livestock feed. Do not contaminate food, feedstuffs, food or feed handling equipment or milk or meat handling equipment.

**Entry restrictions:** Do not enter treated areas or allow contact with treated animals until dusts have settled.

Reason to Issue: Add additional optional text.

Date: 11/20/2013 Supersedes: 06/27/2013 Page 5 of 7

## **INSTALLATION OF DUST BAGS**:

.

Suspend the bags by inserting rope, chain or wire through the grommets at the top of the bag and attaching to an overhead structure or by hooking the grommets into hooks fastened to a stationary overhead 2 x 4 board at the heights recommended for louse and horn fly or face fly control. In areas of frequent or heavy rainfall Co-Ral 1% Cattle Duster should be protected from the weather.

Install as many Co-Ral 1% Cattle Dusters as necessary to lanes or other openings to assure proper dusting of the animals. After the bags are in place, pull the rip cord to allow the insecticide to fall into the bottom of the bag. When dust bags are provided on a free-choice basis, allow one 12.5-pound Co-Ral 1% Duster per 25 animals.

ANIMAL	PARASITE	REMARKS
Beef and	Horn Flies	
		DUST BAG: Place contents of this package in any
Dairy Cattle	Lice	commercially available dust bag. Suspend bags in areas
	Face Flies	frequented by cattle or in gateways or lanes through
		which the animals pass daily for water, feed or minerals.
		Bags may also be suspended in loafing sheds or in front
		of protected mineral feeders. For lactating dairy cows
		bags may be suspended in the exit through which cows
		leave the milking barn. In all cases the bags should be
		adjusted so that the bottom of the bag will hang four to
		six inches below the topline of the cattle. For reduction
		of face flies: (1) The bottom of the bags should be 18 to $\frac{1}{2}$
		24 inches from the ground to insure that the faces of the
		cattle will be dusted. (2) The bags must be located so the
		animals will be forced to use them daily.
	Horn Flies	DIRECT APPLICATION: Co-Ral 1% Dust [Alternate
	Lice	Brand Name] may be applied by use of a shaker can.
	~~~~	Animals should be thoroughly dusted using not more
		than 2 oz.* (6 level tablespoonfuls) of dust per animal
	1	per treatment. Treat no more than 12 times per year. Do
L	l	not make applications less than 10 days apart.

## **APPLICATION RATES**

(Continued)

# **APPLICATION RATES**

SwineLiceDIRECT APPLICATION: Apply not more than (3 level tablespoonfuls) per head as a uniform co		
head, shoulders and back by use of a shaker can. no more than 6 times per year. Do not make app less than 10 days apart. BEDDING TREATMENT: Apply 2 oz.* (6 lev tablespoonfuls) uniformly over 30 square feet of dry bedding by use of shaker can. Treat no more 6 times per year. Do not make applications less	bat to the Treat plications rel f fresh, e than	
10 days apart.         DIRECT APPLICATION AND BEDDING         TREATMENT: In severe infestations both indivanimals and the bedding may be treated as direct above.	vidual ted	
No interval is required between treatment and slaughter or between treatment and use of milk as feed.		

\*Note: 1 oz of this material equals approximately three level tablespoonfuls.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry place.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Non-refillable container. Do not reuse or refilicities container. Completely empty the container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Offer for recycling, if available. Dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

Reason to Issue:

Date: 11/20/2013 Supersedes: 06/27/2013 Page 7 of 7

**Conditions of Sale:** The directions on this label are believed to be adequate and must be followed carefully. This product has been tested under different environmental conditions similar to those that are ordinary and customary for use of the product. However, it is impossible to eliminate all risks associated with the use of this product. Failure to follow label directions may cause injury to animals, humans and damage to the environment. Insufficient control of pests, injury or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer HealthCare LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

Limited Warranty and Limitation of Damages: Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL, and no agent of Bayer is authorized to make or modify any warranties beyond those contained herein. Any damages arising from breach of this warranty shall be limited to direct damages and shall not include special, incidental or consequential damages resulting from the use of handling of this product.