


T-695
Ref. 5

Base Pre-Reg. (1298)

U.S. LABEL-(S)

Reason to Issue: List parasites on front panel, revise directions for use per USDA.

Date of Draft: 10/1/70 (Pre-Reg.) (J)
Supersedes Pre-Reg. Draft: 6/15/70



Chemagro (R)

(R) CO-RAL

Brand of coumaphos

ANIMAL INSECTICIDE

5.0% DUST

FOR CONTROL OF FLIES AND LICE ON CATTLE, AND POULTRY PREMISE
TREATMENT FOR CONTROL OF FLIES, LICE, TICKS, AND MITES

GUARANTEE

ACTIVE INGREDIENT:

O,O-Diethyl O-(3-chloro-4-methyl-2-oxo-(2H)-1-benzopyra-
7-yl) phosphorothioate / 5%

INERT INGREDIENTS: 95%
100%

/U.S. Patent No. 2,748,146
Canadian Patent No. 523,206

USDA Reg. No. 3125-105

(See rear panel for caution statements)

CAUTION

KEEP OUT OF REACH OF CHILDREN

NET WEIGHT POUNDS

Note: Underlined letters in chemical nomenclature should be italicized when printed, not underlined.

CO-RAL 5% Dust

STOP - READ THE LABEL BEFORE USE

DIRECTIONS FOR USE

IMPORTANT: Read the entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using CO-RAL 5% Dust.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Chemagro Corporation and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

CO-RAL 5% Dust may be used for refilling CO-RAL Cattle Duster bags. For poultry litter and housing treatment, CO-RAL 5% Dust is suitable for direct application using any conventional dusting equipment such as rotary or hand dusters.

RECOMMENDED APPLICATIONS

ANIMAL	PARASITE	Ounces CO-RAL 5%	REMARKS
Cattle (Dairy & Beef)	Horn Flies	(See Remarks)	CO-RAL 5% Dust may be used in refilling CO-RAL Cattle Duster bags. For horn fly and louse control suspend dust bags in areas frequented by cattle or in gateways or lanes through which the animals pass daily for water, feed or mineral. Bags may also be suspended in loafing sheds or in front of protected mineral feeders. For lactating dairy cows suspend bag in the exit through which the cows leave the milking barn. In all cases the bags should be adjusted so that the bottom of the bag will hang four to six inches below the topline of the cattle. For reduction of face fly populations suspend the dust bag as above except: (1) The bottom of the bag should be 18 to 24 inches from the ground to insure that the faces of the cattle will be dusted. (2) The bags must be located so the animals will be forced to use them daily.
	Lice		
	Reduction of Face Fly		
Poultry	Northern fowl mite	2	LITTER AND HOUSING TREATMENT: Apply specified dosage per 100 square feet of surface area including walls, ceiling, floor, roosts, nests, and adjacent areas. For litter use specified dosage per 30 square feet of area. Force dust into all cracks and crevices. Repeat as necessary. Do not toval if required between treatment and use of meat or eggs as feed.
	Poultry red mite		
	Flies		

CO-RAL 5% Dust

RESTRICTIONS

For external insecticidal use on animals only.
Avoid contamination of feed, troughs, water, and water utensils.
Provide thorough ventilation while dusting.

CAUTION

Do not breathe dust. Harmful if inhaled or absorbed through the skin. Do not get in eyes or on skin. Wash thoroughly with soap and warm water after handling.

Do not contaminate feed or food. Keep out of reach of children.

If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.
To Physician - Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

WARRANTY AND LIMITATION OF DAMAGES

Chemagro Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. CHEMAGRO CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Chemagro Corporation is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

CO-RAL is Reg. TM in U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee.

MANUFACTURED BY

CHEMAGRO CORPORATION

KANSAS CITY, MO.

