



**CO-RAL**  
(Coumaphos)  
**SPRAY FOAM**  
**WOUND TREATMENT**

**FOR TREATMENT AND PREVENTION OF  
SCREW WORMS AND FLY MAGGOTS**

Active ingredient: O,O-Diethyl O-(3-chloro-4-methyl  
2-oxo-2H-1-benzopyran-7-yl)  
phosphorothioate ..... 3.0%  
Inert ingredients: ..... 97.0%

**WARNING:**  
Keep out of reach of children.  
See rear panel for warning statements.

USE ONLY AS DIRECTED

**NET CONTENTS 1 LB., 4 OZ.**

Distributed by  
**CUTTER Laboratories, Inc.**  
Shawnee, Kansas 66201, U.S.A., Calgary, Alberta, Canada



**CO-RAL**  
(Coumaphos)  
**SPRAY FOAM**  
**WOUND TREATMENT**

**IMPORTANT:** Read these entire Directions and Conditions of sale, including the Warrantee and Limitation of Damages provision, before using CO-RAL Spray Foam.

**CONDITIONS OF SALE:** These Directions for Use reflect the opinions of experts based on tests of effectiveness of toxicity to laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller, Cutter Laboratories and the seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

**DIRECTIONS FOR USE ON BEEF AND DAIRY CATTLE, SHEEP, GOATS, SWINE AND HORSES:** Shake well before using. Hold spray nozzle 3 to 10 inches from the wound area to be treated and apply a protective coating on and around the wound.

For treatment of wounds infested with screw-worms and fly maggots, spray wounds until complete coverage is obtained. Repeat as necessary.

For prevention, spray a protective coating on new wounds from dehorning, castration, docking, injury, etc. as soon as possible to avoid infestation. Repeat as necessary.

**WARNING:** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

**WARNING:** May be harmful or fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wash after handling. Wash all contaminated clothing with soap and hot water before re-use. Do not contaminate food. Keep out of reach of children.

If poisoning occurs, obtain prompt medical aid.

To Physician—Atropine sulfate is antidotal.

**WARRANTY AND LIMITATION OF DAMAGES:**

Cutter Laboratories warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. CUTTER LABORATORIES MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Cutter Laboratories is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

CO-RAL is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

See bottom of can for LOT NO.

470280

EPA Reg. No. 11556-40-13130

EPA Est. No. 11694-KS-1

11556-40

06/16/1975