

2/10/90

Reason to Issue: Revised labeling;
aliphatic petroleum
hydrocarbons now inert
ingredient

Revised Label: 4/11/90

(front panel)

Code 0582

Para-S Bomb

An Insecticide for Fleas, Lice and Ticks on Dogs and
Cats, a Deoderant Against Dog Odor and
Repellent for Flies, Mosquitoes and Gnats

Active Ingredients:

Pyrethrins	*	0.06% w/w
Piperonyl butoxide, technical		0.48%
Methoxychlor, technical	***	0.50%
Carbaryl (1-naphthyl N-methylcarbamate)		0.50%
2,3:4,5-bis (2-butylene)tetrahydro-2-furaldehyde		0.24%
Inert Ingredients:		<u>98.22%</u>
		100.00%

* Equivalent to 0.384% of (butylcarbityl)(6-propylpiperonyl) ether and 0.096% of related compounds.

** Equivalent to 0.44% of 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane and 0.06% other isomers and related compounds.

Sevin

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other precautions on side panel

Net Wt. 1 Lb.

Manufactured by
Mobay Corporation
Animal Health Division
Shawnee, Kansas
66201, U.S.A.

HAYER

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

Reason to Issue: Revised labeling;
aliphatic petroleum
hydrocarbons now inert
ingredient

Revised Label: 4/11/90

(side panel)

Code 0582

SOLD TO VETERINARIANS ONLY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist. Do not get in eyes, on skin or on clothing. In case of contact wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before reuse.

PRACTICAL TREATMENTS

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting.
If inhaled: Remove victim to fresh air.
If in eyes: Flush eyes with plenty of water.
If on skin: Remove contaminated clothing and wash affected areas with soap and water.
To physician - Large doses of active ingredient will result in cholinesterase depression. Atropine is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F. may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Hold Para-S Bomb upright 6 to 12 inches from the dog or cat. Depress valve and direct spray over the animal until entire coat is damp. For average-size dogs, an application for 30 seconds is usually sufficient; for cats, ten seconds. In heavily coated animals, spray against the lay of the hair. To kill ticks, the spray must hit them directly. May be repeated at weekly intervals if required. Interior of kennel or other quarters should be thoroughly sprayed as well as bedding. Nervous dogs and cats soon become accustomed to the hissing noise and cool sensation of the spray.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep in a cool, dry place.
CONTAINER DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.
EPA Reg. No. 11556-60
EPA Est. No. 11556-KS-1