11556-116

04/05/2002

1/

riesse read instructions on reverse perore completing form.	Tom Assis		OPP Identifier Number	
SEPA Environmental Protection Agency		Registration Amendment		
		<del></del>	·	
Application for Pesticide - Section I				
1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification				
11556-116	=	Deborah McCall None Restricted		
4. Company/Product (Name) Advantage 9 for Cats	PM#		1103010100	
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)			
Bayer Corporation, Animal Health, Agriculture Division				
P.O. Box 390 Shawnee Mission, KS 66201	to: NOTIFICATION EPA Reg. No			
		APR - 5 2002		
Check if this is a new address	Product Name	73. 1	· · · · · · · · · · · · · · · · · · ·	
Section - II				
Amendment - Explain below. Final printed labels in repsonse to				
Resubmission in response to Agency letter dated		Agency letter dated		
☐ Notification - Explain below.	Other - Explain	Other - Explain below.		
V Notification Explain Scient				
Explanation: Use additional page(s) if necessary. (For section I and Section II.)				
Please see attached explanation for de	etails.			
Section - III				
Material This Product Will Be Packaged In:  Child-Resistant Packaging Unit Packaging V	Vater Soluble Packaging	2. Type of Container	<del></del>	
Yes Yes	<del></del>	Yes Metal		
No No	No	No. Plastic		
	f "Yes" No. per	Glass Paper		
**Certification must Unit Packaging wgt. container P	Package wgt container	Other (S	pecify)	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions				
Label Container	On Label On Label accompanying product			
6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stencifed				
Section - IV				
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)				
Name Title			No. ((nclude Area Code)	
F. Terry McNamara Director, Preclinical Dev. & EPA Reg. Affairs (913) 268-2588				
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and completo.  I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.				
2. Signature 3. T	Title		9 3 7 9 3 1	
	rector, Preclinical Development 8	EPA Regulatory Affairs	*	
IT. Leving Mc Harnous Dir	<del>"</del>		• • • •	
4. Typed Name (/ F. Terry McNamara	)ate i 1		***	
1 . Torry Wortainara	<b>~ かわけっ</b>	i	• • •	

## Attachment for Application for Pesticide Registration Advantage® 9 for Cats, EPA Reg. No. 11556-116

Enclosed with this application are five (5) copies of final printed labels for Bayer's Advantage<sup>®</sup> 9 for Cats product (EPA Reg. No. 11556-116). This label is for a new package size (1 tube). The revision is being made by Notification as per PR Notice 98-10 which allows for a change in package size under section II.B "Changes in Packaging and Related Labeling Statements." The enclosed label is identical to the currently approved labels for the 4-tube and 6-tube package sizes for Advantage 9 for Cats. The only change from the existing label is the net contents statement for the 1-tube package, specifically "One 0.4 mL Tube". Except for the net contents statement, no other changes have been made to the label.

# NOTIFICATION APR - 5 2002

Once-a-month topical flea treatment for cats and kittens 8 weeks and older and 9 lbs, and under.

#### **READ THE ENTIRE LABEL BEFORE EACH USE**

#### For the Prevention and Treatment of Flea Infestations

- · Available only through licensed practicing veterinarians
- . One treatment prevents further flea infestation for up to four weeks
- \* Kills 98-100% of the fleas on cats within 12 hours

term to the life of the life of the state of	
Active Ingredient	% By Weight
lmidadoprid; I-[(6-Chloro-3-pyridinyl) methyl]-K-nitro-2-imidazolidinimine	9.Ĭ%
Inert Ingredients	90.9%
Total	100.0%

### **KEEP OUT OF REACH OF CHILDREN**

WARNING See Below for First Aid and Precautionary Statements

Made in Germany

#### **Precautionary Statements** Hazards to Humans

Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Reep out of reach of children. Do not contaminate feed or food.

#### Hazards to Domestic Animals

Manufactured for Bayer Corporation,

Shawnee Histon, Massas 662M USP \* \*

Agriculture Division, Animal Health,

For external use only. Do not use on kittens under eight weeks of age. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist,

One 0.4 mL Tube

EPA Est. 063995-NJ-001 EPA Reg. No. 11556-116

or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-877-258-2280.

#### First Aid

If in eyes: Hold eyelids open and flush with plenty of water. Get medical attention if irritation persists, If swallowed: Call a physician or Poison Control Center. If on skin: Wash with plenty of soap and water. To Physician: Treat the patient symptomatically.



- . Available only through licensed practicing veterinarians
- . Kills fleas within 12 hours
- Prevents reinfestation for up to 4 weeks
- · Convenient, easy to apply

Once-a-month topical flea treatment for cats and kittens 8 weeks and older and 9 lbs. and under.





Once-a-month topical flea treatment for cats and kittens 8 weeks and older and 9 lbs. and under.



The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage® rapidly kills fleas and may reduce the incidence of this condition.

Advantage\* kills 98-100% of the existing fleas on pets within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the pet's surroundings are killed following contact with an Advantage<sup>®</sup> treated pet.

Advantage<sup>®</sup> remains efficacious following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

If re-treatment becomes necessary earlier than four weeks, do not re-treat more than once weekly.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

**Container Disposal:** Do not reuse empty container. Wrap container and put in trash.

#### Limited Warranty and Limitations of Damages

Bayer Corporation, Agriculture Division, Animal Health warrants that this material conforms to the chemical description on the label. BAYER CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer Corporation is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

For the prevention and treatment of flea infestation on cats and kittens 8 weeks and older and 9 lbs. and under.

#### Directions for Use

It is a violation of Federa! Law to use this product in a manner inconsistent with its labeling.

#### How to Apply

- 1. Use only on cats. Do not use on other animals.
- 2. Remove one applicator tube from the package.



- Hold applicator tube in an apright position. Pull cap off tube.
- Turn the cap around and place other end of cap back on tube.
- Twist cap to break seal, then remove cap from tube.



6. Part the hair in the neck at the

base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube twice to expel the entire contents of the tube directly on the skin. Do not get this product in your pet's eyes or mouth. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product.

Discard empty tube as described in Storage and Disposal.





