

UNITED STATES ENVIRONMENTAL PROTECTION

AGENCY

WASHINGTON, D.C. 20460

MAR 1 0 2014

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

J. Todd Frank

Bayer HealthCareLLC, Animal Health Division

P.O. Box 390

Shawnee Mission, KS 66201

Subject:

Notification to add minor text.

EPA Registration No. 1-1556-116

Primary Brand Name: Advantage 9 Topical Solution

Submission Date: February 20, 2014

Dear Mr. Frank:

The Agency is in receipt of your Application for Pesticide Notification under PRN 98-10 dated and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at benbow.gene@epa.gov.

Sincerely,

Gene Benbow Wildlife Biologist

Insecticide-Rodenticide Branch

Registration Division (7505P)

. (•			Print Form	
Please read instructions on reverse before comple	ting form.	Form Approved			
EPA Environmenta	United States I Protection Agel Ington, DC 20460	тсу	Amendment	PP Identifier Number	
	Application for F	esticide - Section	1 1		
1. Company/Product Number 1 ที่556-116	2. EPA Product Manager 3. Proposed Classification Venus Eagle				
4. Company/Product (Name) Advantage 9 Topical Solution	PM# Team Number 01 Restricted				
5. Name and Address of Applicant (Include ZIP Co Bayer HealthCare LLC, Animal Health Division PtO. Box 390 Shawnee Mission, KS 66201-0390	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No				
Check if this is a new address		Product Name	roduct Name		
	Sect	tion - II			
Amendment - Explain below. Resubmission in response to Agency letter Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.				
Addition of optional text. E-mail Contact: todd.frank@bayer.com	Sect	ion - III			
Material This Product Will Be Packaged In:				······································	
Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Unit Packaging Yes No If "Yes" Unit Packaging wgt	No. per If "Yes		2. Type of Container Metal Plastic Glass Paper Other (Spec	sify)	
3. Location of Net Contents Information	Location of Net Contents Information 4. Size(s) Retail Contained				
Label Container 6. Manner in Which Label is Affixed to Product Lithograpl Paper glue Stenciled		Other _	On Labeling accompan	ying product	
		ion - IV			
1. Contact Point (Complete items directly below.	for identification of indivi	dual to be contacted, if no	cessary, to process this epp	olication.)	
Name J. Todd Frank	nirs Consultant	Telephone No. 2013-268-258	င့် (Include Area Code) 85 ု		
I certify that the statements I have made or I acknowledge that any knowingly false or both under applicable law.			curate and complete.	Dete ^c Application Received cc(Étamped)	
2. Signature 8, TOLOD FUNDA		ory Affairs Consultant	((((((((((((((((((((
4. Typed Name J. Todd Frank		. Date 02/20/2014			

Bayer HealthCare Animal Health



Via Federal Express

February 20, 2014

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attention: Ms. Venus Eagle/PM 01

Subject: Addition of optional text:

Advantage 9 Topical Solution (EPA Reg. No. 11556-116)

Dear Ms. Eagle:

Please find enclosed, for the Agency's acceptance an Applications for Pesticide Notification, one copy of the highlighted label, and three copies of the unhighlighted labels for the subject products.

As allowed by PR Notice 98-10 Bayer HealthCare LLC Animal Health has updated label with minor nonsubstantive changes.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

If you have any questions, please do not hesitate to call (913) 268-2585.

Sincerely,

J. Todd Frank
Regulatory Affairs Consultant
todd.frank@bayer.com

Enclosures:

1) Advantage 9 Topical Solution - Application w/att.

Bayer HealthCare LLC Animal Health P.O. Box 390 Shawnee Mission, KS 66201 Addition of alternate text and minor udpates.

Date: 02/20/2014

Supersedes: 10/31/2013

4/

NOTIFICATION

MAR 1 0 2014

[Front Panel]

Advantage® 9 Topical Solution Alternate Brand Names: Advantage® for Small Cats; DefenseCare Flea Protection Small Cat

Once-A-Month Topical Flea Treatment for Cats and Kittens For Use Only on Cats 8 Weeks and Older and Weighing 2 to 9 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations on Cats

[Selected optional claims]

- [One treatment prevents further flea infestation for up to four (4) weeks]
- [Kills fleas on cats within 12 hours]
- [Kills fleas before they lay eggs]
- [Convenient, easy to apply]
- [Waterproof]
- [Fragrance free]
- [From the makers of ExpertCare]

•	% By Weight
Active Ingredient Imidacloprid	9.1%
Other Ingredients	90.9%
Total	100.0%

EPA Est. No. 11556-XXX-X

EPA Reg. No. 11556-116

- See Back Panel for First Aid and Precautionary Statements.
- For Directions For Use, and Storage and Disposal (instructions), see supplemental labeling inside.

KEEP OUT OF REACH OF CHILDREN WARNING

Addition of alternate text and minor udpates.

Jate: 02/20/2014

Supersedes: 10/31/2013

5/ /10

[Back Panel]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

FIRST AID			
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If Swallowed:	Call a poison control center or doctor immediately for treatment advice.		
	Have person sip a glass of water if able to swallow.		
	Do not induce vomiting unless told to do so by the poison control center or doctor.		
	Do not give anything by mouth to an unconscious person.		
If on Skin or Clothing	• Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.		
	HOT LINE NUMBER		
<u> </u>	er or label with you when calling a poison control center or doctor, or medical emergencies call 1-800-422-9874. For customer 6826.		
	NOTE TO PHYSICIAN		
Treat the patient sympton	natically.		

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on kittens under eight weeks of age or weighing less than 2 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

Reason To Issue:

Addition of alternate text and minor udpates.

Jate: 02/20/2014

Supersedes: 10/31/2013

10

Side Effects: Monitor your cat after application. Side-effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-422-9874.

RESTRICTIONS:

- Use only on cats 8 weeks and older. Do not use on other animals. Do not apply to kittens or cats weighing less than 2 lbs.
- Do not apply more than one (1) tube per treatment.
- Do not have contact or allow children to have contact with treated area until completely dry.

Net Contents: [X] Tube(s) each 0.014 fl. oz. (0.4 mL) [Sample - Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P.O. BOX 390
Shawnee Mission, Kansas 66201 USA

Made in Germany



Jate: 02/20/2014

Supersedes: 10/31/2013

7/10

[Back Panel and/or insert]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO APPLY

- 1. Remove one applicator tube from the package.
- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.

[Visuals Depicting How to Open Applicator Tube]

- 3. Turn the cap around and place other end of cap back on tube.
- 4. Twist cap to break seal, then remove cap from tube.
- 5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents of the tube directly on the skin. Do not get this product in your cat's eyes or allow your cat to ingest this product. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.

[Visuals Depicting Application To Animal]

- 6. Discard empty tube as described in Storage and Disposal.
- 7. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

Date: 02/20/2014

Supersedes: 10/31/2013

8/

PRODUCT INFORMATION

The successive feeding activity of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of cats with Advantage kills fleas and may reduce the incidence of this condition.

Advantage kills fleas on cats within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the cat's surroundings are killed following contact with an Advantage treated cat.

Advantage is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets. **Pesticide Disposal and Container Handling**: Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Reason To Issue:

Addition of alternate text and minor udpates.

→ate: 02/20/2014

Supersedes: 10/31/2013

[Label on Individual Tube]

Advantage® 9

9.1% Imidacloprid

0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-116

Keep Out of Reach of Children

WARNING

Read The Entire Label Before Use

BAYER

Lot No. 0000000

Reason To Issue:

Addition of alternate text and minor udpates.

Jate: 02/20/2014

Supersedes: 10/31/2013

0/

[Label on pouch or blister card; (one card containing 1, 2, 3, 4, 5, or 6 tubes)]

Advantage® 9. Topical Solution

For external use only on cats and kittens 8 weeks and older and weighing 2 to 9 lbs.

9.1% Imidacloprid

[X] - 0.014 fl. oz. (0.4 mL)

[This unit not for retail sale]

[See leaflet for complete information]

EPA Reg. No. 11556-116

BAYER