

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICEES AND TOXIC SUBSTANCES

JUN 25 1998

F. T. McNamara
Bayer Corporation
Agricultural Division, Animal Health
P.O. Box 390
Shawnee Mission, KS 66201-0390

Subject:

1

Advantage 9 for Cats

EPA Reg. No. 11556-116

Advantage 18 for Cats EPA Reg. No. 11556-118

Advantage 10 for Dogs EPA Reg. No. 11556-117

Advantage 20 for Dogs EPA Reg. No. 11556-119

Advantage 55 for Dogs EPA Reg. No. 11556-120

Advantage 100 for Dogs EPA Reg. No. 11556-122

Revised Labels
Received at EPA June 18, 1998

Dear Mr. McNamara,

The subject labels have been reviewed and will be acceptable if the following claim modification is made on each of the labels. Delete "The successive feeding activities.....reduces the incidents of this condition." The following statement may be used as a replacement:

"The successive feeding activities of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage rapidly kills fleas and may reduce the incidence of this condition."

Two copies of each final printed label should be submitted to the Agency prior to shipment of the products. Stamped copies of the subject labels are enclosed for your files.

Sincerely,

Elizabeth T. Haeberer

Insecticide - Rodenticide Branch Registration Division (7505C)

Enclosures

& varnish For Small Dogs and Puppies 7 Weeks and Older and Under 10 lbs. effective advantage* For the Prevention and freatment of riea intestations on D

Available only through licensed practicing veterinarians

Kills 98-100% of the fleas on dogs within 12 hours

One treatment prevents further flea infestation for at least four weeks

Kills fleas before they lay eggs Active Ingredient Inert Ingredients WARNING **Precautionary Statements** advant Hazards to Domestic Animals Kills fleas within 12 hours Once-a-month topical flea treatment for dogs and pupples 7 weeks and older and under 10 lbs. First Aid · Available only through licensed practiong veterinarians • Kills Feas within 12 hours · Prevents reinfestation for Bayer 🕀 at least 4 weeks • Convenient, easy to apply 🕉

Four color process Match pantone 349

Size: 68/18/112 mm



Once-a-month topical flea treatment for dogs and puppies 7 weeks and older and under 10 lbs.

For the Prevention and Treatment of Flea Infestations on Dogs

% By Weight 3midacloprid; 1-[16-Chloro-3-pyridinyl) methyl]-N-nitro-2-imidazolidinimine.......9.1% 90.9% 100.0%

KEEP OUT OF REACH OF CHILDREN

See Below for First Aid and Precautionary Statements. For Directions for Use and other labeling, see supplemental labeling inside.

Hazards to Humans
Causes eye irrizabon. Harmful if swallowed. Do not get in eyes or on clothing.
Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

Hazards to Domestic Animals

For external use only. Do not use on puppies under seven weeks of age. As with any product consult your veterinarian before using this product on debilitated, aged, pregnant or oursing animals. Individual sensitivities, while rare, may occur after using ANT pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product, Call 1-809-255-6826 for 24 hour assistance.

If in eyes: Hold eyelids open and flush with plenty of water. Get mecked attention if irritation perists. If swallowed: (28 a physician or Poison Control Cente If on skin: Wath with plenty of soap and water. To Physician: Treat the patient symptomatically.

Lot No.:



Four 0.4 mL Tubes

EPA Est E1554-DEU-L EPA beg Ha 11556-117

00000000

00000000

ACCEPTED with COMMENTS In EPA Letter Dated:

JUN 25 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

11556-717

RECEIVED

JUN 1 6 1998

LABEL COORDINATION





Once-a-month topical flea treatment for dogs and puppies 7 weeks and older and under 10 lbs.

Read entire label before each use

For the Prevention and Treatment of Flea Infestations on Dogs

Available only through accessed practicing reterinarians

- Xills 98-100% of the flezs on dogs wither 12 hours
 One treatment prevents further flex infestation for at least four weeks

· Kills fleas before they as eggs

Active Ingredient Imidacloprid: 1-[16-Chicro-3-cyndinyl) metry TH-nitro-2-imidazolidinimine Inert Ingredients...

'a By Weight 90.5%

KEEP OUT OF REACH OF CHILDREN WARNING

See below for First Ald and Precautionary Statements

Precautionary Statements

Hazards to Humans

Causes eye initiation, marmful if swallowed. Do not get in eyes or on clothing. Avoid commit with skin, Wash hands thoroughly with soap and warm water after handling. Keep out of reach of chicren. Do not contaminate feed or food. Hazards to Domestic Animals

For external use only. Do not use on pupples under seven weeks of age. As with any product, consult your veterinarian before using this product on depirated, aged, pregnant or nursing animals, individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately, if your ammal is or medication, consult your veterinarian before 1s ng this or any other product. Call 1-800-255-6826 for 24 hour assistance.

First Aid

If in eyes: Hold eye its open and flush with plenty of water. Get medical attention if immation persists.

If swallowed: Call a physician of Poison Control Center.

If on skin: Wash with plenty of soap and water.

To Physician: Treat the patient symptomatically.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its backing.

How to Apply

- Use only on dogs. Do not use on other animals.
 Remove one application tube from the package.



- 3. Hold applicator tube in an woright position, Pull cap
- 4. Turn the cap around and piece other end of cap back
- on tube. Twist cap to break seal, then remove cap from tube. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the

skin and squeeze the tube twice to expel the entire contents directly on the skin. Do not get this product in your pet's eyes or mouth.



7. Discard empty tube as described in Storage and Disposal. The successive feeding activity of fleas on pets frequently elicits a hypersensitivity skin disorder known as flea ellergy dermatitis (FAD). Treatment of pets with Advantage* rapidly kills fleas and reduces the incidence of this condition.

Advantage⁸ kills 98-100% of the existing fleas on pets within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the pet's surroundings are killed following contact with an Advantage* treated pet.

Advantages remains efficacious following a shamboo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and

If re-treatment becomes necessary earlier than four weeks, do not re-treat more than once weekly.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Wrap

container and put in trash.

Limited Warranty and Limitation of Damages

Bayer Corporation, Agriculture Division, Animal Health warrants that this material conforms, to the chemical description on the label BAYER CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer Corporation is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breact of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.



Hanufactured for Bayer Corporation Agriculture Division, Animal Health, Shawnee Mission, Kansas 66201 USA

0328, R.4 EPA Est 11554-DEU-1 EPA Reg. No. 11556-117

00000000

RECEIVED

JUN 1 6 1998

LABEL COCRDINATION