# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



AUG 2 9 2012

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Douglas Spilker, Ph.D Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker:

Subject:

Amendment to update labels per spot on mitigation letter sent by the Agency

dated September 30, 2011

EPA Registration Nos./Product name:

11556-116, Advantage 9 Topical Solution (small cats)

> 11556-117, Advantage 10 Topical Solution (small dogs)

11556-118, Advantage 18 Topical Solution (large cats)

11556-119, Advantage 20 Topical Solution (medium dogs)

11556-120, Advantage 55 Topical Solution (large dogs)

11556-122, Advantage 100 Topical Solution (extra large dogs)

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide, as amended are acceptable.

A stamped copy of the labeling is enclosed for your records. Please submit one final printed copy of the labeling before releasing the product for shipment. If you have any questions regarding this label, please contact Autumn Metzger at (703) 305-5314.

Sincerely,

Venus Eagle

Product Manager 01

Insecticide-Rodenticide Branch Registration Division (7505P)



Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

Date: 08/20/2012 Supersedes: 07/17/2012,

document, dated 9/30/11 (Rec'd 10/11/11)

03/01/2012 & 08/27/2010

## [Front Panel]

# Advantage® 10 Topical Solution

Alternate Brand Name:

**Advantage for Small Dogs** 

Once-A-Month Topical Flea and Lice Treatment For Use Only on Dogs and Puppies 7 Weeks and Older and Weighing 31/2 to 10 lbs.

# READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea and Lice Infestations on Dogs

- One treatment prevents further flea infestation for at least four (4) weeks
- Kills fleas on dogs within 12 hours
- Kills fleas before they lay eggs
- Convenient, easy to apply
- Kills [(biting) (chewing)] lice
- For treatment and prevention of [(biting) (chewing)] lice [infestations]
- Controls existing [(biting) (chewing)] lice infestations
- Dual protection (against fleas and lice)
- Treats, prevents and controls [(biting) (chewing)] lice [infestations]
- Provides effective control of [(biting) (chewing)] lice [infestations]
- Kills [(biting) (chewing)] lice and prevents further infestations
- For treatment and prevention of infestations with [(biting) (chewing)] lice
- Waterproof
- Fragrance free

	% By Weight
Active Ingredient Imidacloprid	9.1%
Other Ingredients	90.9%
Total	100.0% <b>g. No. 11556-117</b>

- See Back Panel for First Aid and Precautionary Statements.
- For Directions For Use, and Storage and Disposal (instructions), see supplemental labeling inside.

Icon size 1.5cm x 1.5cm

# KEEP OUT OF REACH OF CHILDREN WARNING

ACCEPTED AUG 2 9 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

Advantage10 lc..Doc

Page 1 of 7

EPA. Reg. No: 11556-117

Revise according to EPA "Implementation of Label Changes to Pet Spot On Products' document dated 9/30/11 (Rec'd 10/11/11)

Date 08/20/2012 Supersedes 07/17/2012 03/01/2012 & 08/27/2010

[Back Panel]

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS

**WARNING** Causes substantial but temporary eye injury Do not get in eyes or on clothing Harmful if swallowed Do not get in eyes or on clothing Avoid contact with skin Wash hands thoroughly with soap and warm water after handling Keep out of reach of children Do not contaminate feed or food

FIRST AID		
If In Eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 20 minutes. Remove contact lenses if present after the first 5 minutes, then continue rinsing eye</li> <li>Call a poison control center or doctor for treatment advice</li> </ul>	
If Swallowed	<ul> <li>Call a poison control center or doctor immediately for treatment advice</li> <li>Have person sip a glass of water if able to swallow</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor</li> <li>Do not give anything by mouth to an unconscious person</li> </ul>	
If on Skin or Clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15 – 20 minutes Call a poison control center or doctor for treatment advice	
HOT LINE NUMBER		
	er or label with you when calling a poison control center or doctor or medical emergencies call 1 800-422-9874. For customer 6826	
	NOTE TO PHYSICIAN	
Treat the patient sympton	natically	

# HAZARDS TO DOMESTIC ANIMALS

For external use only Do not use on puppies under seven weeks of age or weighing less than 3½ lbs. As with any product consult your veterinarian before using this product on debilitated aged, pregnant or nursing dogs. Individual sensitivities, while rare may occur after using ANY pesticide product for pets. If signs persist or become more severe consult a veterinarian immediately. If your animal is on medication consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422, 9874.

Revise according to EPA 'Implementation of Label Changes to Pet Spot On Products' document dated 9/30/11 (Rec'd 10/11/11)

Date 08/20/2012 Supersedes 07/17/2012, 03/01/2012 & 08/27/2010

**Side Effects** Monitor your dog after application Side effects, although very rare, may include signs of skin irritation such as redness scratching, or other signs of discomfort Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800 422 9874.

**DO NOT USE ON CATS** Keep cats away from treated dogs for 24 hours If applied to a cat or ingested by a cat contact your veterinarian

Icon size 1 5cm x 1 5 cm



#### RESTRICTIONS

- Use only on dogs 7 weeks and older Do not use on other animals Do not apply to pupples or dogs weighing less than 3½ lbs
- Do not apply more than one (1) tube per treatment
- Do not have contact or allow children to have contact with treated area until completely dry

Net Contents [X] Tube(s) each 0 014 fl oz (0 4 mL) [Sample – Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P O Box 390
Shawnee Mission Kansas 66201 USA

Made in Germany

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

[Back Panel and/or insert]

## **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### **HOW TO APPLY**

- 1. Remove one applicator tube from the package.
- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.

[Visuals Depicting How to Open Applicator Tube]

- 3. Turn the cap around and place other end of cap back on tube.
- 4. Twist cap to break seal, then remove cap from tube.
- 5. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your dog's eyes or allow your dog to ingest this product. Do not allow the product to run off.

[Visuals Depicting Application To Animal]

- 6. Discard empty tube as described in Storage and Disposal.
- 7. In case of severe flea infestation, retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained, return to a monthly retreatment schedule.

#### PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with Advantage kills fleas and may reduce the incidence of this condition.

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

Advantage kills fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with an Advantage treated dog.

Advantage is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**: Store in a cool, dry place inaccessible to children and pets. **Pesticide Disposal and Container Handling**: Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Revise according to EPA "Implementation of Label Changes to Pet Spot On Products' document, dated 9/30/11 (Rec d 10/11/11)

Date 08/20/2012 Supersedes 07/17/2012, 03/01/2012 & 08/27/2010

[Label on Individual Tube]

Advantage® 10

9 1% Imidacloprid

0 014 fl oz (0 4 mL)

EPA Reg No 11556-117

WARNING

Keep Out of Reach of Children

Read The Entire Label Before Use

**BAYER** 

Lot No 0000000

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products' document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/2012 & 08/27/2010

[Label on blister card; one card containing 1, 2,3, 4, 5 or 6 tubes]

Advantage® 10 Topical Solution

For external use only on dogs and puppies 7 weeks and older and weighing 3½ to 10 lbs.

9.1% Imidacloprid

[X] - 0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-117

**BAYER** 

