UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



AUG 2 9 2012

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Douglas Spilker, Ph.D Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker:

Subject:

Amendment to update labels per spot on mitigation letter sent by the Agency

dated September 30, 2011

EPA Registration Nos./Product name:

11556-116, Advantage 9 Topical Solution (small cats) 11556-117, Advantage 10 Topical Solution (small dogs)

→ 11556-118, Advantage 18 Topical Solution (large cats)

11556-119, Advantage 20 Topical Solution (medium dogs)

11556-120, Advantage 55 Topical Solution (large dogs)

11556-122, Advantage 100 Topical Solution (extra large dogs)

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide, as amended are acceptable.

A stamped copy of the labeling is enclosed for your records. Please submit one final printed copy of the labeling before releasing the product for shipment. If you have any questions regarding this label, please contact Autumn Metzger at (703) 305-5314.

Sincerely,

Venus Eagle

Product Manager 01

Insecticide-Rodenticide Branch Registration Division (7505P)

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012

Supersedes: 07/17/2012, 03/01/12 & 08/27/2010

[Front Panel]

Advantage® 18 Topical Solution Alternate Brand Name: Advantage® for Large Cats

Once-A-Month Topical Flea Treatment for Cats and Kittens For Use Only on Cats 8 Weeks and Older and Weighing Over 9 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations on Cats

- One treatment prevents further flea infestation for up to four (4) weeks
- Kills fleas on cats within 12 hours
- · Kills fleas before they lay eggs
- Convenient, easy to apply
- Waterproof
- Fragrance free

	% By Weight
Active Ingredient Imidacloprid	9.1%
Other Ingredients	90.9%
Total	100.0%
EDA Fot No. 11556 VVV V	a No 11556 119

EPA Est. No. 11556-XXX-X

EPA Reg. No. 11556-118

- See Back Panel for First Aid and Precautionary Statements.
- For Directions For Use, and Storage and Disposal (instructions), see supplemental labeling inside.

KEEP OUT OF REACH OF CHILDREN WARNING

AUG 2 9 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 11556-118

Page 1 of 7

Advantage18 lc.Doc

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products"

document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012 Supersedes: 07/17/2012,

03/01/12 & 08/27/2010

[Back Panel]

PRECAUTIONARY STATEMENTS

HARZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

	FIRST AID
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor.
	 Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	• Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	er or label with you when calling a poison control center or doctor, or medical emergencies call 1-800-422-9874. For customer 6826.
	NOTE TO PHYSICIAN
Treat the patient sympton	natically.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on kittens under eight weeks of age. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product. For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

Revise according to EPA Implementation of Label Changes to Pet Spot On Products

Supersedes 07/17/2012 03/01/12 & 08/27/2010

Date 08/20/2012

document dated 9/30/11 (Rec d 10/11/11) 03/01/12 & 08/27/2010

Side Effects Monitor your cat after application. Side effects although very rare may include signs of skin irritation such as redness scratching or other signs of discomfort. Gastrointestinal signs such as hypersalivation vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur consult your veterinarian or call 1 800 422 9874.

RESTRICTIONS

- Use only on cats 8 weeks and older Do not use on other animals Do not apply to kittens or cats weighing less than 9 lbs
- Do not apply more than one (1) tube per treatment even for larger cats
- Do not have contact or allow children to have contact with treated area until completely dry

Net Contents [X] Tubes(s) each 0 027 fl oz (0 8 mL)

[Sample – Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P O BOX 390
Shawnee Mission Kansas 66201 USA

mawnee wiission Ransas 00201 05/

Made in Germany

Revise according to EPA Implementation of Label Changes to Pet Spot On Products document dated 9/30/11 (Rec d 10/11/11)

Date 08/20/2012 Supersedes 07/17/2012 03/01/12 & 08/27/2010

[Back Panel and/or insert]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

HOW TO APPLY

- 1 Remove one applicator tube from the package
- Hold applicator tube in an upright position facing away from you and your pet's face and eyes Pull cap off tube

[Visuals Depicting How to Open Applicator Tube]

- 3 Turn the cap around and place other end of cap back on tube
- 4 Twist cap to break seal then remove cap from tube
- Part the hair in the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents of the tube directly on the skin. Do not get this product in your cat's eyes or allow your cat to ingest this product. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off

[Visuals Depicting Application To Animal]

- 6 Discard empty tube as described in Storage and Disposal
- In case of severe flea infestation retreatment may be necessary earlier than four weeks. Do not retreat more often than once every seven days. After flea control is attained return to a monthly retreatment schedule.

Revise according to EPA Implementation of Label Changes to Pet Spot On Products

document dated 9/30/11 (Rec d 10/11/11)

Date 08/20/2012 Supersedes 07/17/2012 03/01/12 & 08/27/2010

PRODUCT INFORMATION

The successive feeding activity of fleas on cats may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD) Treatment of cats with Advantage kills fleas and may reduce the incidence of this condition

Advantage kills fleas on cats within 12 hours Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the cat's surroundings are killed following contact with an Advantage treated cat

Advantage is waterproof and remains effective following a shampoo treatment swimming or after exposure to rain or sunlight

Monthly treatments are required for optimal control and prevention of fleas

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

Pesticide Storage Store in a cool dry place inaccessible to children and pets Pesticide Disposal and Container Handling Nonrefillable container If empty Do not reuse or refill this container Place in trash or offer for recycling if available If partly filled Call your local solid waste agency or 1 800 422 9874 for disposal instructions Never place unused product down any indoor or outdoor drain

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC Animal Health Division warrants that this material conforms to the chemical description on the label —TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values.

Revise according to EPA Implementation of Label Changes to Pet Spot On Products document dated 9/30/11 (Rec d 10/11/11)

Date 08/20/2012 Supersedes 07/17/2012 03/01/12 & 08/27/2010

[Label on Individual Tube]

Advantage® 18

9 1% Imidacloprid

0 027 fl oz (0 8 mL)

EPA Reg No 11556 118

WARNING

Keep Out of Reach of Children

Read The Entire Label Before Use

BAYER

Lot No 0000000

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11)

Date: 08/20/2012 Supersedes: 07/17/2012, 03/01/12 & 08/27/2010

[Label on blister card; one card containing 1, 2, 3, 4, 5, or 6 tubes]

Advantage® 18 Topical Solution

For external use only on cats and kittens 8 weeks and older and weighing over 9 lbs.

9.1% Imidacloprid

[X] - 0.027 fl. oz. (0.8 mL)

EPA Reg. No. 11556-118 BAYER