14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIZES AND TOXIC SUBSTANCES

JUN 25 1998

F. T. McNamara
Bayer Corporation
Agricultural Division, Animal Health
P.O. Box 390
Shawnee Mission, KS 66201-0390

Subject:

Advantage 9 for Cats

EPA Reg. No. 11556-116

Advantage 18 for Cats EPA Reg. No. 11556-118

Advantage 10 for Dogs EPA Reg. No. 11556-117

Advantage 20 for Dogs EPA Reg. No. 11556-119

Advantage 55 for Dogs EPA Reg. No. 11556-120

Advantage 100 for Dogs EPA Reg. No. 11556-122

Revised Labels Received at EPA June 18, 1998

Dear Mr. McNamara.

The subject labels have been reviewed and will be acceptable if the following claim modification is made on each of the labels. Delete "The successive feeding activities.....reduces the incidents of this condition." The following statement may be used as a replacement:

"The successive feeding activities of fleas on pets may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage rapidly kills fleas and may reduce the incidence of this condition."

Two copies of each final printed label should be submitted to the Agency prior to shipment of the products. Stamped copies of the subject labels are enclosed for your files.

Sincerely,

Elizabeth T. Haeberer

Insecticide - Rodenticide Branch Registration Division (7505C)

Enclosures

((

1

Four color process Match pantone 3155

& varnish

ACCEPTED with COMMENTS In EPA Letter Dated:

JUN 25 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Reg. No. 11556—119 **RECEIVED**

JUN 1 6 1998

LABEL COORDINATION



RECEIVED

JUN 1 6 1998

LABEL COORDINATION

Once-a-month topical flea treatment for dogs and puppies 7 weeks and older and 11-20 lbs.

Read entire label before each use _ "

For the Prevention and Treatment of Flea Infestations on Dogs

- · Available only through licensed practicing veterinarians
- . Gis 98-100% of the fleas on dogs within 12 hours
- · One treatment prevents further flea infestation for at least four weeks
- Kilk flezs before they lay eggs

Active Ingredient % By Weight Imidacloprict 1-[(6-Chloro-3-pyridinyl) methyl]-N-nitro-2-imidazolidinimine... 9.1% Inert Ingredients. 90,9%

KEEP OUT OF REACH OF CHILDREN WARNING

See below for First Aid and Precautionary Statements

Precautionary Statements

Hazards to Humans

Causes eye irritation. Harmful if swallowed, Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food. Hazards to Domestic Animals

Hazards to Domestic Animals

For external use only. Do not use on pupplies under seven
weeks of age. As with any product, consult your veterinarian
before using this product on debilitated, aged, pregnant or
nursing animals. Individual sensitivities, while rare, may
occur after using ANY pesticide product for pets. If signs
persist, or become more severe, consult a veterinarian
immediately. If your animal is on medication, consult your
veterinarian before using this or any other product. Call
1-800-255-6826 for 24 hour assistance.

First Aid

If in eyes: Hold eyelids open and flush with plenty of water. Get medical attention if irritation persists.

If swallowed: Call a physician or Poison Control Center.

If on skin: Wash with plenty of soap and water.

To Physician: Treat the patient symptomatically.

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

How to Apply

- Use only on dogs. Do not use on other animals.
 Remove one applicator tube from the package.



- 3. Hold applicator tube in an upright position. Pull cap
- 4. Turn the cap around and place other end of cap back
- I wist cap to break seal, then remove cap from tube.
 The dog should be standing for easy application. Part the faur on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the

skin and squeeze the tube twice to expel the entire contents directly on the skin. Do not get this product in your pet's eyes or mouth.





7. Discard empty tube as described in Storage and Disposal.

The successive feeding activity of fleas on pets-frequently from elicits a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of pets with Advantage® rapidly kills fleas and reduces the incidence of this condition.

Advantage* kills 98-100% of the existing fleas on pets within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climptic regoritions. the climatic conditions.

Larval flea stages in the pet's surroundings are killed following contact with an Advantage® treated pet.

Advantage* remains efficacious following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and

If re-treatment becomes necessary earlier than four weeks, do not re-treat more than once weekly.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

disposal.

Storage: Store in a cool, dry place.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse empty container. Wrap

container and put in trash.

Limited Warranty and Limitation of Damages Elimited Warranty and Little Latin or Dathlages Bayer Corporation, Agriculture Division, Animal Health warrants that this material conforms to the chemical description on the label, BAYER CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer Corporation is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.



Manufactured for Bayer Corporation Agriculture Division, Animal Health, Skawnee Hission, Cansas 44201 USA

EPA Est. 11556-DEU-1 EPA Reg. No. 11556-119