WITED STAN	,	MENTAL PROTECTION AGENCY	EPA keg. Number:	Date of Issuance:	
STATE AND A DEPARTMENT	Registrati Ariel 1200 Penr	Pesticide Programs on Division (7505P) Rios Building Isylvania Ave., NW gton, D.C. 20460	11556-123	DEC - 7 20	
			Term of Issuance: L	Term of Issuance: Unconditional	
NOTICE OF PESTICIDE: Registration _xReregistration (under FIFRA, as amended)		CO-RAL Plus	Name of Pesticide Product: CO-RAL Plus Insecticide Cattle Ear Tag		
Name and Addres	s of Registrant (include ZII	P Code):	· ·	<u> </u>	
Bayer Healthca Animal Health P.O. Box 390 Shawnee Missi	Division				
		t accorded in accuraction with thi	registerios must be sub-sitted to	and appointed by the	
			s registration must be submitted to product always refer to the above		
		0 0	lity Decision, EPA has		
Insecticide, Fur eliminate the ne	gicide, and Rodenticio	essment of pesticides.	y of section 4(g)(2)(C) ceregistration under thi EPA may require sub	s section does	
Insecticide, Fur eliminate the ne any time to mai Generic active ingredier	ed for continual reass ntain the registration of data requirements that	le Act, as amended. R essment of pesticides. of your product. t have been identified ject product will contin	eregistration under thi	s section does a mission of data atory data for th	
Insecticide, Fur eliminate the ne any time to mai Generic active ingredier Agency's contin The lab Insecticide, Fun	ngicide, and Rodenticio eed for continual reass ntain the registration of data requirements than at contained in the sub nual reassessment of p eling referred to above	<ul> <li>de Act, as amended. Fessment of pesticides.</li> <li>of your product.</li> <li>t have been identified ject product will continesticides.</li> <li>e, submitted in connected Act (FIFRA), as among the set of the se</li></ul>	Eregistration under thi EPA may require sub-	s section does n mission of data atory data for th assessed in the under the Federa	
Insecticide, Fur eliminate the ne any time to mai Generic active ingredier Agency's contin The lab Insecticide, Fun of the label is en You m	ngicide, and Rodenticio eed for continual reass ntain the registration of data requirements that at contained in the sub- nual reassessment of p eling referred to above gicide and Rodenticid nelosed for your record ay distribute products	<ul> <li>de Act, as amended. Fessment of pesticides.</li> <li>of your product.</li> <li>t have been identified ject product will continesticides.</li> <li>e, submitted in connecte Act (FIFRA), as among the statement of the stat</li></ul>	teregistration under thi EPA may require sub- in the RED as confirm- nue to be tracked and a tion with registration u ended, is acceptable.	s section does n mission of data atory data for th ssessed in the ander the Federa A stamped copy	
Insecticide, Fur eliminate the ne any time to mai Generic active ingredier Agency's contin The lab Insecticide, Fun of the label is en You m letter or your ne	ngicide, and Rodenticio eed for continual reass intain the registration of data requirements that at contained in the sub- nual reassessment of p eling referred to above gicide and Rodenticid nelosed for your record ay distribute products ext printing of the labe	<ul> <li>de Act, as amended. Fessment of pesticides.</li> <li>of your product.</li> <li>t have been identified ject product will continesticides.</li> <li>e, submitted in connect e Act (FIFRA), as among labels/labels</li> </ul>	teregistration under thi EPA may require sub- in the RED as confirm- nue to be tracked and a tion with registration u ended, is acceptable.	s section does a mission of data atory data for the ssessed in the ander the Federa A stamped copy	
Insecticide, Fur eliminate the ne any time to mai Generic active ingredier Agency's contin The lab Insecticide, Fun of the label is en You m	ngicide, and Rodenticio eed for continual reass intain the registration of data requirements that at contained in the sub- nual reassessment of p eling referred to above gicide and Rodenticid nelosed for your record ay distribute products ext printing of the labe	<ul> <li>de Act, as amended. Fessment of pesticides.</li> <li>of your product.</li> <li>t have been identified ject product will continesticides.</li> <li>e, submitted in connect e Act (FIFRA), as among labels/labels</li> </ul>	Eregistration under thi EPA may require sub- in the RED as confirm- nue to be tracked and a tion with registration u ended, is acceptable.	s section does n mission of data atory data for th assessed in the under the Federa A stamped copy om receipt of thi	
Insecticide, Fur eliminate the ne any time to mai Generic active ingredier Agency's contin The lab Insecticide, Fun of the label is en You m letter or your ne	ngicide, and Rodenticio eed for continual reass intain the registration of data requirements that at contained in the sub- nual reassessment of p eling referred to above gicide and Rodenticid nelosed for your record ay distribute products ext printing of the labe	<ul> <li>de Act, as amended. Fessment of pesticides.</li> <li>of your product.</li> <li>t have been identified ject product will continesticides.</li> <li>e, submitted in connect e Act (FIFRA), as among labels/labels</li> </ul>	Eregistration under thi EPA may require sub- in the RED as confirm- nue to be tracked and a tion with registration u ended, is acceptable.	s section does n mission of data atory data for th ssessed in the ander the Federa A stamped copy	

ろ

Revisions to comply with requirements of Diazinon IRED (EPA Letter dated 11/06/2006). Date: 11/29/06 Supersedes: 08/05/03 Page 1 of 6 3/2

Bag (Front)

# **CO-RAL<sup>®</sup> PLUS**

### **INSECTICIDE CATTLE EAR TAG**

For use with Allflex Global Applicator with red pin and white clip.

For use on Beef and Non-Lactating Dairy Cattle to control Horn Flies (including pyrethroidresistant horn flies), Gulf Coast Ticks, Spinose Ear Ticks, And As An Aid To Control Face Flies.

		Percent By Weight
Active Ingredients:	Coumaphos [O, O – diethyl O- (3-chloro-4-methyl-2- oxo-2H-l benzopyran-7-yl) phosphorothioate]	20%
,	Diazinon [O, O – diethyl-O-(2-isopropyl-6-methyl-4- pyrimidinyl) phosphorothioate].	20%
Other Ingredients	· · · · · · · · · · · · · · · · · · ·	60%
Total		100%

## Keep Out of Reach of Children

## CAUTION

See Back of Bag For Additional Precautionary Statements and Full Labeling

Net Contents: 20 Tags - 0.5 oz per tag

Bayer HealthCare LLC, Animal Health Division Shawnee Mission, KS 66201 U.S.A.

ACCEPTED				
DEC - 7 2006				
Under the Federal Insecticide,				
 Fungicide, and Rodenticide Act, as amended, for the pesticide				
registered under EPA Reg. No. 11556-123				

x:moiij/labelspr/Co\_RalPlusEarTagB.doc

Revisions to comply with requirements of Diazinon IRED (EPA Letter dated 11/06/2006). Date: 11/29/06 Supersedes: 08/05/03 Page 2 of 6 3/

#### Bag (Rear)

### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animals

### CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some people. Wash thoroughly with soap and water after handling and before eating, drinking chewing gum, using tobacco, or using the toilet. Wear chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils) when applying tags.

**User Safety Recommendation:** Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

#### FIRST AID

Contains organophosphates that inhibits cholinesterase.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 20 minutes.
- Call poison control center or doctor for treatment advice.

If in eyes:

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

• Call a poison control center or doctor for treatment advice.

If swallowed:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless instructed to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious or convulsing person.

Revisions to comply with requirements of Diazinon IRED (EPA Letter dated 11/06/2006). Date: 11/29/06 Supersedes: 08/05/03 Page 3 of 6 4

Bag (Rear)

**HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the product information center at 1-800-255-6826, or for emergency medical treatment information call 1-877-258-2280.

**Note to Physician:** This product contains cholinesterase inhibitors. If symptoms of cholinesterase inhibition are present, atropine sulfate, by injection, is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handles must wear:

- long sleeved shirt and long pants
- shoes and socks
- chemical-resistant gloves made of rubber or any waterproof material (thickness equal to or greater than 14 mils).

#### USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washable exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

# USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Environmental Hazards:** This pesticide is highly toxic to birds, fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of used tags.

# Revisions to comply with requirements of Diazinon IRED (EPA Letter dated 11/06/2006).

Date: 11/29/06 Supersedes: 08/05/03 Page 4 of 6

Bag (Rear)

#### **Directions for Use:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

Reformulation or repackaging of this product is prohibited.

For the control of Horn Flies (including pyrethroid-resistant Horn Flies), Gulf Coast Ticks, and Spinose Ear Ticks on beef and non-lactating dairy cattle and as an aid to control Face Flies.

All mature animals in the herd should be tagged. For adequate control of Horn Flies attach one tag per animal. For optimum control of Horn Flies, Gulf Coast Ticks, and Spinose Ear Ticks, and as an aid in the control of Face Flies, attach one tag to each ear (two per animal). Replace as necessary. Co-Ral<sup>®</sup> Plus Insecticide Ear Tags have been proven to be effective against Horn Flies for three to five months.

Use Allflex Global Applicator with the red pin and white clip to apply tags to cattle.

Apply as indicated (Figures 1-4). Calves less than 3 months of age should not be tagged as ear damage may result. Remove tags at end of fly season or prior to slaughter.

(Illustration)	(Illustration)	(Illustration)	(Illustration)
Figure 1	Figure 2	Figure 3	Figure 4
Disinfect pliers prior to use. Place male button onto pin until it projects through the tip.	Slide tag under the clip of the pliers by depressing the lever.	Position tag in the center portion of the front side of the ear.	Apply the tag between the second and third rib cartilage.

Continual exposure of Horn Flies to a single class of insecticide (e.g. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of Horn Flies developing resistance it is important to rotate the class of insecticide used and/or the method of Horn Fly control on a seasonal basis. Co-Ral<sup>®</sup> Plus Insecticide Cattle Ear Tags contain the organophosphate insecticides coumaphos and diazinon.

Revisions to comply with requirements of Diazinon IRED (EPA Letter dated 11/06/2006). Date: 11/29/06 Supersedes: 08/05/03 Page 5 of 6

# Bag (Rear)

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in cool place in original container.

Pesticide Disposal: Waste (spent tags) resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty pouch in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

EPA Est. No. 4691-KS-01 EPA Reg No. 11556-123

### LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division, warrants that this material conforms to the chemical description on the label. BAYER HEALTHCARE MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Bayer HealthCare is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Revisions to comply with requirements of Diazinon IRED (EPA Letter dated 11/06/2006). Date: 11/29/06 Supersedes: 08/05/03 Page 6 of 6 7/

Inner Box

# **CO-RAL® PLUS**

# INSECTICIDE CATTLE EAR TAG

20 Tags – 0.5 oz per tag

		Percent By Weight
Active Ingredients:	Coumaphos [O, O – diethyl O- (3-chloro-4-methyl-2- oxo-2H-l benzopyran-7-yl) phosphorothioate]	20%
	Diazinon [O, O – diethyl-O-(2-isopropyl-6-methyl-4- pyrimidinyl) phosphorothioate].	20%
Other Ingredients		60%
Total	· · · · · · · · · · · · · · · · · · ·	100%
EPA Est. No. 4691-J	KS-01	

EPA Reg. No. 11556-123

### Keep Out of Reach of Children

# CAUTION

# See Back of Bag For Additional Precautionary Statements and Full Labeling

Manufactured for: Bayer HealthCare LLC, Animal Health Division Shawnee Mission, KS 66201 U.S.A.