

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C 401 "M" St., S.W. Washington, D.C. 20460 IPA Reg. Number

11556-131

(MIC OF COMME

November 2, 2001

Term of Issuance Conditional

Nome of Basticida B

Cutter® Ultra Insecticide Cattle

Ear Tag

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer Corporation, Animal Health, Agriculture Division P.O. Box 390

NOTICE OF PESTICIDE:

x Registration

Reregistration

P.O. Box 390

Shawnee Mission, KS 66201

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is <u>conditionally</u> registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

- 1) You will submit the listed data below conducted in accordance with the 40CFR Part 158 Test Guidelines: an acute dermal toxicity study (OECD 402; OPP81-2) no later than March 28, 2002
- Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of you product under FIFRA section 4.
- 3) Make the following labeling changes:
 - a) Revise the EPA Registration Number to read "EPA Reg. No. 11556-131"
 - b) Per PR Notice 97-5, please list the common name (in addition to the chemical name) for Beta-cyfluthrin.

Signature of Approving Official:

Lacy Lonkeigusin

George T. LaRocca

Date:

November 2, 2001

- c) Per PR Notice 97-6, please change "Inert Ingredients" to read "Other Ingredients".
- d) Please add the following to your First Aid statement:

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.

4. Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please feel free to contact me (703) 305-6100.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Date: 6/30/00 Page 1 of 5

Pouch

CUTTER® ULTRA INSECTICIDE CATTLE EAR TAG

For use on Beef and Non-Lactating Dairy Cattle to Control Face Flies, Horn Flies, Gulf Coast Ticks and Spinose Ear Ticks for Up to Five Months.

		Percent By Weight
Active Ingredients	Cyano (4-fluoro-3-phenyoxyphenyl) methyl 3-(2,2 – dichloroethenyl) 2, 2 – dimethylcyclopropane carboxylate	8%
	Piperonyl butoxide	20%
Inert Ingredients		72%
Total		100%

Keep Out of Reach of Children

CAUTION

See Box For Precautionary Statements

November 3, 800

GRESTS

Under the Federal Issesticide, Fernancia, and Escienticide Act as smended, for the pecticide regimeered under EPA Rog. No. 11556-131

Net Contents: 10 Tags - 14 g per tag

Manufactured for
Bayer Corporation, Agriculture Division, Animal Health
Shawnee Mission, KS 66201 U.S.A.

EPA Est. No. EPA Reg. No. 11556-XXX

Date: 6/30/00 Page 2 of 5

Box (Front)

CUTTER® ULTRA

INSECTICIDE CATTLE EAR TAG

For use on Beef and Non-Lactating Dairy Cattle to Control Face Flies, Horn Flies, Gulf Coast Ticks and Spinose Ear Ticks

- Effective Against Face Flies and Pyrethroid Susceptible Horn Flies for up to 5 months.
- Kills and Repels Face Flies mechanical vector of *Moraxella bovis* bacteria causing "pink eye" of cattle
- Synergized for extra performance

		Percent By Weight
Active Ingredients	Cyano (4-fluoro-3-phenyoxyphenyl) methyl 3-(2,2 – dichloroethenyl) 2, 2 – dimethylcyclopropane carboxylate	8%
	Piperonyl Butoxide Technical	20%
Inert Ingredients		72%
Total		100%

Keep Out of Reach of Children

CAUTION

See Side Panel for Additional Precautionary Statements

Bayer Corporation, Agriculture Division, Animal Health Shawnee Mission, KS 66201 U.S.A.

Net Contents: 2 pouches of 10 tags each – 14 g per tag

Reason to Issue: New product label

Date: 6/30/00 Page 3 of 5

Box (Side Panel)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

May cause eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wear nonpermeable protective gloves when applying or removing tags. Wash thoroughly with soap and water after use and before eating, drinking or using tobacco.

FIRST AID

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, and then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If Swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything to an unconscious person.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If Inhaled:

- Move person to fresh air.
- If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible.

Environmental Hazards: This pesticide is toxic to fish. Do not contaminate water when disposing of used tags. Apply this product only as specified on the label.

Reason to Issue: New product label

Date: 6/30/00 Page 4 of 5

Box (Back)

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

For the control of horn flies, face flies, gulf coast ticks, and spinose ear ticks on beef and non-lactating dairy cattle.

All mature animals in the herd should be tagged. For adequate control of horn flies attach one tag per animal. For optimum control of face flies, horn flies, gulf coast ticks, and spinose ear ticks, attach one tag to each ear (two per animal). Replace as necessary. Cutter® Ultra Insecticide Ear Tags have been proven to be effective against face and horn flies for up to five months.

Apply as indicated (Figures 1-4). Calves less than 3 months of age should not be tagged as ear damage may result. Remove tags at end of fly season or prior to slaughter.

(Illustration)	(Illustration)	(Illustration)	(Illustration)
Figure 1	Figure 2	Figure 3	Figure 4
Disinfect pliers prior to use. Place male button onto pin until it projects	Slide tag under the clip of the pliers by depressing the lever.	Position tag in the center portion of the front side of the	Apply the tag between the second and third rib cartilage.
through the tip.	• -	ear.	

Continual exposure of horn flies to a single class of insecticide (e.g. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis. Cutter® Ultra Cattle Ear Tag contains the pyrethroid insecticide beta cyfluthrin plus piperonyl butoxide, which is an insecticide synergist.

Storage and Disposal:

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool place in original container. Opened pouches containing ear tags should be resealed for storage.

Pesticide Disposal: Waste (spent tags) resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty pouch in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

EPA Est. No. EPA Reg. No. 11556-XXX

Reason to Issue: New product label

Date: 6/30/00 Page 5 of 5

Box (Side Panel)

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer Corporation, Agriculture Division, Animal Health warrants that this material conforms to the chemical description on the label. BAYER CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Bayer Corporation, is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Bayer Corporation, Agriculture Division, Animal Health Shawnee Mission, KS 66201 U.S.A.

