

11556-131

1/28/2003

1/5

Reason to Issue: Add lactating cattle statement.

Date: 03/12/02

Supersedes: 11/08/01

Page 1 of 5

Pouch

**CYLENCE® ULTRA
INSECTICIDE CATTLE EAR TAG**

For use on Beef and Dairy Cattle (Including Lactating) to Control Face Flies, Horn Flies, Gulf Coast Ticks and Spinose Ear Ticks for Up to Five Months.

		<u>Percent By Weight</u>
Active Ingredients	Beta-cyfluthrin; Cyano (4-fluoro-3-phenoxyphenyl) methyl 3-(2,2 – dichloroethenyl) 2, 2 – dimethylcyclopropane carboxylate	8%
	
	Piperonyl butoxide	20%
Other Ingredients	<u>72%</u>
Total	100%

Keep Out of Reach of Children

CAUTION

See Box For Precautionary Statements

ACCEPTED
JAN 28 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11556-131

Net Contents: 10 Tags - 0.5 oz per tag

Manufactured for

Bayer Corporation, Agriculture Division, Animal Health
Shawnee Mission, KS 66201 U.S.A.

EPA Est. No.
EPA Reg. No. 11556-131

Reason to Issue: Add lactating cattle statement.

Date: 03/12/02

215

Supersedes: 11/08/01

Page 2 of 5

Box (Front)

CYLENCE® ULTRA

INSECTICIDE CATTLE EAR TAG

For use on Beef and Dairy Cattle (Including Lactating) to Control Face Flies, Horn Flies, Gulf Coast Ticks and Spinose Ear Ticks

- Effective Against Face Flies and Pyrethroid Susceptible Horn Flies for up to 5 months.
- Kills and Repels Face Flies – mechanical vector of *Moraxella bovis* bacteria causing “pink eye” of cattle
- Synergized for extra performance

		<u>Percent By Weight</u>
Active Ingredients	Beta-cyfluthrin; Cyano (4-fluoro-3-phenyloxyphenyl) methyl 3-(2,2 – dichloroethenyl) 2, 2 – dimethylcyclopropane carboxylate	8%
	
	Piperonyl Butoxide Technical	20%
Other Ingredients	<u>72%</u>
Total	100%

Keep Out of Reach of Children

CAUTION

See Side Panel for Additional Precautionary Statements

Bayer Corporation, Agriculture Division, Animal Health
Shawnee Mission, KS 66201 U.S.A.

Net Contents: 2 pouches of 10 tags each – 0.5 oz per tag

Box (Side Panel)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

May cause eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wear nonpermeable protective gloves when applying or removing tags. Wash thoroughly with soap and water after use and before eating, drinking or using tobacco.

FIRST AID

- If in Eyes:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes, and then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- If Swallowed:
- Call a poison control center or doctor immediately for treatment advice.
 - Have a person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor.
 - Do not give anything to an unconscious person.
- If on skin or clothing:
- Take off contaminated clothing.
 - Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice.
- If Inhaled:
- Move person to fresh air.
 - If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible.

HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the product information center at 1-800-255-6826, or for emergency medical treatment information call 1-877-258-2280.

Environmental Hazards: This pesticide is toxic to fish. Do not contaminate water when disposing of used tags. Apply this product only as specified on the label.

Box (Back)

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This labeling must be in the possession of the user at the time of pesticide application.

For the control of horn flies, face flies, gulf coast ticks, and spinose ear ticks on beef and dairy cattle (including lactating).

All mature animals in the herd should be tagged. For adequate control of horn flies attach one tag per animal. For optimum control of face flies, horn flies, gulf coast ticks, and spinose ear ticks, attach one tag to each ear (two per animal). Replace as necessary. CyLence® Ultra Insecticide Ear Tags have been proven to be effective against face and horn flies for up to five months.

Apply as indicated (Figures 1-4). Calves less than 3 months of age should not be tagged as ear damage may result. Remove tags at end of fly season or prior to slaughter.



Figure 1

Disinfect pliers prior to use. Place male button onto pin until it projects through the tip.

Figure 2

Slide tag under the clip of the pliers by depressing the lever.

Figure 3

Position tag in the center portion of the front side of the ear.

Figure 4

Apply the tag between the second and third rib cartilage.

Continual exposure of horn flies to a single class of insecticide (e.g. pyrethroids or organophosphates) may lead to the development of resistance to that class of insecticide. In order to reduce the possibility of horn flies developing resistance it is important to rotate the class of insecticide used and/or the method of horn fly control on a seasonal basis.

CyLence® Ultra Cattle Ear Tag contains the pyrethroid insecticide beta cyfluthrin plus piperonyl butoxide, which is an insecticide synergist.

Storage and Disposal:

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in cool place in original container. Opened pouches containing ear tags should be resealed for storage.

Pesticide Disposal: Waste (spent tags) resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Dispose of empty pouch in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned stay out of smoke.

EPA Est. No.

EPA Reg. No. 11556-131

Reason to Issue: Add lactating cattle statement.

Date: 03/12/02

Supersedes: 11/08/01

Page 5 of 5

5/5

Box (Side Panel)

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer Corporation, Agriculture Division, Animal Health warrants that this material conforms to the chemical description on the label. BAYER CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Bayer Corporation, is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Bayer Corporation, Agriculture Division, Animal Health
Shawnee Mission, KS 66201 U.S.A.