

11556-132

12/10/2008

10f9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Douglas Spilker, Ph.D.
Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, KS 66201-0390

DEC 10 2008

Dear Dr. Spilker:

Subject: Amendment - Label revisions per Agency letter dated June 30, 2008 plus updates
K9 Advantix 10
EPA Reg. No. 11556-132
Your submission dated September 25, 2008

The amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable and a stamped copy of the label is enclosed for your records.

Sincerely,

Dana R. Pilitt

for Richard Gebken
Product Manager 13
Insecticide Branch
Registration Division (7505P)

2009

Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes. Date: 09/15/08
Supersedes: 04/15/08
Page 1 of 8

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

K9 Advantix[®] 10


Topical prevention and treatment of ticks, fleas, mosquitoes, biting flies, and lice for monthly use on [small] dogs and puppies 7 weeks of age and older, weighing 10 lbs. and under.

READ THE ENTIRE LABEL BEFORE EACH USE

DO NOT USE ON CATS

For the Prevention and Treatment of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

- For use on dogs and puppies 7 weeks of age and older
- A single topical application remains effective for [(a month) (four (4) weeks)]
- Convenient, easy to apply topical solution
- Once a month topical flea treatment for dogs 7 weeks of age or older
- K9 Advantix is indicated for the prevention and treatment of fleas, ticks, biting flies, mosquitoes, and lice on dogs 7 weeks of age and older
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of ehrlichiosis), and Lone Star ticks (vector of ehrlichiosis) for up to four (4) weeks
- Kills fleas on dogs within 12 hours and continues to prevent infestations for [(a month) (four (4) weeks)]
- Kills and repels fleas before they lay eggs
- Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix[®] treated dog
- For the treatment and prevention of flea infestations
- One treatment prevents further flea infestations for [(a month) (four (4) weeks)]
- Controls existing flea infestations by killing adult fleas
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents fleas on treated dogs from infesting (reinfesting) your home.
- Treatment with K9 Advantix kills fleas and may reduce the incidence of Flea Allergy Dermatitis (FAD)



Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes. Date: 09/15/08 Supersedes: 04/15/08 Page 2 of 8

- Repels and kills mosquitoes for up to four (4) weeks
• Repels and kills mosquitoes often before they have a chance to take a blood meal
• [(Prevents blood-feeding by) (Kills and repels)] mosquitoes
• Remains effective after bathing and swimming [(for a month) (for up to four weeks)]
• Repels biting flies
• Repels and inhibits blood-feeding by biting flies
• Repels and prevents blood-feeding by biting flies
• Repels [(annoying)(bothersome)(nuisance)] biting flies
• Inhibits [(annoying)(bothersome)(nuisance)] biting flies
• [(Prevents)(inhibits)] blood-feeding by biting flies
• Kills [(biting) (chewing)] lice
• For treatment and prevention of [(biting) (chewing)] lice [infestations]
• Controls existing [(biting) (chewing)] lice infestations
• 5-way protection (against fleas, ticks, biting flies, mosquitoes, and lice)
• Treats, prevents and controls [(biting) (chewing)] lice [infestations]
• Provides effective control of [(biting) (chewing)] lice [infestations]
• Kills [(biting) (chewing)] lice and prevents further infestations
• For treatment and prevention of infestations with [(biting) (chewing)] lice
• Remains effective after exposure to rain or sunlight
• Waterproof
• Fragrance free

Table with 2 columns: Active Ingredients, % By Weight. Rows include Imidacloprid (8.8%), Permethrin* (44.0%), Other Ingredients (47.2%), and Total (100%).

* cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

Handwritten notes and symbols, possibly representing a chemical structure or specific data points, located to the right of the text below the table.

4099

Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes.

Date: 09/15/08
Supersedes: 04/15/08
Page 3 of 8

KEEP OUT OF REACH OF CHILDREN

WARNING

[For Directions for Use, and Storage and Disposal (instructions), see supplemental labeling inside.]

See below for first aid and precautionary statements.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS

Causes substantial but temporary eye injury. Do not get in eyes or on skin nor clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

DO NOT USE ON CATS



Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat which actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs contact your veterinarian immediately.

For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes.

Date: 09/15/08
Supersedes: 04/15/08
Page 4 of 8

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

FIRST AID


Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically.



6099

Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes.


Date: 09/15/08
Supersedes: 04/15/08
Page 5 of 8

DIRECTIONS FOR USE


It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO APPLY

- 1. Use only on dogs. DO NOT USE ON CATS or on other animals.
- 2. Remove applicator tube from the package.




- 3. Hold applicator tube in an upright position. Pull cap off tube.
- 4. Turn the cap around and place other end of cap back on tube.
- 5. Twist cap to break seal, then remove cap from tube.
- 6. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin.



Do not get this product in your dog's eyes or mouth.

- 7. Discard empty tube as described in Storage and Disposal.



Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes.

Date: 09/15/08
Supersedes: 04/15/08
Page 6 of 8

GENERAL INFORMATION

Kills fleas which may cause flea allergy dermatitis (FAD).

K9 Advantix[®] kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix[®] treated dog.

K9 Advantix[®] is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place. Protect from freezing. **Disposal:** Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

8 of 9

Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes.


Date: 09/15/08
Supersedes: 04/15/08
Page 7 of 8

Four (Six) 0.014 fl. oz. (0.4 mL) Tubes

EPA Est. 11556-DEU-1
EPA Reg. No. 11556-132

Manufactured For
Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, Kansas 66201 USA

Made in Germany



9089

Reason To Issue: Revise according to EPA letter of 06/30/08, and make other minor changes.

Date: 09/15/08
Supersedes: 04/15/08
Page 8 of 8

(Label on Individual Tube)

K9 Advantix[®] 10

8.8% imidacloprid
44.0% permethrin

0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-132

WARNING

Keep out of reach of children
DO NOT USE ON CATS

Read The Entire Label Before Use

BAYER

Lot No. 0000000

