

K9 ADVANTIX®

20

Topical prevention and treatment of ticks, fleas and mosquitoes
for monthly use on dogs and puppies 7 weeks of age and older, weighing 11-20 lbs.

Read The Entire Label Before Each Use

DO NOT USE ON CATS

For the Prevention and Treatment of Ticks, Fleas and Mosquitoes on Dogs

- Available only through licensed practicing veterinarians
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of ehrlichiosis), and Lone Star ticks for up to four weeks
- Kills 98-100% of the fleas on dogs within 12 hours and continues to prevent infestations for at least four weeks
- Repels and kills fleas before they lay eggs
- Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix™ treated dog
- Repels and kills mosquitoes for up to four weeks
- Remains effective after bathing and swimming

Active Ingredients

% By Weight

Imidacloprid: 1-[(6-Chloro-3-pyridinyl) methyl]-N-nitro-2-imidazolidinimine 8.4%

Permethrin® 44.6%

Other Ingredients 47.2%

Total 100.0%

*cis/trans ratio: Max 55% (±) cis and min 45% (±) trans

ACCEPTED

FEB 23 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 11556-133

KEEP OUT OF REACH OF CHILDREN WARNING

See below for first aid and precautionary statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only.

Do not use on animals other than dogs.

Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

DO NOT USE ON CATS

Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat which actively groomed a recently treated dog, this product may have serious harmful effects. If this occurs contact your veterinarian immediately.

For consumer questions call 1-800-255-6826.

For medical emergencies call 1-877-254-2280.

Environmental Hazards

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically.

Manufactured For Bayer HealthCare LLC Animal Health Division

Shawnee Mission, Kansas 66201 USA

Made in Germany

www.k9advantix.com

K9 Advantix is protected by one or more of the following U.S. patents: 6,838,462, 6,613,783, 6,495,573, 6,529,374, 6,322,328, 5,428,032, 5,298,537, 5,204,360, 4,742,060, and other patents pending

Directions for Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

How to Apply

1. Use only on dogs. DO NOT USE ON CATS or on other animals.
2. Remove applicator tube from the package.



3. Hold applicator tube in an upright position. Pull cap off tube.
4. Turn the cap around and place other end of cap back on tube.
5. Twist cap to break seal, then remove cap from tube.
6. The dog should be standing for easy application. Part the hair on the dog's back, between the shoulder blades, until the skin is visible. Place the tip of the tube on the skin and squeeze the tube twice to expel the entire contents directly on the skin.



7. Discard empty tube as described in Storage and Disposal.

Kill fleas which may cause flea allergy dermatitis (FAD).

K9 Advantix kills 98-100% of the existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix treated dog.

K9 Advantix remains efficacious following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place. Protect from freezing.

Pesticide Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-255-6826 for disposal instructions. Never place unused product down any indoor or outdoor drain.



Bayer HealthCare

© 2005 Bayer HealthCare LLC

Bayer, the Bayer Cross, and K9 Advantix are trademarks of Bayer

Limited Warranty and Limitation of Damages

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of the warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

01404534

02935132/02935280, IL2
EPA Est. 11556-DEU-1
EPA Reg. No. 11556-133

D1404569

K9 ADVANTIX® 20 DO NOT USE ON CATS

6 PACK

K9 ADVANTIX®

Topical prevention and treatment of ticks, fleas and mosquitoes for monthly use on dogs and puppies 7 weeks of age and older, weighing 11-20 lbs.



Repels and kills ticks including those that may transmit Lyme disease



Repels and kills fleas - Kills 93-100% of fleas within 12 hours



Repels and kills mosquitoes



DO NOT USE ON CATS
Six 0.034 fl oz (1.0 ml) Tubes

SEE PACKAGE INSERT FOR COMPLETE PRODUCT INFORMATION

- Repels and kills ticks
- Kills 98-100% of fleas within 12 hours
- Repels and kills mosquitoes

105x25x180

K9 ADVANTIX® 20

Topical prevention and treatment of ticks, fleas and mosquitoes for monthly use on dogs and puppies 7 weeks of age and older, weighing 11-20 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

- For Use: Prevention and Treatment of Ticks, Fleas and Mosquitoes on Dogs
- Repels and kills ticks including those that transmit Lyme disease, fleas and mosquitoes
- Kills 93-100% of fleas within 12 hours and mosquitoes
- Repels and kills mosquitoes
- Kills 98-100% of fleas within 12 hours and mosquitoes
- Repels and kills mosquitoes
- Kills 93-100% of fleas within 12 hours and mosquitoes

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

HAZARDS TO DOMESTIC ANIMALS

DO NOT USE ON CATS

ENVIRONMENTAL HAZARDS

First Aid

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

See the product container or label with your veterinarian for a patient control center or dealer, or going for treatment.

