550-133



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

11/18/2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. J. Todd Frank Bayer HealthCare LLC Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

18 2013

Subject: Label Notification(s) for Pesticide Registration Notice 98-10.

Dear Mr. Frank:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 November 1, 2013, for the following product(s):

K9 Advantix Medium Dog EPA Reg. No. 11556-133

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Lota [-]

Richard J. Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

Please read instructions o	n reverse before comu	form.			Form Appr	oved		70-0060	Print Form
\$EPA	ر Environmenta	Inited States	-	ncy		X	Registra Amendr Other	tion	OPP Identifier Number
		Application	for I	Pestici	ide - Sec	tion	1		·
1. Company/Product Num 11556-133	ber			2. EPA Product Manager     3. Proposed Classification       Richard Gebken     Image: Comparison of the second se					
4. Company/Product (Nan K9 Advantix Medium I	ne) Dog			PM# Restricted Restricted					
5. Name and Address of Applicant (Include ZIP Code) Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION Product Name NOV 1.8 2012						
الميسيط ميران (1999) ويتمان ميراني ميراني الميراني (1999) 			Sec	tion -			14(3.8		
Amendment - Expl Resubmission in re Notification - Expl Explanation: Use addit	in below. ional page(s) if necessar		and Se	- []	Final printe Agency lett "Me Too" / Other - Exp	er dat Applica	etion.	• to	
Addition of optional te E-mail Contact: todd.fi			Sect	ion - I	111		······································		
1. Material This Product							1	······································	
Child-Resistant Packaging Yes' No * Certification must be submitted	Yes     Yes       No     No       If "Yes"     No. per       Unit Packaging wgt.     No. per       Packaging wgt.     Packaging			ge wgt container Other (Specify)					
3. Location of Net Conter	ts Information Container	4. Size(s) Retail	©ontai	ner			On Label		ons npanying product
6. Manner in Which Label	is Affixed to Product	Lithogra Paper gli Stencileo	oh Jed j		Othe	·			
			Sect	ion - I	V				·····
1. Contact Point <i>(Completed)</i>	te items directly below			idual to l	be contacted,	if nec	essary, to pr		
Name J. Todd Frank							Telephon 913-268	ne No. (Include Area Code) 3-2585	
l certify that the st l acknowledge that both under applical	atements I have made or any knowingly false or le lew.	Certificati In this form and a misleading statem	l attach	ments th y be pur	nereto are truc nishable by fir	9, 80¢i 16 or ir	urate and cor nprisonment	nplete. or	6. Dete Application Beceived (Stamped)
2. Signature 9 Tad	2 full		<b>Title</b> egulate	ory Affai	irs Consultai	nt			ις ις ις ις ις ις ις ις ις ις
4. Typed Name J. Todd Frank	)		Date 11/01/2	2013	· · · · · · · · · · · · · · · · · · ·				

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

# **Bayer HealthCare**

#### Via Federal Express

November 1, 2013

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

Attention: Mr. Richard Gebken/PM 10

Subject: Addition of alternate brand name and optional text:

- K9 Advantix Small Dog; EPA Reg. No. 11556-132
- K9 Advantix Medium Dog; EPA Reg. No. 11556-133
- K9 Advantix Large Dog; EPA Reg. No. 11556-135
- K9 Advantix Extra Large Dog; EPA Reg. No. 11556-134

Dear Mr. Gebken:

Please find enclosed, for the Agency's acceptance, four Applications for Pesticide Notification, one copy of the highlighted label, and the copies of the unhighlighted labels for the subject products. **Note:** Similar applications have been made to V. Eagle, Team 1 for the Advantage product line.

As allowed by PR Notice 98-10 Bayer HealthCare LLC Animal Health is adding Alternate Brand Name and other nonsubstantive changes via the enclosed Notifications.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Bayer HealthCare LLC

Animal Health

P.O. Box 390 Shawnee Mission, KS 66201-0390



If you have any questions, please do not hesitate to call (913) 268-2585.

Sincerely,

1. Too f.a.

J. Todd Frank Regulatory Affairs Consultant todd.frank@bayer.com

Enclosures:

- 1) K9 Advantix Small Dog Application w/att.
- 2) K9 Advantix Medium Dog Application w/att.
- 3) K9 Advantix Large Dog Application w/att.
- 4) K9 Advantix Extra Large Dog Application w/att.

Reason To Issue: Addition of Alte

Addition of Alternate Brand Name, optional text and minor typographical revisions.

Date: 10/31/13 Supersedes: 07/08/13 Page 1 of 10

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

K9 Advantix<sup>®</sup> Medium Dog

# Alternate Brand Name: DefenseCare Flea & Tick Protection Medium Dog

Topical prevention and treatment of fleas, ticks, mosquitoes, biting flies, and lice for monthly use only on dogs and puppies 7 weeks of age and older and weighing 11-20 lbs.

# READ THE ENTIRE LABEL BEFORE EACH USE NOTIFICATION

#### DO NOT USE ON CATS

## NOV 1 8 2013

For the Prevention and Treatment of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

[Selected optional claims]

- [For use on dogs and puppies 7 weeks of age and older]
- [A single topical application remains effective for [(a month) (four (4) weeks)]]
- [Convenient, easy to apply topical solution]
- [Once a month topical flea treatment for dogs 7 weeks of age or older]
- [K9 Advantix is indicated for the prevention and treatment of fleas, ticks, biting flies, mosquitoes, and lice on dogs 7 weeks of age and older]
- [Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of ehrlichiosis), and Lone Star ticks (vector of ehrlichiosis) for up to four (4) weeks]
- [Kills fleas on dogs within 12 hours and continues to prevent infestations for [(a month) (four (4) weeks)]]
- [Kills and repels fleas before they lay eggs]
- [Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix<sup>®</sup> treated dog]
- [For the treatment and prevention of flea infestations
- [One treatment prevents further flea infestations for [(a month) (four (4) weeks)]]
- [Controls existing flea infestations by killing adult fleas]

Reason To Issue:	Addition of Alternate Brand Name, optional text and	Date: 10/3
	minor typographical revisions.	Supersedes:
		Page 2 of 10

Date: 10/31/13 Supersedes: 07/08/13 Page 2 of 10

- [Prevents reinfestations by killing adult fleas before they lay eggs]
- [Prevents fleas on treated dogs from infesting (reinfesting) your home.]
- [Treatment with K9 Advantix kills fleas and may reduce the incidence of Flea Allergy Dermatitis (FAD)]
- [Repels and kills mosquitoes for up to four (4) weeks]
- [Repels and kills mosquitoes often before they have a chance to take a blood meal]
- [[(Prevents blood-feeding by) (Kills and repels)] mosquitoes]
- [Remains effective after bathing and swimming [(for a month) (for up to four weeks)]]
- [Repels biting flies]
- [Repels and inhibits blood-feeding by biting flies]
- [Repels and prevents blood-feeding by biting flies]
- [Repels [(annoying)(bothersome)(nuisance)] biting flies]
- [Inhibits [(annoying)(bothersome)(nuisance)] biting flies]
- [[(Prevents)(inhibits)] blood-feeding by biting flies]
- [Kills [(biting) (chewing)] lice]
- [For treatment and prevention of [(biting) (chewing)] lice [infestations]]
- [Controls existing [(biting) (chewing)] lice infestations]
- [5-way protection (against fleas, ticks, biting flies, mosquitoes, and lice)]
- [Treats, prevents and controls [(biting) (chewing)] lice [infestations]]
- [Provides effective control of [(biting) (chewing)] lice [infestations]]
- [Kills [(biting) (chewing)] lice and prevents further infestations]
- [For treatment and prevention of infestations with [(biting) (chewing)] lice]
- [Remains effective after exposure to rain or sunlight]
- [Waterproof]
- [Fragrance free]
- [From the makers of ExpertCare]

Active Ingredients	% By Weight
Imidacloprid	8.8%
Permethrin*	44.0%
Other Ingredients.	47.2%
Total	,
EPA Est. 1155	56-XXX-X-X

EPA Reg. No. 11556-133

Addition of Alternate Brand Name, optional text and minor typographical revisions.

Date: 10/31/13 Supersedes: 07/08/13 Page 3 of 10

[For Directions for Use and other labeling; see supplemental labeling inside.]

See [below] (or) [back panel] for first aid and precautionary statements.



#### KEEP OUT OF REACH OF CHILDREN

#### WARNING

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

#### HAZARDS TO DOMESTIC ANIMALS

**For external use on dogs only. Do not use on animals other than dogs.** Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

Addition of Alternate Brand Name, optional text and minor typographical revisions.

Date: 10/31/13 Supersedes: 07/08/13 Page 4 of 10

**Side Effects:** Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-800-422-9874.

DO NOT USE ON CATS - MAY BE FATAL. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately

For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

#### ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

	FIRST AID
If In Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If Swallowed:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything to an unconscious person.</li> </ul>
If On Skin or Clothing:	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15 - 20 minutes.</li> </ul>
	Call a poison control center or doctor for treatment advice.     HOT LINE NUMBER
<b>A</b>	ntainer or label with you when calling a poison control center or doctor, nt. You may also contact 1-800-422-9874 for emergency medical

Reason To Issue:	Addition of Alternate Brand Name, optional text and
	minor typographical revisions.
	•

Date: 10/31/13 Supersedes: 07/08/13 Page 5 of 10

treatment information. For consumer questions call 1-800-255-6826.				
NOTE TO PHYSICIAN				
Treat the patient symptomatically.				

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.



#### **HOW TO OPEN**

#### [OPTION 1: INSTRUCTIONS FOR BLISTER PACK]

- 1. Being careful not to cut close to the blister cavities, take scissors and cut off one section of the card containing a single tube.
- 2. Take the separated section, and cut into the blister cavity across the small side, close to the cap of the tube.
- 3. Peel off the foil, and take out the tube.
- 4. Repeat steps 1 to 3 for each tube.

#### **(OPTION 2: INSTRUCTIONS FOR POUCH PACK)**

- 1. Be sure tube is at bottom of pouch.
- 2. Using scissors, cut the pouch across the top and remove tube.

#### **HOW TO APPLY**

- 1. Use only on dogs. DO NOT USE ON CATS or on other animals.
- 2. Remove applicator tube from the package.
- 3. Hold applicator tube in an upright position. Pull cap off tube.

[Visuals Depicting How to Open Applicator Tube]

4. Turn the cap around and place other end of cap back on tube.

Reason To Issue:	Addition of Alternate Brand Name, optional text and	Date:
	minor typographical revisions.	Supers
		Page 6

Date: 10/31/13 Supersedes: 07/08/13 Page 6 of 10

- 5. Twist cap to break seal, then remove cap from tube.
- 6. The dog should be standing for easy application. The entire contents of the K9 Advantix<sup>®</sup> tube should be applied evenly to three or four spots on the top of the back from the shoulder to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and gently squeeze to expel a portion of the solution on the skin. Do not apply an excessive amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Do not get this product in your dog's eyes, or allow your dog to ingest this product.

[Visuals Depicting Application To Animal]

7. Discard empty tube as described in Storage and Disposal.

#### **PRODUCT INFORMATION**

Kills fleas which may cause flea allergy dermatitis (FAD).

K9 Advantix<sup>®</sup> kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting four (4) weeks. Preexisting pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix<sup>®</sup> treated dog.

K9 Advantix<sup>®</sup> is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

11/14

Reason To Issue:

Addition of Alternate Brand Name, optional text and minor typographical revisions.

Date: 10/31/13 Supersedes: 07/08/13 Page 7 of 10

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage**: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal** and Container Handling: Nonrefillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Addition of Alternate Brand Name, optional text and minor typographical revisions. ------

Date: 10/31/13 Supersedes: 07/08/13 Page 8 of 10

## Net Contents: XX Tubes each 0.034 fl. oz. (1.0 mL)

[Sample – Not for (Re)Sale]

### Manufactured For

Bayer HealthCare LLC Animal Health Division P.O. Box 390 Shawnee Mission, Kansas 66201 USA

Made in Germany

13/14

Reason To Issue:

Addition of Alternate Brand Name, optional text and minor typographical revisions.

\_\_\_\_

Date: 10/31/13 Supersedes: 07/08/13 Page 9 of 10

(

(Label on Individual Tube)

K9 Advantix<sup>®</sup> Medium Dog

8.8% imidacloprid 44.0% permethrin

0.034 fl. oz. (1.0 mL)

EPA Reg. No. 11556-133

#### WARNING

Keep out of reach of children DO NOT USE ON CATS

Read The Entire Label Before Use

#### BAYER

Lot No. 0000000

Addition of Alternate Brand Name, optional text and minor typographical revisions.

Date: 10/31/13 Supersedes: 07/08/13 Page 10 of 10

[OPTION 1: Label on blister card; one card containing 1, 2, 3, 4, 5, or 6 tubes] [OPTION 2: Label on pouch containing one tube]

[Additional label text for OPTION 2: THIS UNIT NOT FOR RETAIL SALE]

# K9 Advantix<sup>®</sup> Medium Dog

For external use only on dogs and puppies 7 weeks and older and weighing 11 - 20 lbs.

8.8% imidacloprid 44.0% permethrin

[X] - 0.034 fl. oz. (1.0 mL) Tube(s)

EPA Reg. No. 11556-133

#### BAYER

Lot No. 0000000



Do Not Use on Cats