# 11556-134 10.2.207

0CT

2 2007



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ί٨

Mary McKinney Hunt Pesticide Regulatory Manager Bayer HealthCare LLC Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

RE: Proposed Label Revision EPA Reg. No.: 11556-134 Date of Submission: September 10, 2007

Dear Ms. Hunt:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated September 10, 2007, for the product K9 Advantix 100. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

€PA	Environmental	nited States <b>Protection</b> Ington, DC 20460	Agency	<ul> <li>✓</li> </ul>	Registra Arnend Other		OPP Identifier Number
<i>i</i>		Application	for Pesticide - Se	ction	1		
1. Company/Product Num 11556-134	hber	· . ·	2. EPA Product Ma George LaR	-		3. Pr	oposed Classification
4. Company/Product (Nar K9 Advantix 10		· · · · · · · · · · · ·	РМ# 13				None Restricted
Bayer HealthCare I P.O. Box 390 Shawnee Mission,	Applicant <i>(Include ZIP Cod</i> LLC, Animal Health KS 66201-0390 <i>this is a new address</i>			t is sin	nilar or iden	tical in co	FIFRA Section 3(c)(3) mposition and labeling
			Section - II				
Notification - Expl Explanation: Use eddi Enclosed for Agency acce per Agency letter dated 2 Ingredients; and 4) remov	esponse to Agency letter ain below. tional page(s) if necessary eptance is a draft label for K /22/2007 (enclosed); 2) incl re the word, "only," in the fo ad practicing veterinarians."	<ul> <li>/. (For section I a</li> <li>/9 Advantix 100, Reduce to</li> <li>ude fluid ounce to</li> <li>llowing statement:</li> </ul>	egistration Number 11556- net weight (in addition to ne Available "only" through lic	<b>Applic</b> <b>xplain</b> b 134. Fo	ation. elow. ur proposed r : in ml); 3) rep	lace "inert"	with "other" in Other
	• •		inent for further detail.				
			Section - III				
1. Material This Product Child-Resistant Packaging Yes No * Certification must	Will Be Packaged in: Unit Packaging Yes No	No. per			2. Type of	Container Metal Plastic Glass Paper Other (S	Specify)
1. Material This Product Child-Resistant Packaging Yes No	Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per	Section - III Vater Soluble Packaging Yes No f "Yes" No. pe Package wgt contain	ner	2. Type of	Metai Plastic Glass Paper Other (S	Specify)
1. Material This Product 1 Child-Resistant Packaging Yes No * Certification must be submitted 3. Location of Net Conter Lebel	Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Its Information Container	No. per II container F	Section - III Veter Soluble Packaging Yes No f "Yes" No. pe Package wgt contair Container	5. Lo		Metai Plastic Glass Paper Other (S	Specify)
A Material This Product V Child-Resistant Packaging Yes No Certification must be submitted . Location of Net Conter	Will Be Packaged In: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Its Information Container	No. per conteiner 4. Size(s) Retail C Lithograph Paper glue Stenciled	Section - III Veter Soluble Packaging Yes No f "Yes" No. pe Package wgt contair Container	5. Lo		Metai Plastic Glass Paper Other (S	Specify)
	Will Be Packaged in: Unit Packaging Yes No If "Yes" Unit Packaging wgt. Its Information Container I is Affixed to Product ete items directly below for	No. per container 4. Size(s) Retail ( Lithograph Paper glue Stenciled	Section - III Vater Soluble Packaging Yes No f "Yes" No. pe Package wgt contain Container Contai	5. Lo	pication of La	Metal Plastic Glass Paper Other (S bel Direction rocess this	Specify) ons application.) e No. (Include Area Code)
	Will Be Packaged in: Unit Packaging Yes No If "Yes" Unit Packaging wgt. If "Yes" Unit Packaging wgt. Its Information Container I is Affixed to Product ete items directly below for ey Hunt atements I have made on atements I have made or	No. per container 4. Size(s) Retail C Lithograph Paper glue Stenciled or identification of Titl Pe <b>Certification</b> this form and all	Section - III Vater Soluble Packaging Yes No f "Yes" No. pe Package wgt contain Container Contai	ber 5. Lo ner d, if neo ager	cation of La	Metal Plastic Glass Paper Other (S bel Direction rocess this Telephon (91	Specify) ons  application.]
	Will Be Packaged in: Unit Packaging Yes No If "Yes" Unit Packaging wgt. If "Yes" Unit Packaging wgt. Its Information Container I is Affixed to Product ete items directly below for ey Hunt atements I have made on atements I have made or	No. per container 4. Size(s) Retail ( Lithograph Paper glue Stenciled or identification of Titl Pe <b>Certification</b> this form and all in misleading statem	Section - III Veter Soluble Packaging Yes No Yes No Yes No Yes No Sectage wgt Container Containe	ber 5. Lo ber d, if neo ager rue, acco fine or	urate and co	Metal Plastic Glass Paper Other (S bel Direction rocess this Telephon (91	Specify) ons e application.) e No. (Include Area Code) 3) 268-2311 6. Quice Application Received

# ATTACHMENT FOR OPP APPLICATION FOR PESTICIDE NOTIFICATION Page 1 of 1

## K9 Advantix 100, EPA Reg. No. 11556-134 September 10, 2007

Enclosed for Agency acceptance is a draft label for K9 Advantix 100, EPA Reg. No. 11556-134.

The four proposed revisions are as follows:

1) Changes to label per Agency letter dated 2/22/2007 (enclosed)

2) Include fluid ounces to net weight (in addition to net weight in ml)

3) Replace "inert" with "other" in Other Ingredients

4) Remove the word, "only,"

from: Available only through licensed practicing veterinarians.to: Available through licensed practicing veterinarians.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

11556-134

02 22 2007

CEFB-2 2 2007

Dear Mr. Gagliano:

Subject:

Amendment- efficacy to add label claims (MRID 46978901 and MRID 46978902) K9 Advantix 10 EPA Registration Number 11556-132 K9 Advantix 20 EPA Registration Number 11556-133 K9 Advantix 100 EPA Registration Number 11556-134 K9 Advantix 55 EPA Registration Number 11556-135 Your submissions dated October 6, 2006

The application referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following comments:

1. Please delete "Starts working/ repels before biting flies bite." The study counted blood-fed flies, not number of bites.

2. Please delete all "kills flies" claims. The data do not support these claims.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

A copy of the review is enclosed for your records.

A stamped copy of the labels are enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (13) Insecticide Branch CCCC Registration Division (7505P)

Enclosure

Date: 10/03/06 Supersedes: 10/01/03

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

ACCEPTED whb COMMENTS In EPA Letter Desired FEB 2 2 2007	(Front Panel of Outer Box)
Judor the Frident Brand 1 Fundation 1 11556-134	K9 Advantix™ 100
Topical prevention and trea	atment of ticks, fleas, biting flies, and mosquitoes for logs and puppies 7 weeks of age and older,

weighing over 55 lbs.

## **READ THE ENTIRE LABEL BEFORE EACH USE**

For the Prevention and Treatment of Ticks, Fleas, Biting Flies, and Mosquitoes on Dogs

- Available oxy through licensed practicing veterinarians
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of
- ehrlichiosis), and Lone Star ticks for up to four weeks
- Kills 98-100% of the fleas on dogs within 12 hours and continues to prevent infestations for at least four weeks
- Kills and repels fleas before they lay eggs
- Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix<sup>™</sup> treated dog
- Repels and kills mosquitoes for up to four weeks
- Remains effective after bathing and swimming
- [(Kills)-(and) (repels)] biting flies
- Kills, repels, and inhibits blood-feeding by biting flies
- Kills; repels, and prevents blood-feeding by biting flies
- Kills [(annoying) (bothersome)(nuisance)] biting flies
- Repels [(annoying)(bothersome)(nuisance)] biting flies
- Inhibits [(annoying)(bothersome)(nuisance)] biting flies
- [(Prevents)(inhibits)] blood-feeding by biting flies
- [(Starts working)(Repets)] before [biting] flies bite
- [(Prevents blood-feeding by) (Kills and repels)] biting flies

x:moiij/labelspr/K9Advantix100b4pk.doc

Page 1 of 12

Reason To Issue:	Add biting flies claim.	Date: 10/03/06 Supersedes: 10/01/03
Active Ingredients		% By Weight
Imidacloprid; 1-[	6-Chloro-3-pyridinyl) methyl]-N-nitr	o-2-imidazolidinimine 8.8%
Permethrin*		
UT INCL Inert Ingredients		47.2%

 Total
 100%

 \* cis/trans ratio:
 Max 55% (±) cis and min 45% (±) trans

## KEEP OUT OF REACH OF CHILDREN

## WARNING

See below for first aid and precautionary statements.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling.

## HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

#### **DO NOT USE ON CATS**

Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat which actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs contact your veterinarian immediately.

For consumer questions call 1-800-255-6826. For medical emergencies call 1-877-258-2280.

x:moiij/labelspr/K9Advantix100b4pk.doc

Page 2 of 12

Date: 10/03/06 Supersedes: 10/01/03

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically.

Four (4.0 mL) Tubes 0,135 Fl. 02.

EPA Est. 11556-DEU-1 EPA Reg. No. 11556-134

#### Manufactured For

Bayer Corporation Agriculture Division Animal Health Shawnee Mission, Kansas 66201 USA

Made in Germany

x:moiij/labelspr/K9Advantix100b4pk.doc

Page 3 of 12

Date: 10/03/06 Supersedes: 10/01/03

٩.,

# (Back Panel of Outer Box)

# K9 Advantix<sup>™</sup> 100

# Topical prevention and treatment of ticks, fleas, biting flies, and mosquitoes for monthly use on dogs and puppies 7 weeks of age and older, weighing over 55 lbs.

- Repels and kills ticks including those that may transmit Lyme disease
- Kills 98-100% of fleas within 12 hours
- Repels and kills mosquitoes
- Repels and kills biting flies

## DO NOT USE ON CATS

Four(4.0 mL) Tubes

0-135 Fl. 02

x:moiij/labelspr/K9Advantix100b4pk.doc

Page 4 of 12

 Reason To Issue:
 Add biting flies claim.
 Date: 10/03/06

 Supersedes:
 10/01/03

(Top Panel of Outer Box)

# K9 ADVANTIX™ 100

# DO NOT USE ON CATS

(Side Panel of Outer Box)

• Available only through licensed practicing veterinarians

• Convenient, easy to apply

(Side Panel of Outer Box)

# SEE PACKAGE INSERT FOR COMPLETE PRODUCT INFORMATION

- Repels and kills ticks
- Kills 98-100% of fleas within 12 hours
- Repels and kills mosquitoes
- Repels and kills biting flies

x:moiij/labelspr/K9Advantix100b4pk.doc

Page 5 of 12

Date: 10/03/06 Supersedes: 10/01/03

## (Package Insert)

# K9 Advantix<sup>™</sup> 100

## Topical prevention and treatment of ticks, fleas, biting flies, and mosquitoes for monthly use on dogs and puppies 7 weeks of age and older, weighing over 55 lbs.

## Read The Entire Label Before Use DO NOT USE ON CATS

For the Prevention and Treatment of Ticks, Fleas and Mosquitoes on Dogs

- Available only through licensed practicing veterinarians
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of ehrlichiosis), and Lone Star ticks for up to four weeks
- Kills 98-100% of the fleas on dogs within 12 hours and continues to prevent infestations for at least four weeks
- Kills and repels fleas before they lay eggs
- Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix<sup>™</sup> treated dog
- Repels and kills mosquitoes for up to four weeks
- Remains effective after bathing and swimming
- [(Kills) (and) (repels)] biting flies
- Kills, repels, and inhibits blood-feeding by biting flies
- -Kills; repels, and prevents blood-feeding by biting flies
- -Kills [(annoying) (bothersome)(nuisance)] biting flies
- Repels [(annoying)(bothersome)(nuisance)] biting flies
- Inhibits [(annoying)(bothersome)(nuisance)] biting flies
- [(Prevents)(inhibits)] blood-feeding by biting flies
- [(Starts working)(Repets)] before [biting] flies bite \_\_\_\_\_
- [(Prevents blood-feeding by) (Kills and repels)] biting flies

Page 6 of 12

Reason To Issue:	Add biting flies claim.		Date: 10/03/06
		•	Supersedes: 10/01/03

Active Ingredients	% By Weight
Imidacloprid; 1-[(6-Chloro-3-pyridinyl) methyl]-N-nitro-2-imidazolidinimine .	8.8%
Permethrin*	44.0%
Her-Ingredients	47.2%
Total * cis/trans ratio: Max 55% (±) cis and min 45% (±) trans	100%

### KEEP OUT OF REACH OF CHILDREN

WARNING See below for first aid and precautionary statements.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Causes eye irritation. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wash hands thoroughly with soap and warm water after handling.

#### HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

## **DO NOT USE ON CATS**

Due to their unique physiology and inability to metabolize certain compounds, this product must not be used on cats. If applied to a cat, or ingested by a cat which actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs contact your veterinarian immediately.

For consumer questions call 1-800-255-6826. For medical emergencies call 1-877-258-2280.

x:moiij/labelspr/K9Advantix100b4pk.doc

Page 7 of 12

Date: 10/03/06 Supersedes: 10/01/03

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

To Physician: Treat the patient symptomatically.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

## HOW TO APPLY

- 1.


Use only on dogs. DO NOT USE ON CATS or on other animals.

x:molij/labelspr/K9Advantix100b4pk.doc

Page 8 of 12

13/16


2. Remove applicator tube from the package.



3. Hold applicator tube in an upright position. Pull cap off tube.

4. Turn the cap around and place other end of cap back on tube.

- 5. Twist cap to break seal, then remove cap from tube.
- 6. The dog should be standing for easy application. The entire contents of the K9 Advantix<sup>™</sup> tube should be applied evenly to three or four spots on the top of the back from the shoulder to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and gently squeeze to expel a portion of the solution on the skin. Do not apply an excessive amount of solution at any one spot that could cause some of the solution to run off the side of the dog.



x:moiij/labelspr/K9Advantix100b4pk.doc

Page 9 of 12

 Reason To Issue:
 Add biting flies claim.
 Date: 10/03/06

 Supersedes:
 10/01/03

7. Discard empty tube as described in Storage and Disposal.

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with K9 Advantix<sup>™</sup> rapidly kills fleas and may reduce the incidence of this condition.

K9 Advantix<sup>TM</sup> kills 98-100% of the existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix<sup>TM</sup> treated dog.

K9 Advantix<sup>™</sup> remains efficacious following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

If re-treatment becomes necessary, do not re-treat more than once every week.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place. Protect from freezing. Pesticide Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-255-6826 for disposal instructions. Never place unused product down any indoor or outdoor drain.

x:moiij/labelspr/K9Advantix100b4pk.doc

Page 10 of 12

Date: 10/03/06 Supersedes: 10/01/03

#### LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer Corporation, Agriculture Division, Animal Health warrants that this material conforms to the chemical description on the label. BAYER CORPORATION MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer Corporation is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

## EPA Est. 11556-DEU-1

EPA Reg. No. 11556-134

Page 11 of 12

Date: 10/03/06 Supersedes: 10/01/03

"

(Label on Individual Tube)

K9 Advantix<sup>™</sup> 100

8.8% imidacloprid 44.0% permethrin

(0-135 J. 02. (4.0 mL)

EPA Reg. No. 11556-134

## WARNING

Keep out of reach of children DO NOT USE ON CATS

Read The Entire Label Before Use

## BAYER

Lot No. 0000000

Fage 12 of 12