11556-139

8/13/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 1 3 2013

Douglas A. Spilker, Ph.D Bayer Health Care LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201

Subject: K9 Advantix 100 EPA Reg. No. 11556-134 Submission dated 3/23/2012 implementing label changes to pet spot-on products EPA Decision No. 471373

Dear Dr. Spilker,

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is **acceptable**. With this letter, the alternate brand name of "K9 Advantix Extra Large Dog" is accepted as the primary brand name, the previous primary brand name of "K9 Advantix 100" is no longer active, and the label requirements listed in the EPA letter "Implementation of Label Changes to Pet Spot-On Products" dated September 30, 2011, are fulfilled. If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action. This registration is now time-limited and expires two years from the date of this letter.

Per your email correspondence of July 9, 2013, it is our understanding that this product is not currently marketed by Bayer. If Bayer intends to market this product in the future, the additional requirements of September 30, 2011 must be fulfilled. These requirements include the submission of final printed labels, quarterly enhanced incident reports, and quarterly sales information in doses sold for this product, along with an analysis of the incidents reported. The quarterly reports are due two months after the quarter ends. Please flag any Confidential Business Information as such. Enhanced incident reporting should be submitted to the Product Manager. Quarterly sales information should be submitted to the attention of Kaitlin Keller, Pesticide Re-evaluation Division, Mail Code 7508P.

The following is a list of information that must be included in the quarterly reports for each incident:

EPA Registration Number Product name (brand name) Lot # Where purchased: internet, store, veterinarian Active Ingredient(s) Weight range for product Species: dog, cat, other (specify) Breed: (as reported by pet owner) Age: months or years Sex: M, F, or neutered Weight: pounds

Primary Route of Exposure: dermal, oral, other animal, inhalation, other Body System: neurological, dermatological, GI, respiratory, ocular, other Major signs noted with separate column for each sign, using standard terminology Time to Onset: (hours, days) Treated by veterinarian: yes or no First time product used: yes or no Misuse: use on incorrect species, overdose, too frequent dosing, other (describe) Any known precondition EPA Severity Code: death, major, moderate, minor Outcome: died, recovered, still treated, unknown

Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:

- All incidents should be reported including all minor dermal and ocular irritation reports.
- Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
- Summary table for dogs and table for cats showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
- A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
- A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label.

- A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs weighing more than the product weight range.
- Table showing number of incidents for each dog breed.
- Table showing number of incidents in dogs for each clinical sign.
- Table showing number of incidents in dogs for each organ system.
- Report aggregate incidents, but do not combine moderate and minor incidents.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this label, please contact Kaitlin Keller at (703) 308-8172 via email at keller.kaitlin@epa.gov.

Sincerely,

1 Cope

Richard Gebken Product Manager 10 Insecticide Branch Registration Division (7504P)

Enclosure: Label stamped "Accepted"

Reason To Issue: Revise according to EPA "Implementation of Label Date: 07/08/13 Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11)

Supersedes: 03/22/12 and 02/10/12 (i) Page 1 of 10

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

K9 Advantix[®] Extra Large Dog


Topical prevention and treatment of fleas, ticks, mosquitoes, biting flies, and lice for monthly use only on dogs and puppies 7 weeks of age and older and weighing over 55 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

DO NOT USE ON CATS

For the Prevention and Treatment of Ticks, Fleas, Mosquitoes, Biting Flies, and Lice on Dogs

- For use on dogs and puppies 7 weeks of age and older
- A single topical application remains effective for [(a month) (four (4) weeks)]
- Convenient, easy to apply topical solution
- Once a month topical flea treatment for dogs 7 weeks of age or older
- K9 Advantix is indicated for the prevention and treatment of fleas, ticks, biting flies, mosquitoes, and lice on dogs 7 weeks of age and older
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of ehrlichiosis), and Lone Star ticks (vector of ehrlichiosis) for up to four (4) weeks
- Kills fleas on dogs within 12 hours and continues to prevent infestations for [(a month) (four (4) weeks)]
- Kills and repels fleas before they lay eggs
- Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix[®] treated dog
- For the treatment and prevention of flea infestations
- One treatment prevents further flea infestations for [(a month) (four (4) weeks)]
- Controls existing flea infestations by killing adult fleas
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents fleas on treated dogs from infesting (reinfesting) your home.



.

Reason To Issue:	Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11)	Date: 07/08/13 Supersedes: 03/22/12 and 02/10/12 (i) Page 2 of 10
Allerg Repel Repel [(Prev Rema weeks Repel Repel Repel Inhibi [(Prev Kills [For tra S-way Treats Provic Kills [For tra Rema Water	s biting flies s and inhibits blood-feeding by biting flies s and prevents blood-feeding by biting flies s (annoying)(bothersome)(nuisance)] biting flies ts [(annoying)(bothersome)(nuisance)] biting flies ents)(inhibits)] blood-feeding by biting flies (biting) (chewing)] lice eatment and prevention of [(biting) (chewing)] lice ols existing [(biting) (chewing)] lice infestations protection (against fleas, ticks, biting flies, mosqui , prevents and controls [(biting) (chewing)] lice [infest fleas (biting) (chewing)] lice and prevents further infestations eatment and prevention of infestations with [(biting) (chewing)] lice and prevents further infestations protective after exposure to rain or sunlight	nce to take a blood meal bes onth) (for up to four [infestations] itoes, and lice) festations] festations] utions
Active Ingredient Imidacloprid	S	% By Weight
Permethrin*		
Other Ingredients	· · · · · · · · · · · · · · · · · · ·	
		EPA Est. 11556-XXX-X EPA Reg. No. 11556-134

(

Date: 07/08/13 Supersedes: 03/22/12 and 02/10/12 (i) Page 3 of 10

[For Directions for Use and other labeling; see supplemental labeling inside.]

9/30/11 (Rec'd 10/11/11)

See [below] (or) [back panel] for first aid and precautionary statements.



KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

Reason To Issue:

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

Side Effects: Monitor your dog after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-800-422-9874.

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11)

Date: 07/08/13 Supersedes: 03/22/12 and 02/10/12 (i) Page 4 of 10



For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

FIRST AID			
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		
If Swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person. 		
If On Skin or Clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice. 		
	HOT LINE NUMBER		
or going for treatment.	ner or label with you when calling a poison control center or doctor, You may also contact 1-800-422-9874 for emergency medical For consumer questions call 1-800-255-6826.		
NOTE TO PHYSICIAN			
Treat the patient sympto	matically.		

K9Advantix XLD jab.doc

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11)

Date: 07/08/13 Supersedes: 03/22/12 and 02/10/12 (i) Page 5 of 10

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

HOW TO OPEN

[OPTION 1: INSTRUCTIONS FOR BLISTER PACK]

- 1. Being careful not to cut close to the blister cavities, take scissors and cut off one section of the card containing a single tube.
- 2. Take the separated section, and cut into the blister cavity across the small side, close to the cap of the tube.
- 3. Peel off the foil, and take out the tube.
- 4. Repeat steps 1 to 3 for each tube.

[OPTION 2: INSTRUCTIONS FOR POUCH PACK]

- 1. Be sure tube is at bottom of pouch.
- 2. Using scissors, cut the pouch across the top and remove tube.

HOW TO APPLY

- 1. Use only on dogs. DO NOT USE ON CATS or on other animals.
- 2. Remove applicator tube from the package.
- 3. Hold applicator tube in an upright position. Pull cap off tube.

[Visuals Depicting How to Open Applicator Tube]

- 4. Turn the cap around and place other end of cap back on tube.
- 5. Twist cap to break seal, then remove cap from tube.

9/13

Reason To Issue:	Revise according to EPA "Implementation of Label	Date: 07/08/13
	Changes to Pet Spot-On Products" document, dated	Supersedes: 03/22/12
	9/30/11 (Rec'd 10/11/11)	and 02/10/12 (i)
		Page 6 of 10

6. The dog should be standing for easy application. The entire contents of the K9 Advantix[®] tube should be applied evenly to three or four spots on the top of the back from the shoulder to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and gently squeeze to expel a portion of the solution on the skin. Do not apply an excessive amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Do not get this product in your dog's eyes, or allow your dog to ingest this product.

[Visuals Depicting Application To Animal]

7. Discard empty tube as described in Storage and Disposal.

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11) Date: 07/08/13 Supersedes: 03/22/12 and 02/10/12 (i) Page 7 of 10

PRODUCT INFORMATION

Kills fleas which may cause flea allergy dermatitis (FAD).

K9 Advantix[®] kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting four (4) weeks. Preexisting pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix[®] treated dog.

K9 Advantix[®] is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

For dogs over 55 lbs., do not apply more than 1 tube per treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Supersedes: 03/22/12 -----

Net Contents: XX Tubes each 0.135 fl. oz. (4.0 mL)

[Sample – Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC Animal Health Division P.O. Box 390 Shawnee Mission, Kansas 66201 USA

Made in Germany

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11) Date: 07/08/13 Supersedes: 03/22/12 and 02/10/12 (i) Page 9 of 10

(Label on Individual Tube)

K9 Advantix[®] Extra large Dog

8.8% imidacloprid 44.0% permethrin

0.135 fl. oz. (4.0 mL)

EPA Reg. No. 11556-134

WARNING

Keep out of reach of children DO NOT USE ON CATS

Read The Entire Label Before Use

BAYER

Lot No. 0000000

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products" document, dated 9/30/11 (Rec'd 10/11/11) Date: 07/08/13 Supersedes: 03/22/12 and 02/10/12 (i) Page 10 of 10

[OPTION 1: Label on blister card; one card containing 1, 2, 3, 4, 5, or 6 tubes] [OPTION 2: Label on pouch containing one tube]

[Additional label text for OPTION 2: THIS UNIT NOT FOR RETAIL SALE]

K9 Advantix[®] Extra Large Dog

For external use only on dogs and puppies 7 weeks and older and weighing over 55 lbs.

8.8% imidacloprid44.0% permethrin

[X] - 0.135 fl. oz. (4.0 mL) Tube(s)

EPA Reg. No. 11556-134

BAYER

Lot No. 0000000

