

11556-137

11/1/2002

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
101 "M" St., S.W.
Washington, D.C. 20460

EPA Reg
Number

Date of Issuance

11556-137

Term of Issuance: Conditional

Name of Pesticide Product:

QuickBayt™ Fly Bait

NOTICE OF PESTICIDE:

☒ Registration☐ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer Corporation
Agriculture Division
8400 Hawthorn Road
P.O. Box 4913
Kansas City, MO 64120-0013
attn: Mr. F. Terry McNamara

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Revise the EPA Registration Number to read, "EPA Reg. No. 11556-137"

Signature of Approving Official:

Dani Daniel
Insecticide-Rodenticide Branch
Registration Division (7505C)

Date:

NOV 1 2002

Page Two

11556-137

2. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions

A stamped copy of the label is enclosed for your records. If you have any questions regarding this notice, please contact me at (703) 305-5409.

Enclosure :

3/5

QuickBayt™ Fly Bait

For the control of nuisance flies in and around livestock facilities and stables.

ACTIVE INGREDIENT:

Imidacloprid,
1-[(6-Chloro-3-pyridinyl)methyl]-
N nitro-2-imidazolidinimine. . . . 0.50%
Z-9-Tricosene. 0.10%
OTHER INGREDIENTS: 99.40%
100.00%

EPA Reg. No. 11556-XXX Net Contents _____
EPA Establishment No. 7319-NL-1

STOP - Read the label before use.
Keep out of reach of children.

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

FIRST AID	
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything to an unconscious person.
If on skin:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 to 20 minutes.• Call a poison control center or doctor for further treatment advice.
If inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency medical treatment call 1-877-258-2280. For product information call 1-800-633-3796.	
Note to Physician: No specific antidote is available. Treat the patient symptomatically.	

ENVIRONMENTAL HAZARDS



This product is highly toxic to aquatic invertebrates.



Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

with COMMENTS
In EPA Letter Dated:

NOV 1 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
11556-XXX-157

PRO FACTS	
<ul style="list-style-type: none"> • Fast acting • Ready-to-use scatter bait or paint-on application • Contains a specially formulated mixture of attractants • Controls flies resistant to organophosphates and carbamates 	
QUICKBAYT FLY BAIT	<ul style="list-style-type: none"> • Ready-to-use bait containing 0.5% imidacloprid • Contains the attractant Muscalure® • Contains Bitrex® bittering agent to help prevent ingestion by animals, children and pets
CONTROLS	<ul style="list-style-type: none"> • Nuisance flies
WHERE TO APPLY	<ul style="list-style-type: none"> • Around the outside of structures or partially enclosed or protected areas • In and around agricultural production facilities • Around the outside of commercial facilities
MIXING INFORMATION	<ul style="list-style-type: none"> • Ready-to-use scatter bait • Paint-on application; Mix the fly bait with water
HOW TO APPLY	<ul style="list-style-type: none"> • Scatter application • Place in any fly bait station • Paint-on application
COVERAGE	5.7 to 6.3 oz/1000 sq. ft
RE-APPLY	Re-apply every 7 days as needed.
QUESTIONS??	For questions or comments, call toll-free 1-800-633-3796 or visit us online at www.quickbayt.com
 	

DIRECTIONS FOR USE	
<p>It is a violation of Federal law to use this product in a manner inconsistent with its labeling.</p> <p>IMPORTANT: Read the entire label and Conditions of Sale before using this product.</p>	
FLY MANAGEMENT	
WHERE TO APPLY	<ul style="list-style-type: none"> • For use only around the outside of commercial facilities like canneries, dairy, meat and poultry processing plants, food processing plants, warehouses, dumpsters, recycling areas, loading docks. • For use only around the outside of agricultural production facilities like broiler houses, feedlots, livestock housing structures, and horse stables. • For use only around the outside of and in walkways of caged layer houses. Place bait in areas inaccessible to animals. • In horse stables, apply bait only in fly bait stations. Place bait stations in areas inaccessible to animals.
USE RATE	• 5.7 to 6.3 oz/1000 sq ft (scatter bait and bait station)
HOW TO APPLY	<p>Apply the bait in many locations. Avoid cool or windy locations because flies prefer warm sites for resting.</p> <p>Time applications to begin at the start of the season before fly populations have reached their peak.</p> <ul style="list-style-type: none"> • Scatter application: Scatter the bait directly from the container onto dry level surfaces so that the individual granules lie near each other without forming small piles. • Bait stations: Place in any fly bait station. Use 1 bait station to cover approximately 250 sq ft, and add up to 1.6 oz of bait per station. Secure bait stations at least 4 feet above the ground. Bait stations should be inaccessible to food-producing animals, children and pets. • Paint-on application: Mix 1.5 oz bait with 1 fl oz warm water (3 lbs bait in 1 quart water) and stir thoroughly. Let stand for about 15 minutes until a paste consistency suitable for painting has formed. Apply the paste with a brush to surfaces where flies rest avoiding surfaces that are dusty.
RESTRICTIONS	<ul style="list-style-type: none"> • Do not place bait in areas accessible to food producing animals, children and pets. • Do not allow bait to come into contact with food or water. • Do not apply to milking equipment. • Do not apply inside food processing plants, restaurants or other commercial facilities.
 	
MANAGEMENT TIPS	
<p>For Best Results: Use the bait as part of an overall integrated Pest Management program</p> <ul style="list-style-type: none"> • Use proper sanitation and manure management • Use along with dilutable sprays like TEMPO® • Use environmental controls, such as proper light management • Consult with Cooperative Extension 	

STORAGE AND DISPOSAL	
Do not contaminate water, food or feed by storage or disposal.	
Storage	<ul style="list-style-type: none"> • Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. • Store in original containers and out of the reach of children, preferably in a locked storage area. • Handle an open container in a manner as to prevent spillage.
Pesticide Disposal	Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal	<ul style="list-style-type: none"> • Completely empty container. • Dispose of container at an approved waste disposal facility or by incineration if allowed by state and local authorities. • Do not use container in connection with food, feed, or drinking water.
Spills	<ul style="list-style-type: none"> • If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area. • If spill or leak incidents, keep unauthorized people away.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

Made for Bayer Corporation
Animal Health
Box 39C
Shawnee Mission, KS 66201-0390
www.bayer-ah.com

Made in Holland

x:moiij/labelspr/QuickBayt.doc

