



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 11556-137	2. EPA Product Manager Dan Kenny	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) QuickBayt Fly Bait	PM# 4A	
5. Name and Address of Applicant (Include ZIP Code) Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION AUG 18 2004
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Enclosed for Agency acceptance are five copies of the draft label for QuickBayt Fly Bait, EPA Reg. No. 11556-137. Revisions include: added common names to active ingredients; changed Bitrex statement at Agency's request; and corrected typographical errors.

Please see attached for detailed explanation.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)				
Name Greg G. Gagliano		Title Manager, EPA Regulatory Affairs		
		Telephone No. (Include Area Code) (913) 268-2731		
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)	
2. Signature <i>Mary McKinney Hunt</i>		3. Title Manager, EPA Regulatory Affairs		
4. Typed Name <i>for</i> Greg G. Gagliano		5. Date 7-31-04		

2/8

Reason To Issue: Change Bitrex statement, add common
names to active ingredients, and correct
typographical errors

Date: 07/21/04
Supersedes: 10/30/03
Page 1 of 6

QuickBayt™ Fly Bait

For the control of nuisance flies in and around livestock facilities and stables.

ACTIVE INGREDIENT:

Imidacloprid;	
1-[(6-Chloro-3-pyridinyl)methyl]-N nitro-2-imidazolidinimine. . .	0.50%
Muscalure;	
Z-9-Tricosene.	0.10%

OTHER INGREDIENTS.	99.40%
----------------------------	--------

100%

EPA Reg. No. 11556-137

EPA Establishment No. 7319-NLD-1

STOP - Read the label before use.
Keep out of reach of children.

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

Net Contents: 5 pounds (2.25 kg)

Manufactured for
Bayer HealthCare LLC
Animal Health Division
Shawnee Mission, KS 66201 U.S.A.

Made in The Netherlands

NOTIFICATION

AUG 18 2004

Reason To Issue: Change Bitrex statement, add common names to active ingredients, and correct typographical errors

Date: 07/21/04
Supersedes: 10/30/03
Page 2 of 6

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
If on skin:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for further treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency medical treatment call 1-877-258-2280. For product information call 1-800-633-3796.	
Note to Physician: No specific antidote is available. Treat the patient symptomatically.	



ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

4/8

Reason To Issue: Change Bitrex statement, add common names to active ingredients, and correct typographical errors

Date: 07/21/04
Supersedes: 10/30/03
Page 3 of 6

PRO FACTS	
<ul style="list-style-type: none"> • Fast acting • Ready-to-use as scatter bait, paint-on or in bait stations • Contains a specially formulated mixture of attractants in extruded pellet form • Controls flies resistant to organophosphates and carbamates 	
QUICKBAYT FLY BAIT	<ul style="list-style-type: none"> • Ready-to-use bait containing 0.5% imidacloprid • Contains the attractant muscalure • Contains Bitrex® bittering agent
CONTROLS	<ul style="list-style-type: none"> • Nuisance flies
COVERAGE	1.5 oz/250 sq ft (1.5 oz = 3 Tablespoons)
RE-APPLY	Re-apply every 7 days as needed.
QUESTIONS??  	For questions or comments, call toll-free 1-800-633-3796 or visit us online at www.quickbayt.com

5/8

Reason To Issue: Change Bitrex statement, add common names to active ingredients, and correct typographical errors


Date: 07/21/04
Supersedes: 10/30/03
Page 4 of 6

DIRECTIONS FOR USE	
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IMPORTANT: Read the entire label and Conditions of Sale before using this product.	
FLY MANAGEMENT	
WHERE TO APPLY	Do not place QuickBayt Fly Bait in areas accessible to animals, children and pets.
	Scatter Application For use around the outside of: <ul style="list-style-type: none"> • Agricultural production facilities like broiler houses, turkey houses, caged layer houses, feedlots, dairy barns, and swine confinement buildings • Canneries; dairy, meat and poultry processing plants; food processing plants; warehouses; dumpsters; recycling areas and loading docks
	Scatter Application For use in walkways of: <ul style="list-style-type: none"> • Caged layer houses
	Bait Station Application For use inside of: <ul style="list-style-type: none"> • Horse stables • Broiler, turkey, and caged layer houses • Swine confinement buildings • Dairy barns and milking parlors
	Paint-on Application For use inside and around the outside of: <ul style="list-style-type: none"> • Broiler, turkey, and caged layer houses • Swine confinement buildings • Dairy barns

6/8

Reason To Issue: Change Bitrex statement, add common names to active ingredients, and correct typographical errors

Date: 07/21/04
Supersedes: 10/30/03
Page 5 of 6

USE RATE	1.5 oz/250 sq ft (scatter bait and bait station)
HOW TO APPLY	Do not place QuickBayt Fly Bait in areas accessible to animals, children and pets.
	Apply the bait in many locations. Avoid cool or windy locations because flies prefer warm, motionless sites for resting. Time applications to begin at the start of the season before fly populations have reached their peak.
	Scatter Application: Scatter the bait directly from the container onto dry level surfaces so that the individual granules lie near each other without forming small piles.
	Bait Station Application: Place in any fly bait station. Use 1 bait station to cover approximately 250 sq ft, and add up to 1.5 oz of bait per station. Secure bait stations at least 4 feet above the ground.
	Paint-on Application: Mix 1.5 oz bait with 1 fl oz warm water (3 lbs bait in 1 quart water) and stir thoroughly. Let stand for about 15 minutes until a paste consistency suitable for painting has formed. Apply the paste with a brush to surfaces where flies rest avoiding surfaces that are dusty.
RESTRICTIONS 	<ul style="list-style-type: none"> • Do not place in areas accessible to food producing animals, children and pets. • Do not allow contact with food or water. • Use environmental controls, such as proper light management. • Do not apply directly onto milking equipment. • Do not apply inside food processing plants or restaurants.

MANAGEMENT TIPS

For Best Results: Use the bait as part of an overall Integrated Pest Management program

- Use proper sanitation and manure management
- Use along with dilutable sprays like TEMPO®
- Use environmental controls, such as proper light management
- Consult with Cooperative Extension

7/8

Reason To Issue: Change Bitrex statement, add common names to active ingredients, and correct typographical errors

Date: 07/21/04
Supersedes: 10/30/03
Page 6 of 6

STORAGE AND DISPOSAL	
Do not contaminate water, food or feed by storage or disposal.	
Pesticide Storage	<ul style="list-style-type: none"> • Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. • Store in original containers and out of the reach of children, preferably in a locked storage area. • Handle an open container in a manner as to prevent spillage.
Pesticide Disposal	<ul style="list-style-type: none"> • Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal	<ul style="list-style-type: none"> • Completely empty container. • Dispose of container at an approved waste disposal facility or by incineration if allowed by state and local authorities. • Do not use container in connection with food, feed, or drinking water.
Spills	<ul style="list-style-type: none"> • If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area. • In spill or leak incidents, keep unauthorized people away.

CONDITIONS OF SALE: The directions on this label were determined through research to be appropriate for the correct use of this product. This product has been tested under different environmental conditions both indoors and outdoors similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment. Bayer offers, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Bayer and are, therefore, the responsibility of the buyer.

8/8



Bayer HealthCare
Animal Health Division

July 22, 2004

Document Processing Desk (NOTIF - D. Kenny)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
1801 South Bell Street
Arlington, VA 22202

**SUBJECT: Notification to Registration for Label Changes to
QuickBayt™ Fly Bait, EPA Reg. No. 11556-137**

Dear Mr. Kenny:

Please find enclosed, for the Agency's acceptance, a Notification and five (5) copies of the draft label for the subject product.

The revisions include: changed the Bitrex statement per the Agency's request, added the common names to the active ingredients, and other minor non-notification changes.

Please note that none of the changes require a data review, and we anticipate ready Agency acceptance of the draft label.

Thank you for your assistance with this notification process, and please call me at 913-268-2311 if you have any questions or need further information.

Respectfully,

BAYER HEALTHCARE LLC
ANIMAL HEALTH DIVISION

Mary McKinney Hunt

Mary McKinney Hunt
Regulatory Specialist

enclosure

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, KS 66201

Phone: 913 268-2000