

11556-137

10/13/2009

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Douglas A. Spilker  
Bayer HealthCare LLC  
P.O. Box 390  
Shawnee Mission, KS 66201-0390

**NOTIFICATION**

**OCT 13 2009**

Subject: Submitted Notification;

Dear Dr. Spilker:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notices (PRN) 2007-4, 97-5 and 98-10 dated July 29, 2009 for:

**EPA Registration: 11556-140**  
**EPA Registration: 11556-137**

**QuickBayt Disposable Fly Bait Strip**  
**QuickBayt Fly Bait**

The Registration Division (RD) has conducted a review of this request for applicability under PR Notices 2007-4, 97-5 and 98-10 and finds that the label changes requested falls within the scope of PR Notices 2007-4, 97-5 and 98-10. The labels have been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me at (703) 306-0415 or [davis.kable@epa.gov](mailto:davis.kable@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis", written over a horizontal line.

Kable Bo Davis  
Entomologist  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 11556-137	2. EPA Product Manager Venus Eagle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) QuickBayt Fly Bait	PM# 01	
5. Name and Address of Applicant (Include ZIP Code) Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**

**OCT 13 2009**

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

See attachment, dated 7/29/2009.  
email: doug.spilker.b@bayer.com

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt	No. per container	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 350 gm / 5 lb. / 40 lb.		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input checked="" type="checkbox"/> Other <u>Self Adhesive</u>		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Douglas A. Spilker, Ph.D.	Title Manager, EPA Regulatory Affairs	Telephone No. (Include Area Code) (913) 268-2751
-----------------------------------	--	---

#### Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received  
(Stamped)

2. Signature 	3. Title Manager, EPA Regulatory Affairs
4. Typed Name Douglas A. Spilker, Ph.D.	5. Date 29 July 2009

ATTACHMENT FOR  
APPLICATION FOR PESTICIDE REGISTRATION - Notification  
July 29, 2009

QuickBayt Fly Bait (EPA Reg. No. 11556-137)

Enclosed with this Application for Pesticide Notification is a draft label (5 copies) for QuickBayt Fly Bait, dated July 28, 2009, which has been modified only to change those items (see highlighted copy) that fall under the scope of Pesticide Registration Notice (PRN) 97-4, PRN 98-10, and PRN 2007-4 or may be accomplished as Non-notifications, and include:

1. Add a "Total" line to the ingredient statement.
2. Addition of referral statement on front panel "[See back panel for First Aid statement." See page 1.
3. Revision of the emergency telephone numbers; we are transitioning to another medical service, but the previous telephone numbers will remain in effect for some time. The customer service statement was also revised. This is allowed pursuant to PRN 97-4. See page 2.
4. Revision of the storage and disposal statements pursuant to PR Notice 2007-4. See page 6.

*This notification is consistent with the provisions of PR Notices 97-4, 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been proposed for the labeling or the confidential statement of formula of this product. Bayer understands that it is a violation of 18 U.S. C. Sec. 1001 to willfully make any false statement to EPA. Bayer further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bayer may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.*

*Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. Bayer understands that*

*it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. Bayer further understands that if the amended label is not consistent with the requirements of 40 CFR §156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and Bayer may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.*

5/11

Reason To Issue: Revised according to PRN 2007-4.

Date: 07/28/09  
Supersedes: 08/14/08  
Page 1 of 7

# QuickBayt<sup>®</sup> Fly Bait

For the control of nuisance flies in and around livestock facilities and stables.

Active Ingredient:	
Imidacloprid. ....	0.50%
Z-9-Tricosene. ....	0.10%
Other Ingredients . . . . .	99.40%
<b>Total</b> . . . . .	<b>100%</b>

EPA Reg. No. 11556-137

EPA Establishment No. 7319-NLD-1

STOP - Read the label before use.  
Keep Out of Reach of Children.

**NOTIFICATION**

**OCT 13 2009**

CAUTION

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS


CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

[See back panel for First Aid Statement.]

Net Contents: [5 pounds (2.25 kg)] [40 pounds (18 kg)] [0.77 pounds (350 g)]

Produced for  
Bayer HealthCare LLC  
Animal Health Division  
PO Box 390  
Shawnee Mission, KS 66201 U.S.A.

Made in The Netherlands



**FIRST AID**

<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>
<b>If on skin:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>


**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment call 1-800-422-9874. For customer service or to obtain product information, including the MSDS, call 1-800-633-3796.

**Note to Physician:** No specific antidote is available. Treat the patient symptomatically.


**ENVIRONMENTAL HAZARDS**

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.



7/11

<b>PRO FACTS</b>	
<ul style="list-style-type: none"> <li>• Fast acting</li> <li>• Ready-to-use as scatter bait, paint-on or in bait stations</li> <li>• Contains a specially formulated mixture of attractants in extruded pellet form</li> <li>• Controls flies resistant to organophosphates and carbamates</li> </ul>	
<b>QUICKBAYT FLY BAIT</b>	<ul style="list-style-type: none"> <li>• Ready-to-use bait containing 0.5% imidacloprid</li> <li>• Contains the attractant Z-9-tricosene</li> <li>• Contains Bitrex® bittering agent</li> </ul>
<b>CONTROLS</b>	<ul style="list-style-type: none"> <li>• Nuisance flies</li> </ul>
<b>COVERAGE</b>	1.5 oz/250 sq ft (1.5 oz = 3 Tablespoons)
<b>RE-APPLY</b>	Re-apply every 7 days as needed.
<b>QUESTIONS??</b>	For questions or comments, call toll-free 1-800-633-3796 or visit us online at <a href="http://www.quickbayt.com">www.quickbayt.com</a>
 	



**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
**IMPORTANT:** Read the entire label and Conditions of Sale before using this product.

**FLY MANAGEMENT****WHERE TO APPLY**

**Do not place QuickBayt Fly Bait in areas accessible to animals, children and pets.**

**Scatter Application**

For use around the **outside** of:

- Agricultural production facilities like broiler houses, turkey houses, caged layer houses, feedlots, dairy barns, and swine confinement buildings
- Canneries; dairy, meat and poultry processing plants; food processing plants; warehouses; dumpsters; recycling areas and loading docks

**Scatter Application**

For use **in** walkways of:

- Caged layer houses

**Bait Station Application**

For use **inside** of:

- Horse stables
- Broiler, turkey, and caged layer houses
- Swine confinement buildings
- Dairy barns and milking parlors


**Paint-on Application**

For use **inside** and around the **outside** of:

- Broiler, turkey, and caged layer houses
- Swine confinement buildings
- Dairy barns

<b>USE RATE</b>	1.5 oz/250 sq ft (scatter bait and bait station)
<b>HOW TO APPLY</b>	<b>Do not place QuickBayt Fly Bait in areas accessible to animals, children and pets.</b>
	<p>Apply the bait in many locations. Avoid cool or windy locations because flies prefer warm, motionless sites for resting. Time applications to begin at the start of the season before fly populations have reached their peak.</p> <p><b>Scatter Application:</b> Scatter the bait directly from the container onto dry level surfaces so that the individual granules lie near each other without forming small piles.</p> <p><b>Bait Station Application:</b> Place in any fly bait station. Use 1 bait station to cover approximately 250 sq ft, and add up to 1.5 oz of bait per station. Secure bait stations at least 4 feet above the ground.</p> <p><b>Paint-on Application:</b> Mix 1.5 oz bait with 1 fl oz warm water (3 lbs bait in 1 quart water) and stir thoroughly. Let stand for about 15 minutes until a paste consistency suitable for painting has formed. Apply the paste with a brush to surfaces where flies rest avoiding surfaces that are dusty.</p>
<p><b>RESTRICTIONS</b></p> 	<ul style="list-style-type: none"> <li>• Do not place in areas accessible to food producing animals, children and pets.</li> <li>• Do not allow contact with food or water.</li> <li>• Use environmental controls, such as proper light management.</li> <li>• Do not apply directly onto milking equipment.</li> <li>• Do not apply inside food processing plants or restaurants.</li> </ul>

<b>MANAGEMENT TIPS</b>
<p><b>For Best Results:</b> Use the bait as part of an overall Integrated Pest Management program</p> <ul style="list-style-type: none"> <li>• Use proper sanitation and manure management</li> <li>• Use along with dilutable sprays like TEMPO®</li> <li>• Use environmental controls, such as proper light management</li> <li>• Consult with Cooperative Extension</li> </ul>



<b>STORAGE AND DISPOSAL</b>	
Do not contaminate water, food or feed by storage or disposal.	
<b>Pesticide Storage</b>	<ul style="list-style-type: none"> <li>• Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed.</li> <li>• Store in original containers and out of the reach of children, preferably in a locked storage area.</li> <li>• Handle an open container in a manner as to prevent spillage.</li> </ul>
<b>Pesticide Disposal</b>	<ul style="list-style-type: none"> <li>• Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.</li> </ul>
<b>Container Disposal</b>	<ul style="list-style-type: none"> <li>• Completely empty container. Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Offer for reconditioning, if appropriate. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.</li> <li>• Dispose of container by offering for recycling or reconditioning, or at an approved waste disposal facility or by incineration if allowed by state and local authorities.</li> <li>• Do not use container in connection with food, feed, or drinking water.</li> </ul>
<b>Spills</b>	<ul style="list-style-type: none"> <li>• If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area.</li> <li>• In spill or leak incidents, keep unauthorized people away.</li> </ul>

**Conditions of Sale:** The directions on this label are believed to be adequate and must be followed carefully. This product has been tested under different environmental conditions similar to those that are ordinary and customary for use of the product. However, it is impossible to eliminate all risks associated with the use of this product. Failure to follow label directions may cause injury to animals, humans and damage to the environment. Insufficient control of pests, injury or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer HealthCare LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

