



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

FFB 0 4 2013

Mr. J. Todd Frank Bayer HealthCare LLC P.O. Box Shawnee Mission, KS 66201-0390

Subject: Notification to Revise the Metric Net Content Values

Dear Mr. Frank:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 18, 2013:

EPA Registration 11556-137

QuickBayt Fly Bait

Registration Division (RD) has conducted a review of this request of applicability under PRN 98-10 and finds that the label changes(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

If you have any questions, call me at 703 305-5409 or electronically at daniel.dani@epa.gov.

Dani Daniel

Registration Division (7504P)

Insecticide/Rodenticide Branch

Please read Instructions on reverse before co	NOTIF	ICATION Form Appro	vea MB No. 2070	Print Form
PA Environmental Pr	d States	0 4 2013	Registration Amendment Other	OPP Identifier Number
Ap	plication for F	esticide - Sect	on I	
1. Company/Product Number 11556-137		2. EPA Product Mana Venus Eagle	ger	3. Proposed Classification
4. Company/Product (Name) QuickBayt Fly Bait		PM# Team Number 1		X None Restricted
Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390 Check if this is a new address		_	similar or identica	e with FIFRA Section 3(c)(3) Il in composition and labeling
<u> </u>	Sec	tion - II		
Amendment - Explain below. Resubmission in response to Agency letter date Notification - Explain below. Explanation: Use additional page(s) if necessary. (Notification per PR Notice 98-10; Correct rounding errors for metric numbers in the	For section I and Sec	Agency lette "Me Too" A Other - Exple	pplication.	
E-mail Contact. Todd.frank@bayer.com	Sant	ion - III		
d had a lateral Production and the second by	2601	ion - III		
	Vater O. per If "Yes Packed P			ntainer Metal Plastic Glass Paper Other (Specify)
Label Container 4.	Size(s) Retail Contail	ner	5. Location of Label On Label On Labeling	Directions accompanying product
6. Manner in Which Label is Affixed to Product	Lithograph Paper glued Stenciled	Other	999	9 9 9 9 9
	Sect	ion - IV	292	3 3 3
1. Contact Point (Complete items directly below for it	dentification of indivi	idual to be contacted, i	f necessary, to proce	iss this appileation.)
Name J. Todd Frank	Title Reg. Affa	airs Consultant	J() J	Jephone No. (Include Area Code)
I certify that the statements I have made on this I acknowledge that any knowingly false or misle both under applicable law.			•	8. Date Application Received (Stamped)
2. Signature 7, Town Fruel	3. Title Regulato	ory Affairs Consultan	t	
J. Todd Frank	5. Data 01/18/2	013		

Bayer HealthCare



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Venus Eagle, Team 1

January 18, 2013

Subject:

QuickBayt Fly Bait (EPA Reg. No. 11556-137) Application for Notification

Dear Ms. Eagle,

Please find the enclosed Application for Pesticide Notification along with one copy of the highlighted label, and three copies of the unhighlighted label for the subject product.

As allowed by PR Notice 98-10 Bayer HealthCare LLC Animal Health is revising the metric net content values. No other changes have been made to the label.

Thank you for your assistance with this notification process, and please contact me at (913) 268-2585 or todd.frank@bayer.com if you have any questions or need further information.

Regards,

BAYER HEALTHCARE LLC ANIMLAL HEALTH DIVISION

J. Todd Frank

P. Took Freez

Regulatory Affairs Consultant

Bayer HealthCare LLC

Animal Health

P.O. Box 390 Shawnee Mission, KS 66201-0390 Reason To Issue: Update metric net contents value NOTIFICATION Date:01/08/2013

FEB 0 4 2013 Page 1 of 7

QuickBayt® Fly Bait

For the control of nuisance flies in and around livestock facilities and stables.

Active Ingredient: Imidacloprid. Z-9-Tricosene.	
Other ingredients	99.40%
Total	100%
EPA Reg. No. 11556-137	PA Establishment No. 7319-NLD-1

STOP - Read the label before use. Keep Out of Reach of Children.

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

[See back panel for First Aid Statement.]

Net Contents: [5 pounds (2.268 kg)] [35 pounds (15.876 kg)] [40 pounds (18.144 kg)] [0.77 pounds (350 g)]

Produced for
Bayer HealthCare LLC
Animal Health Division
PO Box 390
Shawnee Mission, KS 66201 U.S.A.

Product of Germany

Date:01/08/2013

Supersedes: 05/31/11 Page 2 of 7

FIRST AID	
If swallowed:	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to by a poison control center or
	doctor.
	Do not give anything to an unconscious person.
If on skin:	Take off contaminated clothing.
	• Rinse skin immediately with plenty of water for 15 to 20 minutes.
	Call a poison control center or doctor for further treatment advice.
If inhaled:	Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial
	respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 to
•	20 minutes. Remove contact lenses, if present, after the first 5 minutes,
	then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or	

going for treatment. For emergency medical treatment call 1-800-422-9874. For customer

service or to obtain product information, including the MSDS, call 1-800-633-3796.

Note to Physician: No specific antidote is available. Treat the patient symptomatically.


ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or tolareas, where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

Date:01/08/2013 Supersedes: 05/31/11

Page 3 of 7

PRO FACTS				
• Fast acting				
Ready-to-use as scatter bait, paint-on or in bait stations				
Contains a specially formulated mixture of attractants in extruded pellet form				
Controls flies resistant to organophosphates and carbamates				
QUICKBAYT FLY BAIT	Ready-to-use bait containing 0.5% imidacloprid			
	Contains the attractant Z-9-tricosene			
	Contains Bitrex® bittering agent			
CONTROLS	Nuisance flies			
COVERAGE	1.5 oz/250 sq ft (1.5 oz = 3 Tablespoons)			
RE-APPLY	Re-apply every 7 days as needed.			
QUESTIONS?? For questions or comments, call toll-free 1-800-633-3796 or				
	visit us online at www.quickbayt.com			



Date:01/08/2013 Supersedes: 05/31/11

Page 4 of 7

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. IMPORTANT: Read the entire label and Conditions of Sale before using this product. **FLY MANAGEMENT** WHERE TO APPLY Do not place QuickBayt Fly Bait in areas accessible to animals, children and pets. **Scatter Application** For use around the **outside** of: Agricultural production facilities like broiler houses, turkey houses, caged layer houses, feedlots, dairy barns, and swine confinement buildings • Canneries; dairy, meat and poultry processing plants; food processing plants; warehouses; dumpsters; recycling areas and loading docks **Scatter Application** For use in walkways of: Caged layer houses **Bait Station Application** For use **inside** of: Horse stables • Broiler, turkey, and caged layer houses Swine confinement buildings Dairy barns and milking parlors Paint-on Application For use **inside** and around the **outside** of: Broiler, turkey, and caged layer houses Swine confinement buildings Dairy barns

Date:01/08/2013 Supersedes: 05/31/11 Page 5 of 7

USE RATE	1.5 oz/250 sq ft (scatter bait and bait station)	
HOW TO APPLY	Do not place QuickBayt Fly Bait in areas accessible to	
	animals, children and pets.	
	Apply the bait in many locations. Avoid cool or windy	
	locations because flies prefer warm, motionless sites for resting.	
	Time applications to begin at the start of the season before fly	
l	populations have reached their peak.	
•	Scatter Application: Scatter the bait directly from the	
	container onto dry level surfaces so that the individual granules	
	lie near each other without forming small piles.	
	Bait Station Application: Place in any fly bait station. Use 1	
	bait station to cover approximately 250 sq ft, and add up to	
	1.5 oz of bait per station. Secure bait stations at least 4 feet	
	above the ground.	
•	Paint-on Application: Mix 1.5 oz bait with 1 fl oz warm water	
	(3 lbs bait in 1 quart water) and stir thoroughly. Let stand for	
	about 15 minutes until a paste consistency suitable for painting	
	has formed. Apply the paste with a brush to surfaces where	
	flies rest avoiding surfaces that are dusty.	
RESTRICTIONS	 Do not place in areas accessible to food producing animals, 	
	children and pets.	
* * *	Do not allow contact with food or water.	
	Use environmental controls, such as proper light	
11 7173	management.	
	Do not apply directly onto milking equipment.	
	• Do not apply inside food processing plants or restaurants.	

MANAGEMENT TIPS

For Best Results: Use the bait as part of an overall Integrated Pest Management program,

- Use proper sanitation and manure management
- Use along with dilutable sprays like TEMPO®
- Use environmental controls, such as proper light management
- Consult with Cooperative Extension

Date:01/08/2013 Supersedes: 05/31/11

Page 6 of 7

STORAGE AND DIS	POSAL	
Do not contaminate water, food or feed by storage or disposal.		
Pesticide Storage	• Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed.	
	• Store in original containers and out of the reach of children, preferably in a locked storage area.	
	Handle an open container in a manner as to prevent spillage.	
Pesticide Disposal	• Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.	
Container Disposal	 Completely empty container. Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Offer for reconditioning, if appropriate. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Dispose of container by offering for recycling or reconditioning, or at an approved waste disposal facility or by incineration if allowed by state and local authorities. Do not use container in connection with food, feed, or drinking water. 	
Spills	 If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area. In spill or leak incidents, keep unauthorized people away. 	

Conditions of Sale: The directions on this label are believed to be adequate and must be followed carefully. This product has been tested under different environmental conditions similar to those that are ordinary and customary for use of the product. However, it is impossible to eliminate all risks associated with the use of this product. Failure to follow label directions may cause injury to animals, humans and damage to the environment. Insufficient control of, pests, injury or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer HealthCare LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

Date:01/08/2013 Supersedes: 05/31/11

Page 7 of 7

Limited Warranty and Limitation of Damages: Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL, and no agent of Bayer is authorized to make or modify any warranties beyond those contained herein. Any damages arising from breach of this warranty shall be limited to direct damages and shall not include special, incidental or consequential damages resulting from the use of handling of this product.

OPTIONAL PICTOGRAM/ LANGUAGE FOR 35 Lb. Pail (Only):



	รู้มาขาง
33333 9 9 9	3
) 3 3	
)	, , , , , , , , , , , , , , , , , , ,
	, , , ,
;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	3 2 2
7)	
1.)	22 A
	3 3 3
	3 3 3
1 1	
,,,,,a ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1
	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
	2,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	•
•	3
	ני כ ור:ג גנור