



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (7505C)  
1200 Pennsylvania Ave., N.W.  
Washington, D.C. 20460

EPA Reg. Number:  
11556-140

Date of Issuance:  
JUL 30 2003

NOTICE OF PESTICIDE:  
 X  Registration  
    Reregistration

Term of Issuance:  
Conditional

Name of Pesticide Product:  
QuickBayt Disposable  
Fly Bait Station

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer HealthCare, Animal Health Division  
P.O. Box 390  
Shawnee, Mission, KS 66201

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
  - a. Revise the EPA Registration Number to read, "EPA Reg. No. 11556-140".
  - b. Within the Storage and Disposal block, revise the second Container Disposal statement, currently reading " Do not use packaging in connection with food, feed, or drinking water", so that it reads " Do not reuse packaging."

Signature of Approving Official:

Date:

JUL 30 2003

Daniel C. Kenny, Product Manager (01)  
Insecticide-Rodenticide Branch, Registration Division (7505C)

page 2  
EPA Reg. No. 11556-140

3. Submit one copy of the revised final printed label for the record before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Daniel C. Kenny  
Product Manager (01)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

Enclosure

DK: 305-7546: IRB/PM 01

CONCURRENCES

|         |          |  |  |  |  |  |  |  |
|---------|----------|--|--|--|--|--|--|--|
| SYMBOL  | 7505C    |  |  |  |  |  |  |  |
| SURNAME | D. KENNY |  |  |  |  |  |  |  |
| DATE    | 7/30/03  |  |  |  |  |  |  |  |

# QuickBayt™ Disposable Fly Bait Station

For the control of nuisance flies in and around livestock, poultry facilities, and stables.

**ACTIVE INGREDIENT:**

Imidacloprid,  
 1-[(6-Chloro-3-pyridinmethyl)methyl]-  
 N nitro-2-imidazolidinimine. . . . . 0.50%  
 Z-9-Tricosene. . . . . 0.10%  
**OTHER INGREDIENTS:** . . . . . 99.40%  
 100.00%

EPA Reg. No. 11556-XXX Net Contents \_\_\_\_\_  
EPA Establishment No. TBD

**STOP - Read the label before use.  
Keep out of reach of children.**

## CAUTION

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

**JUL 30 2003**

**Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.**

**11556-140**



| FIRST AID  |   |
|--|---|
| <b>If swallowed:</b>   | <ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul> |
| <b>If on skin:</b>   | <ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>  |
| <b>If inhaled:</b>   | <ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>                                       |
| <b>If in eyes:</b>   | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>   |
| <b>HOTLINE NUMBER:</b> Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency medical treatment call 1-877-258-2280. For product information call 1-800-633-3796. |   |
| <b>Note to Physician:</b> No specific antidote is available. Treat the patient symptomatically.  |   |



### ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates.


Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. This product is highly toxic to bees exposed to direct treatment of residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas

where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

| PRO FACTS  |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Fast acting</li> <li>• Ready-to-use disposable bait station</li> <li>• Contains a specially formulated mixture of attractants</li> <li>• Controls flies resistant to organophosphates and carbamates</li> </ul> |  |
| <b>QUICKBAYT FLY BAIT</b>  | <ul style="list-style-type: none"> <li>• Ready-to-use bait station containing 0.5% imidacloprid</li> <li>• Contains the attractant Muscalure®</li> <li>• Contains Bitrex® bittering agent to help prevent ingestion by animals, children and pets</li> </ul> |
| <b>CONTROLS</b>  | <ul style="list-style-type: none"> <li>• Nuisance flies</li> </ul>   |
| <b>WHERE TO APPLY</b>  | <ul style="list-style-type: none"> <li>• Around the outside of structures or partially enclosed or protected areas</li> <li>• In and around agricultural production facilities</li> <li>• Around the outside of commercial facilities</li> </ul>             |
| <b>MIXING INFORMATION</b>  | <ul style="list-style-type: none"> <li>• Ready-to-use bait</li> <li>• No mixing or filling required</li> </ul>   |
| <b>HOW TO APPLY</b>  | <ul style="list-style-type: none"> <li>• Hang bait station</li> </ul>  |
| <b>COVERAGE</b>  | 1 bait station/250 sq. ft  |
| <b>RE-APPLY</b>  | Replace every 8 weeks as needed.   |
| <b>QUESTIONS??</b>   | For questions or comments, call toll-free 1-800-633-3796 or visit us online at <a href="http://www.quickbayt.com">www.quickbayt.com</a>  |
|    |  |

| DIRECTIONS FOR USE  |   |
|---|---|
| <p>It is a violation of Federal law to use this product in a manner inconsistent with its labeling.<br/> <b>IMPORTANT: Read the entire label and Conditions of Sale before using this product.</b></p>  |   |
| FLY MANAGEMENT  |   |
| <b>WHERE TO APPLY</b>   | <ul style="list-style-type: none"> <li>• For use in and around commercial livestock facilities like dairy, meat and poultry processing plants.</li> <li>• For use in and around agricultural production facilities like broiler houses, feedlots, caged layer houses, and dairies.</li> <li>• For use in and around horse stables, and indoor and outdoor kennels. Place bait stations in areas inaccessible to animals.</li> </ul> |
| <b>USE RATE</b>   | <ul style="list-style-type: none"> <li>• 1 bait station/250 sq. ft</li> </ul>   |
| <b>HOW TO APPLY</b>   | <ul style="list-style-type: none"> <li>• Use 1 bait station to cover approximately 250 sq. ft. Secure bait stations at least 4 feet above ground. Bait stations should be inaccessible to food-producing animals, children and pets.</li> <li>• Replace bait station when flies are no longer attracted to the bait station (approximately every 8 weeks).</li> </ul>   |
| <b>RESTRICTIONS</b>   | <ul style="list-style-type: none"> <li>• Do not hang bait stations in areas accessible to food producing animals, children and pets.</li> <li>• Do not allow bait to come into contact with food or water.</li> <li>• Do not apply to milking equipment.</li> <li>• Do not apply inside food processing plants, restaurants or other commercial facilities.</li> </ul>  |
|     |   |
| MANAGEMENT TIPS   |   |
| <p><b>For Best Results:</b> Use the bait as part of an overall integrated Pest Management program</p> <ul style="list-style-type: none"> <li>• Use proper sanitation and manure management</li> <li>• Use along with dilutable sprays like TEMPO®</li> <li>• Use environmental controls, such as proper light management</li> <li>• Consult with Cooperative Extension</li> </ul> |   |

| STORAGE AND DISPOSAL   |
|--|
| Do not contaminate water, food or feed by storage or disposal. |



### Quick Bayt™ Fly Bait

|                           |   |
|---------------------------|---|
| <b>Storage</b>            | <ul style="list-style-type: none"> <li>• Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed.</li> <li>• Do not open or remove bait stations from package until ready to install. Store out of the reach of children, preferably in a locked storage area.</li> </ul> |
| <b>Pesticide Disposal</b> | Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.   |
| <b>Container Disposal</b> | <ul style="list-style-type: none"> <li>• Dispose of packaging and spent bait stations at an approved waste disposal facility or by incineration if allowed by state and local authorities.</li> <li>• Do not use packaging in connection with food, feed, or drinking water.</li> </ul>   |
| <b>Spills</b>             | <ul style="list-style-type: none"> <li>• If the container is leaking or material is spilled, carefully sweep up spilled bait and wash exposed area.</li> <li>• If spill or leak incidents, keep unauthorized people away.</li> </ul>  |

**CONDITIONS OF SALE:** THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

Made for Bayer HealthCare LLC  
 Animal Health Division  
 Box 390  
 Shawnee Mission, KS 66201-0390  
[www.bayer-ah.com](http://www.bayer-ah.com)



# QuickBayt Fly Bait

6/6

|                     |       |
|---------------------|-------|
| Active Ingredients: |       |
| Imidacloprid        | 0.50% |
| Z-9-Tricosene       | 0.10% |
| Other Ingredients:  | 99.4% |
| TOTAL:              | 100%  |

EPA Reg. No. 11556-XXXX

**CAUTION:**

**KEEP OUT OF REACH OF CHILDREN**

Refer to accompanying manufacturer's recommendations for complete directions for use and precautions. For emergency medical treatment call 1-877-258-2280. For product information call 1-800-633-3796

Text for  
Bait  
Station