UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 2, 2012

Douglas A. Spilker
Bayer Health Care, LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, KS 66201-0390

Subject:

Amended Reregistration Label

Product Name: K9 Advantix® Plus 20 EPA Registration Number: 11556-142

EPA Decision Number: 413753

Dear Dr. Spilker,

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED, and has concluded that your submission is acceptable.

NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

Basic CSF, dated September 2, 2009

A copy of your label stamped "Accepted" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Sincerely,

Richard J. Gebken Product Manager (10) Insecticide Branch Registration Division (7504P)

Label stamped "Accepted," dated March 2, 2012 Enclosures:

Acute Toxicity Review, dated August 24, 2011

Product Chemistry Review, dated February 14, 2012

Reason To Issue: Re according to EPA (ReReg) letter of

03/01/12

te: 03/01/12

_upersedes: 04/08/11(g) & 03/15/10(e) Page 1 of 9

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

K9 Advantix[®] Plus 20 Alternate Brand Name: K9 Advantix II Medium Dog

Topical prevention and treatment of fleas, ticks, mosquitoes, biting flies, and lice for monthly use on dogs and puppies 7 weeks of age and older, weighing 11 - 20 lbs

READ THE ENTIRE LABEL BEFORE EACH USE

DO NOT USE ON CATS

For the Prevention and Treatment of Fleas, Ticks, Biting Flies, Mosquitoes, and Lice on Dogs

[Selected optional claims bulleted here from page 8 and/or 9]

ACCEPTED MAR - 2 2012 Under the Federal Insecticide, Fungicide, and Ropenticide Act, as amended, for the pesticide registered under:	%
Active Ingredients PA Reg. No: 11556-142	By Weight
Imidacloprid	 8.80%
Permethrin* Pyriproxyfen. Other Ingredients	 0.44%
Total	 . 100.00%

EPA Reg No. 11556-142

EPA Est. No. 11556-DEU-1

[For Directions for Use and other labeling; see supplemental labeling inside.]

See [below] (or) [back panel] for first aid and precautionary statements.

Reason To Issue: Reason To Issue: Recording to EPA (ReReg) letter of

03/2-12

te: 03/01/12

upersedes: 04/08/11(g)

& 03/15/10(e) Page 2 of 9

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on animals other than dogs. Do not use on puppies under seven weeks of age. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities, while rare, may occur after using ANY pesticide product for pets. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

DO NOT USE ON CATS

May be toxic or potentially fatal if applied to or ingested by cats. Accidential application to cats and/or grooming a recently treated dog may result in tremors and/or uncoordinated muscle movements. If this occurs, immediate veterinary care should be provided.



ENVIRONMENTAL HAZARDS

This product is extremely toxic to acquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging. Reason To Issue: Reason

te: 03/01/12

apersedes: 04/08/11(g)

& 03/15/10(e) Page 3 of 9

	FIRST AID
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If Swallowed:	Call a poison control center or doctor immediately for treatment advice.
	 Have person sip a glass of water if able to swallow.
	 Do not induce vomiting unless told to do so by the poison control center or doctor.
	 Do not give anything to an unconscious person.
If On Skin or	Take off contaminated clothing.
Clothing:	• Rinse skin immediately with plenty of water for 15 – 20 minutes.
	Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
Have the product cor	ntainer or label with you when calling a poison control center or doctor
or going for treatmer	nt. You may also contact 1-800-422-9874 for emergency medical
treatment information	n. For consumer questions call 1-800-255-6826.
	NOTE TO PHYSICIAN
Treat the patient sym	ptomatically.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.




HOW TO OPEN [Optional Language for product in blister packs]

- 1. Being careful not to cut close to the blister cavities, take scissors and cut off one section of the card containing a single tube.
- 2. Take the separated section, and cut into the blister cavity across the small side, close to the cap of the tube.
- 3. Peel off the foil, and take out the tube.
- 4. Repeat steps 1 to 3 for each tube.


HOW TO APPLY

1. Use only on dogs. DO NOT USE ON CATS or on other animals.

2. Remove applicator tube from the package. Use scissors and peel down foil.



- 3. Hold applicator tube in an upright position. Pull cap off tube.
- 4. Turn the cap around and place other end of cap back on tube.
- 5. Twist cap to break seal, then remove cap from tube.
- 6. The dog should be standing for easy application. The entire contents of the K9 Advantix® Plus tube should be applied evenly to two to three spots on the top of the back from the shoulder to the base of the tail. At each spot, part the hair until the skin is visible. Place the tip of the tube on the skin and gently squeeze to expel a portion of the solution on the skin. Do not apply an excessive amount of solution at any one spot that could cause some of the solution to run off the side of the dog.



Discard empty tube as described in Storage and Disposal.

te: 03/01/12

upersedes: 04/08/11(g)

& 03/15/10(e) Page 5 of 9

8. In cases of severe pest infestation, retreatment is allowable earlier than four (4) weeks. Do not retreat more often than once every seven (7) days. After pest control is attained, return to a monthly retreatment schedule.

[PRODUCT INFORMATION]

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with K9 Advantix® Plus 20 rapidly kills fleas and may reduce the incidence of this condition.

K9 Advantix[®] Plus 20 kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix[®] Plus 20 treated dog.

K9 Advantix[®] Plus 20 is waterproof and remains effective following a shampoo treatment, swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place. Protect from freezing. Pesticide Disposal and Container Handling: Nonrefillable container. If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Reason To Issue:

according to EPA (ReReg) letter of

.2

te: 03/01/12

upersedes: 04/08/11(g)

& 03/15/10(e) Page 6 of 9

NET CONTENTS: XX Tube(s) each 0.034 fl. oz. (1.0 mL)

[Sample – Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
P.O. BOX 390
Animal Health Division
Shawnee Mission, Kansas 66201 USA

Made in Germany

Re

according to EPA (ReReg) letter of

te: 03/01/12

apersedes: 04/08/11(g)

& 03/15/10(e) Page 7 of 9

(Label on Individual Tube)

K9 Advantix® Plus 20

8.8% imidacloprid 44.0% permethrin 0.44% pyriproxyfen

0.034 fl. oz. (1.0 mL)

EPA Reg. No. 11556-142

WARNING

Keep out of reach of children DO NOT USE ON CATS

Read The Entire Label Before Use

BAYER

Lot No. 0000000

03/ ... 12

te: 03/01/12 upersedes: 04/08/11(g)

& 03/15/10(e)

Page 8 of 9

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

OPTIONAL MARKETING CLAIMS

- For use on dogs and puppies 7 weeks of age and older
- K9 Advantix Plus contains [imidacloprid], [permethrin] and [an/the] [insect growth regulator] [IGR] [pyriproxyfen]
- A single topical application remains effective for [(a month)(four (4) weeks)]
- Convenient, easy to apply topical solution
- Once a month topical flea treatment for dogs 7 weeks of age or older
- K9 Advantix Plus is indicated for the prevention and treatment of fleas, ticks, biting flies, mosquitoes, and lice on dogs 7 weeks of age and older
- For the treatment and prevention of flea infestations
- One treatment prevents further flea infestations for [(a month)(four (4) weeks)]
- Kills 98-100% of the fleas on dogs within 12 hours and continues to prevent infestations for [(a month)(four (4) weeks)]
- Repels and kills fleas before they lay eggs
- Larval flea stages in the dog's surroundings are killed following contact with a K9 Advantix Plus treated dog
- Kills larval stages of fleas in the pet's environment following contact with K9 Advantix Plus treated dog
- Kills fleas within 12 hours of application
- Controls existing flea infestations by rapidly killing adult fleas
- Prevents reinfestations by killing adult fleas before they lay eggs
- Prevents flea eggs from hatching
- Effectively breaks the flea life cycle
- Flea adulticide, larvicide and ovicide.
- Prevents fleas on treated dogs from infesting (reinfesting) your home.
- Effectively targets all [life] stages of [fleas] and [ticks]
- 3-way flea protection ([kills] [controls] adults, larvae, and eggs)
- Prevents development of fleas, flea eggs, pupae and larvae [for (a month)(four (4) weeks)]
- Prevents development of all flea stages [for (a month)(four (4) weeks)]
- Repels and kills all [life] stages of fleas
- Prevents flea eggs [and flea larvae] from developing into [(biting) (adult)] fleas
- Treatment with K9 Advantix Plus rapidly kills fleas and may reduce the incidence of Flea Allergic Dermatitis [FAD]
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American dog ticks (vector of Rocky Mountain spotted fever), Brown dog ticks (vector of Ehrlichiosis), and Lone Star ticks (vector of Ehrlichiosis) for up to four weeks
- Repels and kills mosquitoes for up to four weeks
- Repels and kills mosquitoes often before they have a chance to take a blood meal

Reason To Issue: Re according to EPA (ReReg) letter of 03/2 ... 12

te: 03/01/12

apersedes: 04/08/11(g)

& 03/15/10(e) Page 9 of 9



- [(Prevents blood-feeding by) (Kills and repels)] mosquitoes
- Repels, and inhibits blood-feeding by biting flies
- Repels, and prevents blood-feeding by biting flies
- Repels [(annoying)(bothersome)(nuisance)] biting flies
- Inhibits [(annoying)(bothersome)(nuisance)] biting flies
- [(Prevents)(inhibits)] blood-feeding by biting flies
- Remains effective after bathing and/or swimming
- Remains effective following swimming and/or shampooing
- Kills [(biting) (chewing)] lice
- For treatment and prevention of [(biting) (chewing)] lice [infestations]
- Controls existing [(biting) (chewing)] lice infestations
- 5-way protection (against fleas, ticks, biting flies, mosquitoes, and lice)
- Treats, prevents and controls [(biting) (chewing)] lice [infestations]
- Provides effective control of [(biting) (chewing)] lice [infestations]
- Kills [(biting) (chewing)] lice and prevents further infestations
- For treatment and prevention of infestations with [(biting) (chewing)] lice
- Waterproof
- Remains effective after exposure to rain or sunlight
- Fragrance free