



U.S. ENVIRONMENTAL PROTECTION
AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg.
Number:
11556-145

Date of
Issuance:
FEB 12 2008

Term of Issuance:
Conditional

Name of Pesticide Product:
Tempo SC Ultra Pest Control
Concentrate

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(Under FIFRA as amended)

Name and Address of Registrant (include ZIP Code):

Bayer HealthCare LLC, Animal Health Division
P.O. Box 390
Shawnee Mission, KS 66201-0390

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is **conditionally** registered in accordance with FIFRA sec. 3(c)(7)(A), provided that you:

1. You will submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. You will make the following label changes before you release the product for shipment:

a. Revise the EPA Registration Number to read "EPA Registration Number 11556-145."

Signature of Approving Official:

Date:

Page 2.
EPA Reg. No. 11556-145

b. Delete all references to fast acting, long lasting fast knockdown and residual control claims throughout the labeling and optional marketing claims. These claims do not appear on the cited products. Data needs to be submitted or cited to support such claims.

c. Under "where to use" on the blister card and leaflet identify the specific sites of application i.e. "... as perimeter treatment in and around barns, horse stable and other animals quarters."

d. Under "Where to Use" on the blister card and leaflet add a reapplication interval i.e. "Reapply in 7-10 days as needed."

e. Under General Information delete "but are not limited to", "ant hills" and "dog houses". The specific sites of application are identified on the label. "Ant hills" is an unqualified application site. Dog houses implies use around residential areas.

In the same section add the following site limitations: "Not for use in and around residential areas.". "Do not use in commercial food/feed handling establishments, restaurants or other areas where food is commercial prepared, processed or served."

f. Delete "but not limited to" under Indoor Pest Control. See item (e) above for explanation.

g. Under General Surface Application delete the section beginning "All food processing surfaces and utensils... and ending 10- day interval (if necessary)". These comments pertain to use in food/feed handling establishments.

h. Under Spot Crack or Crevice Applications delete "refrigerators", "stoves" and the entire last paragraph beginning, "For the control of exposed adult and immature stages...etc.". These comments pertain to use in residential and/or commercial food handling establishments.

i. Delete the entire list of indoor pests under item 3., Pantry and Stored Panty Pests. This is a list of pests found in residential or commercial food handling establishments and not livestock housing areas.

j. Change "kills on contact" to "kills by contact".

k. Under Outdoor Pest Control qualify the beginning of the sentence on fire ants to read, "For the control of the imported red fire ant around the sites listed above mix... etc.".

Page 3.
EPA Reg. No. 11556-145

1. Delete the following bullets under Alternate Marketing Claims: "Low odor formula; field and laboratory tested; Proven results; Powerful results, small bottle; Small but mighty; Small bottle, powerful results; "barrier", "stops" and Use what the professionals use". Words or phrases implying that a product possess a unique characteristic because of the composition and packaging or words implying misleading comparisons to other pesticides are not acceptable. Likewise words or phrases implying complete control or eradication of pests are not acceptable.

m. Under General Information add "Do not use food utensils such as teaspoons or measuring cup for food purposes after use with insecticides."

n. In the warranty statement add the phrase "To the extent permitted by applicable law" to the beginning of the sentence "Bayer offers and the buyer accepts and uses... etc."

o. Update the container disposal statement in accordance with PR Notice 2007-4.

3. In your October 22, 2007 letter you indicated that this product is 100% repack of 11556-124. Therefore correct the confidential statement of Formula to reflect this registration number.

4. Please submit two (2) copies of your final printed labeling before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Linda A. DeLuise of my team at (703) 305-5428.

4 8 18

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 1 of 15

Optional text contained in brackets and parentheses [()]


Front Panel for Blister Card

Tempo[®] SC Ultra Pest Control Concentrate

This product kills crawling, flying, and wood-infesting insects and protects barns, horse stables, and other animal quarters from invading pests. Just mix and spray to provide [fast acting, long lasting] [(effective) (fast) knockdown and residual] control.

[Selected optional claims bulleted here from page 13 and/or page 14.]

-
-
-
-
-
-
-
-
-



ACTIVE INGREDIENT:

Beta-cyfluthrin [CAS No. 68359-37-5]11.8%

OTHER INGREDIENTS:.....88.2%

100.0%

Keep Out of Reach of Children

Caution

See leaflet for complete labeling including Directions for Use, Environmental Hazards, Storage and Disposal, and Conditions of Sale.

Net Contents: 1.082 fl. oz (32 ml)

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 2 of 15

Optional text contained in brackets and parentheses [()]

Back Panel for Blister Card

Tempo® SC Ultra Pest Control Concentrate	
[Selected optional claims bulleted here from page 13 and/or page 14.] <ul style="list-style-type: none">•••••••••	
Kills	Ants, Fleas, Flies, Ticks, Spiders, and over 60 other listed pests
Where to Use	Indoors as a spot, crack, or crevice treatment or outdoors as perimeter treatment
When to Use	To control and prevent insect infestations
How Much To Use	Dilute contents of container (32 ml) in two gallons of water

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 3 of 15

Optional text contained in brackets and parentheses [()]

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have a person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give anything by mouth to an unconscious person
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 – 20 minutes • Call a poison control center or doctor for treatment advice
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible • Call a poison control center or doctor for further treatment advice
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment call XXX-XXX-XXXX. For product information call XXX-XXX-XXXX.	
Note to Physician: No specific antidote is available. Treat the patient symptomatically.	

7 8 18

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 4 of 15

Optional text contained in brackets and parentheses [()]

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Remove from premises or tightly cover fish tanks and disconnect aerators when applying indoors where such containers are present. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or when disposing of equipment wash waters. Apply this product only as specified on this label. This pesticide is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply Tempo SC Ultra Pest Control Concentrate or allow it to drift onto crops or weeds on which bees are actively foraging. Additional information may be obtained by consulting your Cooperative Extension Service.

EPA Reg. No. 11556-xxx

EPA Est. No. TBD

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, KS 66201

8 7 18

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 5 of 15

Optional text contained in brackets and parentheses [()]

Leaflet

Tempo[®] SC Ultra Pest Control Concentrate

This product kills crawling, flying, and wood-infesting insects and protects barns, horse stables, and other animal quarters from invading pests. Just mix and spray to provide [fast acting, long lasting] [(effective) (fast) knockdown and residual] control.

[Selected optional claims bulleted here from page 13 and/or page 14.]

-
-
-
-
-
-
-
-
-

ACTIVE INGREDIENT:

Beta-cyfluthrin [CAS No. 68359-37-5]11.8%

OTHER INGREDIENTS:..... 88.2%
100.0%

EPA Reg. No. 11556-xxx

EPA Est. No. TBD

Net Contents: 1.082 fl. oz (32 ml)

STOP - Read the label before use.
Keep out of reach of children.

CAUTION PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 6 of 15

Optional text contained in brackets and parentheses [()]

FIRST AID	
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have a person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give anything by mouth to an unconscious person
IF ON SKIN	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 – 20 minutes • Call a poison control center or doctor for treatment advice
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible • Call a poison control center or doctor for further treatment advice
HOTLINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency medical treatment call XXX-XXX-XXXX. For product information call XXX-XXX-XXXX.	
Note to Physician: No specific antidote is available. Treat the patient symptomatically.	

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Remove from premises or tightly cover fish tanks and disconnect aerators when applying indoors where such containers are present. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or when disposing of equipment wash waters. Apply this product only as specified on this label. This pesticide is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply Tempo SC Ultra Pest Control Concentrate or allow it to drift onto crops or weeds on which bees are actively foraging. Additional information may be obtained by consulting your Cooperative Extension Service.

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 7 of 15

Optional text contained in brackets and parentheses [()]

Tempo® SC Ultra Pest Control Concentrate	
[Selected optional claims bulleted here from page 13 and/or page 14.]	
<ul style="list-style-type: none"> • • • • • 	
Kills	Ants, Fleas, Flies, Ticks, Spiders, and over 60 other listed pests
Where to Use	Indoors as a spot, crack, or crevice treatment or outdoors as perimeter treatment
When to Use	To control and prevent insect infestations
How Much To Use	Dilute contents of container (32 ml) in two gallons of water

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions for Use and Conditions of Sale before using Tempo SC Ultra Pest Control Concentrate.

CONDITIONS OF SALE: The directions on this label were determined through research to be appropriate for the correct use of this product. This product has been tested under different environmental conditions both indoors and outdoors similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment. Bayer offers, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Bayer and are, therefore, the responsibility of the buyer.

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 8 of 15

Optional text contained in brackets and parentheses [()]

GENERAL INFORMATION

Tempo SC Ultra Pest Control Concentrate [is a liquid formulation containing 1 lb active ingredient per gallon which] will provide effective knockdown and residual control of the pests listed on this label.

Tempo SC Ultra Pest Concentrate is intended for use as a general surface, spot, or crack and crevice [spray] [application] in and around buildings and structures and their immediate surroundings. Permitted areas of use include, **but are not limited to:** animal runs, animal holding areas, animal quarters, ant hills, boarding kennels, chicken houses (when birds are not present), dairy barns, dog houses, feed lots, horse stables, kennels, livestock [pigs, cattle, sheep, goat] barns and holding facilities, storage areas, storage rooms, trailers, turkey houses, utility rooms, and rooms in animal facilities.

Cleaning of all areas prior to use of Tempo SC Ultra Pest Control Concentrate will increase levels of control. Any foodstuffs infested with pests should be removed and destroyed.

MIXING INSTRUCTIONS

Tempo SC Ultra Pest Control Concentrate is intended to be mixed with water and applied with pump style sprayer or trigger spray bottle. Add the appropriate amount of product while filling the sprayer with water, and shake to mix. Use [(1 Tablespoon) (16 milliliters)] [of Tempo SC Ultra Pest Control Concentrate] [one half of the bottle's contents] per 1,000 ft² in [(sufficient water) (1 gallon of water)] [a 0.05% concentration] to adequately cover the area being treated, but which will not allow dripping or run off to occur. Diluted spray mixture can be stored overnight and applied the following day; however, mixture should be [(agitated) (shaken)] prior to [(use) (application)] [(to prevent uneven distribution) (to thoroughly mix)] of the [(product) (spray)].

Tempo SC Ultra Pest Control Concentrate will not stain or damage painted or varnished household surfaces, plastics, fabrics or other surfaces where water applied alone causes no damage.

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 9 of 15

Optional text contained in brackets and parentheses [()]

INDOOR PEST CONTROL

For use in animal housing, including, but not limited to livestock barns, horse stables, and other animal quarters to control crawling and flying insect pests. Apply diluted spray as a general surface and/or a crack and crevice spray. Control will be enhanced when facilities are cleaned and interior applications are supplemented with exterior perimeter treatments. Do not make interior applications of Tempo SC Ultra Pest Control Concentrate in areas of facility where animals are present. Do not make applications to animal feedstuffs or watering equipment.

GENERAL SURFACE APPLICATIONS

For general pests, occasional invaders, and flying insects apply the diluted spray evenly to walls, floors, between, behind and beneath equipment, appliances, around floor drains, window and door frames, and on the underside of shelves, drawers and in similar areas. Applications may be made to floor surfaces along walls and around air ducts; however do not treat the entire area or floor or floor coverings. Pay particular attention to treating entry points and harborage areas. All food processing surfaces and utensils should be covered or thoroughly washed following treatment. Cover exposed foodstuffs or remove from area being treated. [Reapplication can be made at 10-day intervals (if necessary)]. Do not apply where electrical short circuits could occur. Use a dust or dry bait in these areas. It is recommended to wear safety glasses, goggles or face shield and a respirator when making a general surface treatment to overhead areas. **For control of flying insects**, make application to surfaces or directly where the pest collects or rests. **Do not apply as a ["space spray"] [aerial spray or mist] [fog].**

SPOT, CRACK OR CREVICE APPLICATIONS

Use low spray pressure and pin-point application in specific areas such as: cracks and crevices in or behind baseboards, in floors, walls, expansion joints, areas around water and sewer pipes, wall voids, or voids in table legs and equipment where pests can hide, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, the underside of shelves, drawers, as well as other similar areas. Do not apply where electrical short circuits could occur. Use a dust or dry bait in these areas.

For control of exposed adult and immature stages of **pantry and stored product pests**, apply diluted spray to cupboards, shelving and storage areas. Particular attention should be given to treating cracks and crevices and other surfaces where the pests have been seen or found. Remove all utensils, uncovered foodstuffs or any open packages, shelf

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 10 of 15

Optional text contained in brackets and parentheses [()]

paper and other objects before spraying. Allow treated surfaces to dry and cover shelves with clean paper before replacing any utensils, foodstuff or other items. Any foodstuff accidentally contaminated with the diluted spray should be discarded.

OUTDOOR PEST CONTROL

For control of flying insects outdoors: Make applications to outside surfaces of barns, horse stables, animal confinement areas, animal quarters, buildings, feedlots, animal holding areas, storage areas, workshops, and other areas where these pests have been seen or found. Make pin stream applications directly to the nests of wasps, yellow-jackets and hornets. **For perimeter pest control,** make a general surface application to outside surfaces of barns, horse stables, animal confinement areas, animal quarters, buildings, feedlots, animal holding areas, storage areas, workshops, and other areas where pests have been seen or found. To help prevent infestations of buildings by occasional invaders, treat soil, mulch, turf or other substrates adjacent to buildings, the building foundation, walls, around doors and windows, soffit areas where these pests are active and may find entrance.

For control of the **imported red fire ant**, mix Tempo SC Ultra Pest Control Concentrate as directed above and thoroughly drench or inject the entire mound area. Treat all areas of the mound showing activity to provide contact control of the adult fire ants. Tempo SC Ultra Pest Control Concentrate will provide contact activity and residual control in the active mound.

CONTROL OF WOOD INFESTING PESTS

Make a diluted spray by mixing [(1 Tablespoon) (16 milliliters)] of Tempo SC Ultra Pest Control Concentrate in one gallon of water [(a 0.05% concentration)].

For control of **wood infesting beetles** on structure surfaces) apply diluted spray to thoroughly and evenly cover the area. If spraying overhead, cover all surfaces below the area being sprayed with plastic sheeting or other material which can be disposed of by placing in trash if contamination from dripping occurs. Sprayed surfaces should be avoided until the treated area is completely dry.

For control of **above ground termites and wood-infesting beetles** in localized areas, apply diluted spray to voids and galleries in damaged wood, and in spaces between wooden structural members and between the sill plate and foundation where wood is vulnerable.

Such applications for termites are not a substitute for mechanical alternation, soil treatment or foundation treatment, but are merely a supplement. For active termite infestations, get a professional inspection.

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 11 of 15

Optional text contained in brackets and parentheses [()]

PESTS CONTROLLED BY TEMPO® SC Ultra Pest Control Concentrate*				
INDOOR PESTS			OUTDOOR PESTS	WOOD INFESTING PESTS
1. Crawling Pests	2. Flying Pests	3. Pantry & Stored Product Pests		
Ants (except Pharaoh) Bedbugs Carpet beetles Centipedes Cockroaches American Asian German Oriental brown-banded smoky brown Crickets Darkling beetles Earwigs Firebrats Millipedes Pillbugs Silverfish Sowbugs Spiders	Clothes moths Flies Gnats Midges Mosquitoes Moths Wasps Yellow-jackets	Beetles (exposed adults & immature stages) Cadelle Cigarette Confused Flour Dermestid Drug-store Granary weevil Hide Larder Leather Lesser grain borer Lesser mealworm Merchant grain Mealworm Red flour Rice weevil Sawtoothed grain Warehouse Moths Indian meal Mediterranean flour	Ants Bees Boxelder bugs Carpenter ants Cecidflies Centipedes Cluster flies Cockroaches Crickets Elm leaf beetle Fire ants Firebrats Flies Fleas Gnats Ground beetles Hornets Imported red fire Ants Midges Millipedes Mosquitoes Moths Scorpions Silverfish Spiders Ticks Wasps Yellow-jackets	Beetles Ambrosia Deathwatch False powderpost Old house borer Powderpost Carpenter ants Carpenter bees Termites Subterranean** Formosan Drywood
* For Outdoor and Indoor Pest Control use 1 Tablespoon (16 milliliters) of Tempo SC Ultra Pest Control Concentrate per 1000 square feet in one gallon water.				
** Only for control of above-ground, winged forms of subterranean termites.				

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 12 of 15

Optional text contained in brackets and parentheses [()]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original containers and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides below. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtrec at 800-424-9300.

Pesticide Disposal: Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not use container in connection with food, feed, or drinking water. Completely empty container into application equipment. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, KS 66201

Reason to Issue: New Product Registration Application

Date: 10/18/07

Supersedes: None

Page 13 of 15

Optional text contained in brackets and parentheses [()]

Optional Marketing Claims:

- Kills fast, lasts long
- Provides fast [effective] knockdown and long lasting residual control
- [Provides rapid knockdown][Kills on contact]
- Provides residual [(control)(protection)(action)]
- For indoor and outdoor use
- Kills invading insects around barns, horse stables, and other areas
- Kills invading insects around basements, foundations, and baseboards
- Kills a wide range of crawling, flying, and wood-infesting [insects][pests]
- Use as a outdoor barrier treatment –stops invading pests [in their tracks]
- Kills common pests, including flies, fleas, ticks, ants, and spiders [plus many others]
- Create a [(bug) (insect)] barrier
- Create an [(bug)(insect)] barrier around barns, horse stables, and animal (holding areas)(quarters)]
- Kills over 60 [(insects)(pests)] around barns, horse stables, and other [farm] areas
- Creates a protective barrier around barns, horse stables, and other [(livestock) (agricultural) (farm)] areas
- Use in and around in barns, horse stables, and animal quarters
- Can be used around animals in barns, horse stables, and animal quarters
- Can be used in and around animal facilities
- Stops pests from invading barns, horse stables, and animal quarters

Reason to Issue: New Product Registration Application

Date:

10/18/07

Supersedes:

None

Page 14 of 15

Optional text contained in brackets and parentheses [()]

Alternate Marketing Text

- Buy just what you need
- Economical [size] - just buy what you need
- Treats the inside and outside of a 25'x25' barn 5 times.
- Non-staining
- Low odor formula
- Field and laboratory tested
- Proven results
- Powerful Results, Small Bottle
- Small, but Mighty
- Small Bottle, Powerful Results
- Get the Job Done Right – Use Tempo SC Ultra Pest Control Concentrate
- Use What the Professionals Use Tempo SC Ultra Pest Control Concentrate
- Makes 2 gallons of spray [-Just the amount you need]
- Treats 2,000 square feet
- Economical Concentrated Formula
- Mix and spray

18 8 18

Bottle

pg 15 of 15

