

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460



OCT 2 5 2012

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Douglas Spilker, Ph.D Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390

Dear Dr. Spilker:

Subject:

Amendment to update labels per spot on mitigation letter sent by the Agency

dated September 30, 2011

EPA Registration Nos./Product name: 11556-150, Advantage II Kitten

11556 151 Advantage II Small Ca

11556-151, Advantage II Small Cat v 11556-152. Advantage II Large Cat

The labeling referred to above submitted in connection with the Federal Insecticide, Fungicide and Rodenticide, as amended are acceptable.

As a reminder, this registration is time-limited and expires January 17, 2013. You must apply to extend the expiration and/or to change the terms of this registration.

Per the implementation of label changes for pet spot on products, the Agency has reviewed a copy of the print ready label

A stamped copy of the labeling is enclosed for your records. If you have any questions regarding this label, please contact Autumn Metzger at (703) 305-5314.

Sincerely,

Venus Eagle

Product Manager 01

Insecticide-Rodenticide Branch Registration Division (7505P)

Revise according to EPA "Implementation

Date:

09/25/12

of Label Changes to Pet Spot-On Products"

Supersedes: 03/26/12 and

09/15/10

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

[Front Panel]

Advantage® II Small Cat

Once-A-Month Topical Flea Prevention and Treatment for Cats For Use ONLY on Cats 8 Weeks and Older and Weighing 5 - 9 lbs.

[Selected optional claims bulleted here from page 10 and/or 11]

document

	%
Active Ingredients	By Weight
Imidacloprid	9.10%
Pyriproxyfen	
Other Ingredients	90.44%
Total	100.00%
EPA Est. No. 11556-XXX-X EPA Reg No.	11556-151

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Precautionary Statements. For Directions for Use, Storage and Disposal, and First Aid see package insert inside.

ACCEPTED OCT 2 5 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 1155 6-15

Advantage II Small Cat jb.Doc

Page 1 of 11

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

Date:

09/25/12

Supersedes: 03/26/12 and

09/15/10

[Back Panel]

Advantage® II Small Cat

Once-A-Month Topical Flea Prevention and Treatment for Cats For Use ONLY on Cats 8 Weeks and Older and Weighing 5 - 9 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than 5 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

Side Effects: Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-422-9874.

For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

RESTRICTIONS:

- Use only on cats or kittens 8 weeks and older and weighing 5-9 lbs. Do not use on other animals.
- Do not apply more than one (1) tube per treatment.
- Do not have contact or allow children to have contact with treated area until completely dry.

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

Date:

09/25/12

Supersedes: 03/26/12 and

09/15/10

Net Contents: [X] Tube(s), each 0.014 fl. oz. (0.4 mL)

[Sample - Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P.O. BOX 390
Shawnee Mission, Kansas 66201 USA

Made in Germany

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

Date:

09/25/12

Supersedes: 03/26/12 and

09/15/10

[Back Panel and/or Insert]

Advantage® II Small Cat

Once-A-Month Topical Flea Prevention and Treatment for Cats For Use ONLY on Cats 8 Weeks and Older and Weighing 5 - 9 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



HOW TO OPEN

- 1. Being careful not to cut close to the blister cavities, take scissors and cut off one section of the card containing a single tube.
- 2. Take the separated section, and cut into the blister cavity across the small side, close to the cap of the tube.
- 3. Peel off the foil, and take out the tube.
- 4. Repeat steps 1 to 3 for each tube.

HOW TO APPLY

- 1. Remove one applicator tube from the package. See "HOW TO OPEN" section.
- 2. Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.

[Visuals Depicting How to Open Applicator Tube]

- 3. Turn the cap around and place other end of cap back on tube.
- 4. Twist cap to break seal, then remove cap from tube.
- 5. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your cat's eyes, or allow your cat to ingest this

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

09/25/12

Supersedes: 03/26/12 and

document 09/15/10

product. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.

[Visuals Depicting Application to Animal]

- Discard empty tube as described in Storage and Disposal. 6.
- 7. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (4) weeks. Do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly retreatment schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on cats frequently elicits a hypersensitivity skin disorder known as flea allergy dermatitis (FAD) or flea bite hypersensitivity. Treatment of cats with Advantage® II Small Cat kills fleas and may reduce the incidence of this condition.

Advantage® II Small Cat kills the existing fleas on cats within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Fleas, eggs and larvae in the cat's surroundings are killed following contact with an Advantage® II Small Cat treated cat. Advantage® II Small Cat provides multi-stage flea control effectively breaking all flea life-cycle stages for lasting control of flea populations.

Advantage® II Small Cat kills adult fleas quickly, within 12 hours, inhibits the development of immature flea life stages and prevents them from reaching the biting adult stage.

Advantage® II Small Cat is waterproof and remains effective following a shampoo treatment or after exposure to rain or sunlight.

Apply monthly treatments for optimal control and prevention of fleas.

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

09/25/12 Supersedes: 03/26/12 and

09/15/10

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS**

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

FIRST AID				
 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person. 				
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 			
If On Skin	Wash with plenty of soap and water.			
	HOT LINE NUMBER			
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-800-422-9874. For customer questions call 1-800-255-6826.				
	NOTE TO PHYSICIAN			
Treat the patient symp	tomatically.			

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not apply to cats or kittens under 8 weeks of age or weighing less than 5 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

Side Effects: Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-422-9874.

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

Date:

09/25/12

Supersedes: 03/26/12 and

09/15/10

For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

RESTRICTIONS:

- Use only on cats or kittens 8 weeks and older and weighing 5-9 lbs. Do not use on other animals.
- Do not apply more than one (1) tube per treatment.
- Do not have contact or allow children to have contact with treated area until completely dry.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets. Pesticide Disposal and Container Handling: Nonrefillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Revise according to EPA "Implementation of Label Changes to Pet Spot-On Products"

document

Date:

09/25/12

Supersedes: 03/26/12 and

09/15/10

[Label on Individual Tube]

Advantage® II Small Cat

9.10% Imidacloprid

0.46% Pyriproxyfen

0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-151

Keep Out of Reach of Children

CAUTION

Read The Entire Label Before Use 3

BAYER

Lot No. 0000000

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

Date:

09/25/12

Supersedes: 03/26/12 and

09/15/10

[Label on blister card; one card containing 1, 2, 3, 4, 5, or 6 tubes]

Advantage® II Small Cat

For external use only on cats and kittens 8 weeks and older and weighing 5 - 9 lbs.

9.10% Imidacloprid

0.46% Pyriproxyfen

[X] - 0.014 fl. oz. (0.4 mL)

EPA Reg. No. 11556-151

BAYER

11/

Reason To Issue:

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

Date: 09/25/12

Supersedes: 03/26/12 and

09/15/10

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

OPTIONAL MARKETING CLAIMS [Appearing on any panel]

- For use on cats and kittens 8 weeks of age and older
- Advantage II contains [imidacloprid], [and an/the] [insect growth regulator] [IGR] [pyriproxyfen]
- A single topical application remains effective for up to [4 weeks] [a month]
- Convenient, easy-to-apply topical solution
- Convenient, easy-to-apply and fragrance free [monthly] [topical solution]
- Once a month topical flea prevention and treatment for cats 8 weeks of age or older
- Advantage II is indicated for the prevention and treatment of fleas on cats 8 weeks of age and older
- For the prevention and treatment of flea infestations
- One treatment prevents further flea infestations for up to [4 weeks] [a month]
- Kills fleas on cats within [12] hours and continues to prevent infestations for up to [four weeks] [a month]
- Kills fleas before they lay eggs
- Larval flea stages in the cat's environment are killed following contact with an Advantage II treated cat
- Kills larval stages of fleas following contact with an Advantage II treated cat
- Kills fleas within [12] hours of application
- Stops existing flea infestations by killing adult fleas
- Prevents reinfestations by killing adult fleas before they lay eggs
- Reinfesting fleas are killed within 2 hours with protection against further flea infestation
- [Prevents] [Stops] flea eggs from hatching [into biting adults]
- Effectively breaks the flea life cycle
- [Kills] [Controls] all flea life stages
- Comprehensive flea prevention and treatment
- 3-way flea protection ([kills] [controls]) adults, larvae, and eggs
- [Prevents] [Stops] flea eggs from developing into [(biting) (adult)] fleas
- Treatment with Advantage II kills fleas and may reduce the incidence of flea allergic dermatitis [FAD] or flea bite hypersensitivity
- Flea adulticide, larvicide, and ovicide
- Kills flea eggs
- Controls flea problems
- Provides flea protection
- Controls existing fleas and flea eggs plus [and] [prevents] future flea infestations
- Advantage II may be used year-round for flea [prevention] protection]

Revise according to EPA "Implementation

of Label Changes to Pet Spot-On Products"

document

Date:


09/25/12

Supersedes: 03/26/12 and

09/15/10

• Contains an insect growth regulator (IGR) to kill flea eggs and prevent reinfestation

- Monthly use of Advantage II kills fleas and may prevent ([flea allergy dermatitis][flea bite hypersensitivity])
- Controls existing flea infestations on your cat and prevents further infestations
- Prevents fleas on treated cats from infesting (reinfesting).
- Remains effective after bathing
- Remains effective following shampooing
- Waterproof
- Remains effective after exposure to rain or sunlight
- Fragrance-free
- In child-resistant packaging
- Starts working through contact



Version no.:

Constant D

Version no.:

6

Contex

O3.08.2010 79145950 004236 105 x 25 x 165 mm 6 pt : 5600

Vantage[®] III

For external use only on cats and kittens 8 weeks and older and weighing 5 - 9 lbs.

Rapport 3 x auf 210 mm

·		710010		Caya Cilifical Feature Ciliforn	בוו המפני כו החבים וחוים	2	_
bla	은 CR no.:	004236		approved by BAH-PS-TO/PT	phone: +49 2173 38		
esi n-	Format:	210 mm		Tochoology	Technology:	•	_
NO I	Font size:	6 pt		(Solonia)	Thomas Fromm	(VTFRT)4702	_
969 93	Drawing no.: 9949	: 9949		·	Jörg Habig	(TGHAJ)5519	
Co. K	Colours:		Operator ID	by	Uwe Müller Otto Wilinski	(TGMUE)4614 (VTWIL)4701	
37 CL 6	Schwarz	_1	T		Text + Presentation:	ë	_
д—1 9(96 Н Ч	Stanze		Version no.:	lext + Layout	Christina Höfer	Christina Höfer (PHUNC)4724	_
mie Sto	17		-	00	Rita Felicitas Reich	ita Felicitas Reich (VTRER)	_
Jet 19		L	Date:	-	Yvonne Sabatini	vonne Sabatini (TGYVO)4082	
SJ SJ	121		20.07.2010	20.07.2010 by	Renate Steinacker	Renate Steinacker (VTSTE)3046	
This	proof is NOT	a true repi	resentation (This proof is NOT a true representation of the final colours that will be printed.		,	

advantage® II

small cat

Once-A-Month Topical Flea Prevention and Treatment for Cats For Use ONLY on Cats 8 Weeks and Older and Weighing 5 - 9 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE.

For the Prevention and Treatment of Flea Infestations

Kills all flea life stages
Controls existing flea infestations on your
cat and prevents further infestations
Kills fleas within 12 hours of application
Convenient, easy-to-apply topical solution
Fragrance-free

Active Ingredients	% By Weight
Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other Ingredients	90.44%
Total	100.00%

See back for First Aid and Precautionary

DIRECTIONS FOR USE

Waterproof

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO OPEN S

Being careful not to cut close to the blister cavities, take scissors and cut off one section of the card containing a single tube.
 Take the separated section, and cut into the blister cavity across the small side, close to the cap of the tube.

3. Peel off the foil, and take out the tube. 4. Repeat steps 1 to 3 for each tube.

HOW TO APPLY

- Remove one applicator tube from the package. See "HOW TO OPEN" section.
- Hold applicator tube in an upright position facing away from you and your pet's face and eyes. Pull cap off tube.







- 3. Turn the cap around and place other end of cap back on tube.
- 4. Twist cap to break seal, then remove cap from tube.
- b. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your cat's eyes, or allow your cat to ingest this product. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product. Do not allow the product to run off.





- 6. Discard empty tube as described in Storage and Disposal.
- 7. Under normal conditions this product is effective for a month. However, in case of severe flea infestation, retreatment may be necessary earlier than four (a) weeks. Do not retreat more often than once every seven (7) days. After flea control is attained, return to a monthly retreatment schedule.

PRODUCT INFORMATION

The successive feeding activity of fleas on cats frequently elicits a hypersensitivity skin disorder known as flea allergy dermatitis (FAD) or flea bite hypersensitivity. Treatment of cats with Advantage II Small Cat kills fleas and reduces the incidence of this condition.

Advantage II Small Cat kills the existing fleas on cats within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Fleas, eggs and larvae in the cat's surroundings are killed following contact with an Advantage II Small Cat treated cat.
Advantage II Small Cat provides multi-stage flea control effectively breaking all flea lifecycle stages for lasting control of flea populations.

Advantage II Small Cat kills adult fleas quickly, within 12 hours, inhibits the development of immature flea life stages and prevents them from reaching the biting adult stage.

Advantage II Small Cat is waterproof and remains effective following a shampoo treatment or after exposure to rain or sunlight.

Apply monthly treatments for optimal control

and prevention of fleas.

88 8

ektorf 10	PM no.: 791436 CR no.: 004236 Format: 148 x 2 Font size: 9 pt Drawing no.:		004237	Bayer Animal Health GmbH approved by BAH-PS-TO/PT	In case of question phone: +49 2173 3	
			97 mm	Technology on	Technology: Thomas Fromm Jörg Habig	(VTFRT)
Steele 13 · 4 211-7 48 49	Colours: Schwarz Stanze	Operator ID by	by	Uwe Müller Otto Wilinski	(TGMUE)4614 (VTWIL)4701	
			Version no.:	Text + Layout	Text + Presentation Christina Höfer Rita Felicitas Reich	on: (PHJNC) 4724 (VTRER) 4098
LSD C In der Tel.: 0			03.08.2010	by	Yvonne Sabatini	(TGYVÓ)4082 (VTSTE)3046

KEEP OUT OF REACH OF CHILDREN consult a veterinarian immediately. If your cat CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Caution: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing.
Wash hands thoroughly with soap and warm

water after handling. Keep out of reach of children. Do not contaminate feed or food.

FIRST AID					
If Swallowed:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.				
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 				
If On Skin:	 Wash with plenty of soap and water. 				
	HOT LINE NUMBER				

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-800-422-9874. For customer questions call 1-800-255-6826.

NOTE TO PHYSICIAN

Treat the patient symptomatically.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on cats or kittens under 8 weeks of age or weighing tess than 5 lbs. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe,

Manufactured For

Bayer HealthCare LLC, Animal Health Division, P.O. Box 390, Shawnee Mission, Kansas 66201 USA Bayer, the Bayer Cross and Advantage are registered trademarks of Bayer. © 2012 Bayer HealthCare LLC

Made in Germany

Advantage II is protected by the following U.S. patents: 6,232,328 and 6,001,858

is on medication, consult your veterinarian before using this or any other product.

Side Effects

Monitor your cat after application. Side effects, although very rare, may include signs of skin irritation such as redness, Scratching, or other signs of discomfort.
Gastrointestinal signs such as
hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy) occur, consult your veterinarian or call 1-800-422-9874

For consumer questions call 1-800-255-6826. For medical emergencies call 1-800-422-9874.

RESTRICTIONS:

- Use only on cats or kittens 8 weeks and older and weighing 5 9 lbs. Do not use on other animals.
- Do not apply more than one (1) tube per treatment. Do not have contact or allow children to have contact with treated area until completely dry.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place inaccessible to children and pets.

Pesticide Disposal and Container Handling: Nonrefillable container. If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product

LIMITED WARRANTY AND LIMITATION OF DAMAGES

down any indoor or outdoor drain

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER. EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

83000598/04461669/04461677, R.1 EPA Est. No. 11556-DEU-1 EPA Reg. No. 11556-151

Bayer

üsse -41	PM no.: 79143656 CR no.: 004236/004237 Format: 148 x 297 mm Font size: 9 pt Drawing no.:		/004237	Bayer Animal Health GmbH approved by BAH-PS-TO/PT Technology on		(VTFRT)4702 (TGHAJ)5519
	Colours: Schwarz Stanze	٠	Operator ID LR Version no.: 8	by	Otto Wilinski (VTWIL) 4 Text + Presentation: Christina Höfer (PHUNC) 4 Rita Felicitas Reich (VTRER) 4 Yvonne Sabatini (TGYVO) 4	
	roof is NOT	a true re	03.08.2010 presentation	of the final colours that will be printed.	Renate Steinacker	(VTSTE)3046