
11556-152

9/27/2010 -





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 2 7 2010

Mary McKinney Hunt Bayer HealthCare LLC Animal Health Division PO Box 390 Shawnee Mission, KS 66201

Subject: Notification of the addition of the EPA Registration Number and the optional text [Sample-not for (re)sale] for Advantage II Large Cat (EPA Reg. # 11556-152)

Dear Ms. McKinney Hunt:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 9/15/2010 for the product Advantage II Large Cat (EPA Reg. # 11556-152). The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have) been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-347-0156 or urbanski.jennifer@epa.gov.

Sincerely,

Jennifer Urbanski

Registration Division (7505P)

Office of Pesticide Programs

20812

Form Approved, OMB No. 2070-006 Please read instructions on reverse before comple... **United States** ☐ Registration OPP Identifier Number **Environmental Protection Agency** ☐ Amendment Washington, DC 20460 ✓ Other: Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 11556-152 Venus Eagle 4. Company/Product (Name) PM# None Restricted Advantage II Large Cat 01/Team 1 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) Bayer HealthCare LLC, Animal Health Division (b)(l), my product is similar or identical in composition and labeling PO Box 390 EPA Reg. No. ___ Shawnee Mission, KS 66201 Product Name _ Check if this is a new address Section - II Amendment - Explain below. Final printed labels in response to Agency letter dated _ Resubmission in response to Agency letter dated ____ "Me Too" Application Other - Explain below Notification - Explain below. NOTIFICATION **Explanation**: Use additional page(s) if necessary. (For Section I and Section II.) SEP 2 7 2010 NON PRIA ACTION. Please see attached for more detail. Enclosed for Agency acceptance is a draft label for Advantage II Large Cat (EPA Reg. No. 11556-152). The proposed revisions are the addition of the EPA Reg. No. and added the optional text: [Sample-not for (re)sale] for package sizes (SKUs). Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging Type of Container Yes Yes* Yes Metal No No Plastic If "Yes" No. per If "Yes" No. per Glass Unit Packaging wgt. Package wgt. container container *Certification must Paper be submitted Other (Specifiy) 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Container On Label On labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph ☐ Other Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application) Name Title Telephone No. iliiclude Area Pesticide Registrations Manager Code) Mary M. Hunt 913-260-2311 Certification **Date Application** I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both, (Stamped) under applicable law. 2. Signature 3. Title Pesticide Registrations Manager 5. Date Mary M. Hunt

EPA Form 8570-1, Page 2 of 2 12

Bayer Health Care, Animal Health Division Advantage II Large Cat EPA Reg. No. 11556-152 September 15, 2010

Section II Explanation

Enclosed for Agency acceptance is a draft label for Advantage II Large Cat, EPA Reg. No. 11556-152.

The proposed revisions are the addition of the EPA registration number and the optional text, [Sample-not for (re)sale] to all package sizes (SKUs).

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. Bayer understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. Bayer further understands that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bayer may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Bayer HealthCare Animal Health

BAYER

September 15, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Ms. Venus Eagle, Team 1

SUBJECT:

Notification of Label Revision to

Advantage II Kitten, EPA Reg. No. 11556-150 Advantage II Small Cat, EPA Reg. No. 11556-151 Advantage II Large Cat, EPA Reg. No. 11556-152

Dear Ms. Eagle:

Please find enclosed for the Agency's review and acceptance, a Notification (EPA Form 8570-1 and attachment) and draft label dated September 15, 2010 for each subject product.

The proposed revisions are the addition of the EPA Registration Number and the addition of optional text, [Sample-not for (re)sale], to all package sizes (SKUs).

Thank you for your assistance with this notification process, and please contact me at 913-268-2311 or <u>mary.hunt.b@bayer.com</u> if you have any questions or need further information.

Respectfully,

BAYER HEALTHCARE LLC ANIMAL HEALTH DIVISION

Mary McKinney Hunt


Pesticides Regulatory Manager

Many Mekenney Hunt

Encl: (3) 8570-1 Application for Pesticide Notification

- (3) Attachment to Application for Pesticide Notification
- (3) Draft Label (3 cc each)
- (3) Highlighted Label (1 cc each)

Bayer HealthCare LLC
Animal Health
P.O. Box 390
Shawnee Mission, KS 66201-0390



Reason To Issue: Aduct EF

Aducd EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010 Supersedes: 06/17/10

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

Advantage® II Large Cat

Once-A-Month Topical Flea Prevention and Treatment for Cats
For Use ONLY on Cats 8 Weeks and Older
For Use ONLY on Cats Weighing Over 9 lbs.

READ THE ENTIRE LABEL BEFORE EACH USE

For the Prevention and Treatment of Flea Infestations

[Selected optional claims bulleted here from page 6 and/or 7]

•	TIFICATION EP 2 7 2010
•	
Active Ingredients	% By Weight
Imidacloprid	9.10%

Imidacloprid	9.10%
Pyriproxyfen	0.46%
Other Ingredients	90.44%
Total	100.00%

EPA Reg No. 11556-152 EPA Est. No. 11556-DEU-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

[See back panel for First Aid.]

[For Directions For Use, and Storage and Disposal (instructions), see supplemental labeling inside.]

Aducd EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010 Supersedes: 06/17/10

60615

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children. Do not contaminate feed or food.

HAZARDS TO DOMESTIC ANIMALS

For external use only. Do not use on kittens under 8 weeks of age. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing cats. Individual sensitivities, while rare, may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any other product.

If your cat is experiencing an adverse event, contact your veterinarian and, call 1-800-422-9874.

FIRST AID		
If Swallowed:	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person. 	
If In Eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
If On Skin	Wash with plenty of soap and water.	
HOT LINE NUMBER		
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-800-422-9874. For customer questions call 1-800-255-6826.		
	NOTE TO PHYSICIAN	
Treat the patient sympton		

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Adued EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010

Supersedes: 06/17/10

HOW TO OPEN

1. Being careful not to cut close to the blister cavities, take scissors and cut off one section of the card containing a single tube.

2. Take the separated section, and cut into the blister cavity across the small side, close to the cap of the tube.

3. Peel off the foil, and take out the tube.

4. Repeat steps 1 to 3 for each tube.



HOW TO APPLY

- 1. Use only on cats and kittens. Do not use on other animals.
- 2. Remove one applicator tube from the package. See "HOW TO OPEN" section.
- 3. Hold applicator tube in an upright position. Pull cap off tube.

[Visuals Depicting How to Open Applicator Tube]

- Turn the cap around and place other end of cap back on tube. 4.
- 5. Twist cap to break seal, then remove cap from tube.

[Visuals Depicting Application to Animal]

- 6. Part the hair on the neck at the base of the skull until the skin is visible. Place the tip of the tube on the skin and squeeze the tube to expel the entire contents directly on the skin. Do not get this product in your cat's eyes or mouth. The product is bitter tasting and salivation may occur for a short time if the cat licks the product immediately after treatment. Treatment at the base of the skull will minimize the opportunity for the cat to lick the product.
- 7. Discard empty tube as described in Storage and Disposal.
- Under normal conditions, the product is effective for a month. However, in cases of 8. severe flea infestation, retreatment may be necessary earlier than four weeks. Do not

Add EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010 Supersedes: 06/17/10

retreat more often than once every seven (7) days. After flea control is attained, return to a monthly retreatment schedule.

ADDITIONAL INFORMATION

The successive feeding activity of fleas on cats may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD) or flea bite hypersensitivity. Treatment of cats with Advantage® II Large Cat rapidly kills fleas and may reduce the incidence of this condition.

Advantage® II Large Cat kills the existing fleas on cats within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting for up to four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

Fleas, eggs and larvae in the cat's surroundings are killed following contact with an treated cat. Advantage® II Large Cat provides multi-stage flea control effectively breaking all flea life-cycle stages for lasting control of flea populations.

Advantage® II Large Cat kills adult fleas quickly, within 12 hours, inhibits the development of immature flea life stages and prevents them from reaching the biting adult stage.

Advantage® II Large Cat is waterproof and remains effective following a shampoo treatment or after exposure to rain or sunlight.

Apply monthly treatments for optimal control and prevention of fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal and Container Handling: Nonrefillable container. **If Empty**: Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**: Call your local solid waste agency or 1-800-422-9874 for disposal instructions. Never place unused product down any indoor or outdoor drain.





90912

Reason To Issue:

Aducd EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010 Supersedes: 06/17/10

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Bayer HealthCare LLC, Animal Health Division warrants that this material conforms to the chemical description on the label. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Bayer is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values, etc.

Net Contents: XX Tube(s) – each 0.027 fl. oz. (0.8 mL)

[Sample - Not for (Re)Sale]

Manufactured For

Bayer HealthCare LLC
Animal Health Division
P.O. Box 390
Shawnee Mission, Kansas 66201 USA

Made in Germany



Aducd EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010 Supersedes: 06/17/10

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

OPTIONAL MARKETING CLAIMS

- For use on cats and kittens 8 weeks of age and older
- Advantage II contains [imidacloprid], [and an/the] [insect growth regulator] [IGR] [pyriproxyfen]
- A single topical application remains effective for up to [4 weeks] [a month]
- Convenient, easy to apply topical solution
- Convenient, easy to apply and fragrance free [monthly] [topical solution]
- Once a month topical flea prevention and treatment for cats 8 weeks of age or older
- Advantage II is indicated for the prevention and treatment of fleas on cats 8 weeks of age and older
- For the prevention and treatment of flea infestations
- One treatment prevents further flea infestations for up to [4 weeks] [a month]
- Kills fleas on cats within [12] hours and continues to prevent infestations for up to [four weeks] [a month]
- Kills fleas before they lay eggs
- Larval flea stages in the cat's environment are killed following contact with an Advantage II treated cat
- Kills larval stages of fleas following contact with an Advantage II treated cat
- Kills fleas within [12] hours of application
- Stops existing flea infestations by killing adult fleas
- Prevents reinfestations by killing adult fleas before they lay eggs
- Reinfesting fleas are killed within 2 hours with protection against further flea infestation
- [Prevents] [Stops] flea eggs from hatching [into biting adults]
- Effectively breaks the flea life cycle
- [Kills] [Controls] all flea life stages
- Comprehensive flea prevention and treatment
- 3-way flea protection ([kills] [controls]) adults, larvae, and eggs
- [Prevents] [Stops] flea eggs from developing into [(biting) (adult)] fleas
- Treatment with Advantage II kills fleas and may reduce the incidence of flea allergic dermatitis [FAD] or flea bite hypersensitivity
- Flea adulticide, larvicide, and ovicide
- Kills flea eggs
- Controls flea problems
- Provides flea protection
- Controls existing fleas and flea eggs plus [and] [prevents] future flea infestations
- Advantage II may be used year-round for flea [prevention][protection]

Adwd EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010 Supersedes: 06/17/10

 Contains an insect growth regulator (IGR) to kill flea eggs and prevent reinfestation

- Monthly use of Advantage II kills fleas and may prevent ([flea allergy dermatitis][flea bite hypersensitivity])
- Controls existing flea infestations on your cat and prevents further infestations
- Remains effective after bathing
- Remains effective following shampooing
- Waterproof
- Remains effective after exposure to rain or sunlight
- Fragrance free
- In child-resistant packaging
- Starts working through contact

Aduct EPA Reg. No. and optional text [Sample-not for (re)sale] for all SKUs

Date: 09/15/2010

Supersedes: 06/17/10

(Label on Individual Tube)

Advantage® II Large Cat

9.10% Imidacloprid

0.46% Pyriproxyfen

0.027 fl. oz. (0.8 mL)

EPA Reg. No. 11556-152

Keep Out of Reach of Children

CAUTION

Read The Entire Label Before Use

BAYER

Lot No. 0000000