

11556-162

3/12/2013

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Mr. J. Todd Frank  
Bayer Healthcare LLC  
Animal Health Division  
P.O. Box 390  
Shawnee Mission, KS 66201

MAR 12 2013

Dear Mr. Frank:


Subject: Application for Pesticide Notification (PRN 98-10)  
Correct typographical errors and minor revisions  
Ravap EC Livestock, Poultry & Premise Insecticide Spray  
EPA Reg. No. 11556-162  
Your submission dated March 11, 2013

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 11, 2013 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at [pilitt.dana@epa.gov](mailto:pilitt.dana@epa.gov).

Sincerely,

  
Mark Suarez  
Product Manager 13  
Insecticide Branch  
Registration Division (7505P)



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 11556-162	2. EPA Product Manager Mark Suarez	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Ravap E.C. Livestock, Poultry & Premise Insecticide Spray	PM# Team Number 13	
5. Name and Address of Applicant (Include ZIP Code) Bayer HealthCare LLC, Animal Health Division P.O. Box 390 Shawnee Mission, KS 66201-0390 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: <b>NOTIFICATION</b> EPA Reg. No. _____ Product Name _____ <b>MAR 12 2013</b>	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)  
Notification to correct Precautionary Statements as allowed per PR Notice 98-10.

E-mail Contact: todd.frank@bayer.com


Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name J. Todd Frank		Title Reg. Affairs Consultant		Telephone No. (Include Area Code) 913-268-2585	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped) _____ _____ _____ _____ _____ _____ _____ _____ _____ _____
2. Signature 		3. Title Regulatory Affairs Consultant			
4. Typed Name J. Todd Frank		5. Date 03/11/2013			

Bayer HealthCare  
Animal Health



Document Processing Desk (**NOTIF**)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

Attention: Mark Suarez, Team 13

March 11, 2013

Subject: **Ravap EC Livestock, Poultry & Premise Insecticide Spray**  
**EPA Reg. No. 11556-162**  
**Application for Notification**

Bayer HealthCare LLC  
Animal Health  
P.O. Box 390  
Shawnee Mission, KS 66201-0390

Dear Mr. Suarez,

Please find enclosed, for the Agency's acceptance, an Application for Pesticide Notification, one copy of the highlighted label, and ~~three~~ <sup>one</sup> copy of the unhighlighted labels for the subject product.


As allowed by PR Notice 98-10 Bayer HealthCare LLC Animal Health is correcting a typographical error in the precautionary statement and minor revisions. See attached explanation page for detailed description of changes.

Thank you for your assistance with this notification process, and please contact me at (913) 268-2585 or [todd.frank@bayer.com](mailto:todd.frank@bayer.com) if you have any questions or need further information.

Regards,

BAYER HEALTHCARE LLC  
ANIMAL HEALTH DIVISION

J. Todd Frank  
Regulatory Affairs Consultant





**RESTRICTED USE PESTICIDE:**  
  
Due to **primary eye and primary dermal toxicity.**  
  
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification

## Ravap® E.C. Livestock, Poultry & Premise Insecticide Spray

RECOMMENDED FOR AGRICULTURAL/COMMERICAL USE ONLY. NOT FOR SALE FOR ANY OTHER USES.

**ACTIVE INGREDIENTS:**

Tetrachlorvinphos (CAS# 22248-79-9).....23.0%\*  
Dichlorvos (CAS# 62-73-7)..... 5.3%\*\*

**OTHER INGREDIENTS:** .....71.7%\*\*\*

**TOTAL:** .....100.0%

\*RABON® Insecticide

\*\*VAPONA® Insecticide

\*\*\* Contains Petroleum Distillates.

This product contains the toxic inert ingredient phenol.

EPA Reg.No. 11556-162

EPA Est. No. XXXXX

**NOTIFICATION**

**MAR 12 2013**

Manufactured For:  
Bayer HealthCare, LLC  
Animal Health Division  
PO Box 390  
Shawnee Mission, KS 66201 USA

**KEEP OUT OF REACH OF CHILDREN**

**DANGER --  -- POISON**  
**PELIGRO**

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes (including animals), on skin, or on clothing.

**See Side Panel for complete First Aid and Precautionary Statements**

6/11

## KEEP OUT OF REACH OF CHILDREN DANGER -- PELIGRO

### FIRST AID

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

### IF SWALLOWED:

Call a poison control center or doctor **immediately** for treatment advice.

**Do not give any liquid to the person.**

Do not induce vomiting unless told to by a poison control center or doctor.

Do not give anything by mouth to an unconscious person

### HOTLINE NUMBER

Contains an organophosphate that inhibits cholinesterase.

**Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-422-9874 or CHEMTREC at 1-800-424-9300, 24 hours per day, 7 days per week.**

### NOTE TO PHYSICIAN

This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. **Contains petroleum distillates.** Product may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### DANGER - POISON

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes (including animals), on skin, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using toilet. Remove contaminated clothing and wash clothing before reuse.

**FOR CHEMICAL EMERGENCY. Spill, leak, fire, exposure, or accident call CHEMTREC 1-800-424-9300.**

7/11

**PERSONAL PROTECTIVE EQUIPMENT**

Applicators and other handlers must wear:

- Wear protective eyewear (goggles, face shield, or safety glasses).
- Wear coveralls over long sleeved shirt and long pants, socks, chemical resistant footwear, and chemical resistant gloves (Barrier laminate or Viton, selection category G).
- When mixing, loading, or cleaning equipment wear a chemical resistant apron.

**USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS**

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in adjacent areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment wash waters or rinsate.


**PHYSICAL AND CHEMICAL HAZARDS**

**Combustible. Do not use, pour, spill or store near heat or open flame. Do not use with thermal foggers or heat-generating devices.**

**DIRECTIONS FOR USE – Read the entire label prior to use.**

**RESTRICTED USE PESTICIDE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **For Agricultural/Commercial Use Only.** This product is suitable for use in conventional power or low pressure knapsack sprayers and in livestock backrubbers. Follow the **Use Directions** for the proper dilution needed for specific insect control.



**Use Restrictions**

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not enter or allow others to enter the treated areas until sprays have dried. Must be diluted with water except for backrubber use.

**Livestock Use Directions:** Do not make direct application to livestock more frequently than once per day.

Use	Insect	Dilution•Ravap In Water	Remarks
Livestock Spray (Beef Cattle)	Horn Flies, Lice, Including Tail Lice, and aids in control of Face Flies	1 gal. in 75 gal. or 5 oz. in 3 gal.	Dilute in water as indicated and spray directly on the animal only to the point of runoff. Use between ½ to 1 gallon of diluted spray solution per animal depending on size and hair coat. Do not treat more often than every 10 days. Do not apply to calves under six months of age. Brahman and Brahman-cross cattle should not be treated as they may show hypersensitivity to organophosphate pesticides. Do not apply in combination with other dermal organo-phosphate pesticides (e.g. trichlorofon). There is no withholding period from last application to slaughter.
	Horn Flies, Lone Star Ticks	1 gal. in 200 gal. or 2 oz. in 3 gal	Apply as above. For severe tick infestations, dilution may be increased to 1 gallon in 50 gallons water
Livestock Spray (Lactating Dairy Cattle)	Horn Flies, Lice, Lone Star Ticks, and aids in control of Face Flies	1 gal. in 200 gal or 2 oz. in 3 gal.	Dilute in water as indicated. Direct spray to cover thoroughly with up to ½ gallon of the dilution per animal. Repeat as necessary. Do not apply to calves under six months of age. No milk discard is required. Care should be taken that the spray does not come in direct contact with the lactating dairy cow's teats unless they are washed with an approved cleansing solution and dried before milking. Apply the spray at least 20 minutes prior to milking or after milking has been completed.



**Backrubber Use Directions**

Use	Insect	Dilution•Ravap In Oil	Remarks
Backrubber or Facerubber (Beef and Dairy Cattle)	Horn Flies, and aids in control of Face Flies	1 gal. in 25 gal or 5 oz. in 1 gal	Mix with any approved backrubber base oil. Pour diluted solution into oil reservoir of mechanical rubbing devices or pour one gallon per 20 linear feet on burlap or rope backrubbers. Keep backrubber or facerubber charged.

**Poultry Use Directions**

Use	Insect	Dilution•Ravap In Water	Remarks
Caged Chickens	Lice & Mites	1 gal. in 50 gal or 5 oz. in 2 gal	Apply 1 gal. of dilution/100 birds under high pressure (no less than 100-125 psi) to the vent and fluff areas from below. Repeat when necessary; however, not more often than every 14 days. For individual bird treatment, apply 1 ounce of dilution per bird.
Chickens On Litter	Lice & Mites	1 gal. in 50 gal or 5 oz. in 2 gal	Apply 1-2 gal. of dilution/1000 sq. ft. evenly with penetration of litter surface. Also apply thoroughly to walls, roosts, cracks and crevices. Spray birds as above. Treat roosters carefully to avoid reinfestation of breeding flocks.
Roost Paint	Lice & Mites	1 gal. in 25 gal or 5 oz. in 1 gal	Apply 1 pt. of dilution/100 ft. of roost area with brush or spray.
Poultry Buildings	Fowl Tick (Blue Bug)	1 gal. in 25 gal or 5 oz. in 1 gal	Apply 1 gal. of dilution/100-150 sq. ft. to thoroughly cover walls, ceilings, floors, cracks and crevices using high pressure spray.

**Premise Use Directions for Poultry and Livestock Facilities**

<b>Use</b>	<b>Insect</b>	<b>Dilution•Ravap In Water</b>	<b>Remarks</b>
Residual Surface Spray	Flies, Gnats, Litter Beetles, Mosquitoes, Spiders, Wasps	1 gal. in 25 gal or 5 oz. in 1 gal	Apply 1 gal. of dilution/500-1000 sq. ft. Thoroughly cover walls, ceilings or other areas where pests rest or congregate in dairy barns, horse barns, poultry houses, swine buildings, livestock sheds and other farm buildings. Extreme infestations may necessitate increasing the diluted spray to one gallon per 12-1/2 gal. or 10 oz. per 1 gal. of water.
Larvicide	Maggots (fly larvae)	1 gal. in 25 gal or 5 oz. in 1 gal	Apply 1 gal. of dilution/100 sq. ft. of droppings as a coarse spray. Repeat at 7-10 day intervals until droppings begin to cone up, then treat only "hot spots" (small areas found to have large number of maggots). Do not spray manure where runoff to soil or water can occur. Do not spray animals directly with this concentration.

**Kennel Use Directions**

<b>Use</b>	<b>Insect</b>	<b>Dilution•Ravap In Water</b>	<b>Remarks</b>
Residual Surface Spray – Kennels	Ticks, Fleas	1 gal. in 50 gal or 5 oz. in 2 gal	Apply 1 gal. of dilution/500-1000 sq. ft. Thoroughly treat infested kennel and outside runways.

11/11

**STORAGE AND DISPOSAL**

DO NOT contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store product in its original container in a cool, dry place in an area inaccessible to children and animals.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available, for reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CONDITIONS OF SALE:**

The directions on this label were determined through research to be appropriate for the correct use of this product. This product has been tested under different environmental conditions both indoors and outdoors similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment. To the extent permitted by applicable law, Bayer offers, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Bayer and are, therefore, the responsibility of the buyer.

**WARRANTY AND LIMITATION OF DAMAGES:**

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. Seller makes no other express or implied warranty, including any other express or implied warranty of Fitness or of Merchantability, and no agent of Seller is authorized to do so except in writing and with specific reference to this warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

**RAVAP® is a trademark of Bayer.**