

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON D C 20460 0001



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

AUG 24 2012

Mr J Todd Frank
Bayer HealthCare LLC
Animal Health
P O Box 390
Shawnee Mission KS 66201 0390

Subject Amended Reregistration Label
Product Name Permethrin Insecticide Spray
EPA Registration Number 11556 171
EPA Decision Numbers 413323

Dear Mr Frank

The Agency in accordance with the Federal Insecticide Fungicide and Rodenticide Act (FIFRA) as amended has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Permethrin RED and has concluded that your submission is acceptable

NOTE This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below Any previously dated CSFs are superseded

Basic CSF dated July 2 2012
Alternate CSF A dated August 22 2012
Alternate CSF B dated August 22 2012
Alternate CSF C dated August 22 2012

A copy of your label stamped Accepted is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first must bear the new revised label Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions If these conditions are not complied with the registration will be subject to cancellation in accordance with FIFRA sec 6(e)

If you have any questions about this letter please contact Julie Chao at (703) 308 8735 or chao.julie@epa.gov

Sincerely



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504-3)

Enclosures *Label stamped Accepted AUG 24 2010*
Acute Toxicity Review dated November 23 2010
Product Chemistry Reviews dated January 20 August 18 & September 16 2011

3/13

Reason to Issue

Update Label with information

EPA Reg No and

Date

08/09/2012

Supersedes

08/31/2010

Page 1 of 11

MASTER LABEL

PERMETHRIN INSECTICIDE SPRAY ALTERNATE NAME BRAND CATRON® IV SUB-LABEL 1

INDICATIONS

- AN AQUEOUS STABLE MICRO EMULSION
- CONTROLS PESTS FOR UP TO FOUR WEEKS
- FOR USE IN HOMES AND OTHER BUILDINGS
- FOR USE ON BEDDING FURNITURE AND OTHER INANIMATE OBJECTS INFESTED WITH LICE
- KILLS LICE AND THEIR EGGS
- FOR USE IN ANIMAL QUARTERS AND MILK ROOMS
- FOR USE ON LIVESTOCK
- CONTROLS INSECT PESTS ON BEEF CATTLE DAIRY CATTLE SHEEP GOATS HOGS AND HORSES
- FOR USE ON WOUNDS TO KILL AND REPEL FLIES AND FLY MAGGOTS
- CONTROLS EAR TICKS ON LIVESTOCK
- KILLS AND REPELS FACE FLIES ON LIVESTOCK
- FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS
- CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS
- CONTROLS RESIDENTIAL INDUSTRIAL AND GARDEN INSECTS

Active Ingredient

Permethrin (CAS No 52645 53 1)

0 50%

Other Ingredients

99 50%

Total 100 00%

EPA Reg No 11556 171

EPA Est No XXXXX

Keep Out of Reach of Children

WARNING

See back panel for additional precautionary statements

ACCEPTED
AUG 24 2012

Net Contents XXX

Under the Federal Insecticide Fungicide,
and Rodenticide Act as amended, for the
pesticide registered under

Manufactured For
Bayer HealthCare LLC
Animal Health Division
PO Box 390

EPA Reg No 11556-171

Shawnee Mission KS 66201 USA

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 20 minutes • Call a poison control center or doctor for treatment advice
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give any liquid to the person • Do not give anything by mouth to an unconscious person
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 20 minutes • Remove contact lenses if present after the first 5 minutes then continue rinsing eye • Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible • Call a poison control center or doctor for further treatment advice
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment You may also contact 1 800 422 9874 for emergency medical treatment information	

HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes skin irritation Do not get on skin or clothing Harmful if absorbed through skin Avoid contact with eyes Harmful if swallowed Causes moderate eye irritation Harmful if inhaled Avoid breathing sprays

Avoid contamination of feed and foodstuffs Remove pets and birds and cover fish aquariums before space spraying or surface application **This product is not for use on humans** Vacate room after treatment and ventilate before reoccupying Do not allow children or pets to contact treated areas until surfaces are dry

Personal Protective Equipment (PPE)

Applicators and other handlers must wear

- Coveralls over short sleeve shirt and short pants
- Chemical resistant footwear plus socks and
- Chemical resistant gloves made of barrier laminate nitrile rubber neoprene rubber or viton (category E on an EPA chemical resistance category selection chart)

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables exist use detergent and hot water Keep and wash PPE separately from other laundry
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate Do not reuse them

Reason to Issue: Update Label with later EPA Reg. No. and information.

Date: 08/09/2012

Supersedes: 08/31/2010

Page 3 of 11

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater, or rinsate. See Directions for use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches except where stated otherwise. Remove birds and cover fish aquariums before spraying.

PRECAUTIONS AND RESTRICTIONS

- Except when applying to livestock and dogs, do not enter or allow others to enter treated area until sprays have dried.
- Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Except when applying to livestock and dogs, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock and dogs, only protected handlers may be in the area during application.
- Do not breathe dust, vapors or spray mist.
- Do not apply when food or feed is present.
- Remove or cover food processing equipment and food preparation surfaces, or wash them before use.
- Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in

6/13

Reason to Issue: Update Label with _____, EPA Reg. No. and information.

Date: J8/09/2012

Supersedes: 08/31/2010

Page 4 of 11

operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

- In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Not for broadcast use on indoor residential surfaces.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Not for use in commercial animal premise misting systems.

DIRECTIONS FOR USE IN HOMES AND OTHER BUILDINGS

Not For Use in USDA Meat and Poultry Plants

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood/feed areas of food/feed handling establishments are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat treatment as necessary.

Reason to Issue

Update Label with information

Other EPA Reg No and

Date Supersedes Page 5 of 11

08/09/2012 08/31/2010

Indian Meal Moths, Angoumois Grain Moths Close doors and windows direct spray into all parts of room especially around stored food product containers pallets and darkened areas Spray 7 to 10 seconds for each 1000 cubic feet of space Keep area closed for 15 minutes following treatment Repeat application as necessary

Exposed stages of Confused Flour Beetles, Saw Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites Spray into cracks and crevices around cartons or containers or other areas where these insects tend to congregate Spray 30 seconds for each 100 square feet of surface Keep area closed for 45 minutes to 1 hour after treatment Repeat application as necessary Infested stored food products in the home should be disposed of

Carpet Beetles Spray directly on beetles floors baseboards shelves and carpets Repeat treatment as necessary

Bedbugs Spray mattresses particularly around tufts and seams Take beds apart and spray into all joints Treat baseboards molding and floors Repeat treatment as necessary

To control Clothes Moths and Carpet Beetles on wood and other proteinaceous fibers Remove infested articles from storage brush thoroughly and air for several hours in sunlight if possible Apply spray liberally to empty chests closets bureaus and other storages directing the spray into cracks joints and crevices After airing infested articles may be treated by spraying lightly keeping nozzle at least three feet from fabric to avoid staining

To kill lice and louse Eggs Spray in an inconspicuous area to test for possible staining or discoloration Inspect again after drying then proceed to spray entire area to be treated Hold container upright with nozzle away from you Depress valve and spray from a distance of 8 to 10 inches Spray each square foot for three seconds Spray only garments and parts of bedding including mattresses and furniture that cannot be either laundered or dry cleaned Allow all sprayed articles to dry thoroughly before use

DIRECTIONS FOR USE IN ANIMAL QUARTERS AND MILK ROOMS

For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space For best results keep area closed for 10 minutes after spraying Do not remain in treated area and ventilate after treatment is completed

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles cracks in walls and cracks in nests where the bedbugs and mites hide

For control of Poultry Lice, spray roosts walls and nests or cages thoroughly This should be followed by spraying over the birds with a fine mist

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats Spray about 3 seconds on each side being careful to spray back withers and forelegs thoroughly To protect from Face Flies spray the face and head but do not spray into eyes Repeat treatment when flies are troublesome

Reason to Issue

Update Label with information

Under EPA Reg. No. and

Date Supersedes Page 6 of 11

08/09/2012 08/31/2010

To protect wounds from flies For castration de horning branding wire and shear cut wounds spray directly onto the wound and on surrounding area Treat navels of newborn animals Apply to drainage area below wound to prevent fly infestations Repeat at five to seven day intervals until wounds are healed Bacterial infections of wounds should be prevented or treated with supplemental disinfectants or appropriate antibiotic therapy

To kill and control Screwworms, Fleece Worms (wool maggots) and other Blow Fly maggots in and around superficial wounds Spray wounds thoroughly allowing spray to penetrate into pockets made by maggots Apply over discharge around wound to prevent re infestation Treat at five to seven day intervals until wound is healed

To kill ear ticks For Spinose Ear Ticks Spray downward directly into animals ear Repeat as necessary For Gulf Coast Ear Ticks Spray directly onto ticks on outer surface of animals ear Repeat as necessary

To control Blood Sucking Lice Apply to the infest areas of the animal using a stiff brush to get the spray to the base of the hair Repeat every 3 weeks if required

FOR SWINE Do not ship animals for slaughter within 5 days of last treatment

DIRECTIONS FOR USE ON GARDEN PLANTS (Residential Sites Only)

For use on roses dahlias asters and other ornamentals to kill **Japanese Beetles hit by spray, as well as, Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers**

May be used on plants as well as a multi purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas

May also be used on other plants such as African violets asters azaleas begonias camellias carnations chrysanthemums dahlias delphiniums dogwood English ivy euonymus fuschia geraniums crassula grape vine Kentia palm laurel marigolds rhododendrons roses rubber plants snapdragons stocks wandering Jews and zinnias

Effective when used as directed against **Whiteflies, Aphids, Spiders and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms** When spraying plants do not operate closer than 18 inches Use sweeping motion Spray in one second bursts Be cautious about wetting tender foliage young plants and new growth Do not spray plants when temperature exceeds 90°F Contact insects directly whenever possible Repeat treatment as infestations occur

DIRECTIONS FOR USE ON DOGS AND THEIR PREMISES

Fleas and Ticks (Adults and Larvae) Remove and thoroughly clean or destroy pet bedding Spray sleeping quarters bed entire floor and floor coverings with special attention cracks and crevices around baseboards and window and door frames Infested upholstered furniture may also be treated with this product A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use

9/13

Reason to Issue

Update Label with information

former EPA Reg No and

Date Supersedes Page 7 of 11

08/09/2012 08/31/2010

To control **Fleas, Ticks and Lice** on Dogs Starting at the tail stroke against the lay of the hair spraying the parted hair in short bursts directly behind the hand to insure penetrating the coat Dampen the fur up to the head Do not spray directly in/on eyes mouth or genitalia of pets Do not repeat treatment for 7 days Do not use on puppies under 12 weeks **DO NOT USE ON CATS OR KITTENS** Consult a veterinarian before using this product on debilitated aged medicated pregnant or nursing animals

STORAGE AND DISPOSAL

Storage Store in a cool dry area Do not transport or store below 32°F

Pesticide Disposal Do not puncture or incinerate Call your local solid waste agency for disposal instructions

Container Disposal Nonrefillable container Do not reuse or refill this container Place in trash or offer for recycling if available

CONDITIONS OF SALE The directions on this label were determined through research to be appropriate for the correct use of this product This product has been tested under different environmental conditions both indoors and outdoors similar to those that are ordinary and customary where the product is to be used Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions or from failure to follow label directions In addition failure to follow label directions may cause injury to animals man and damage to the environment To the extent permitted by applicable law Bayer offers and the buyer accepts and uses this product subject to the conditions that extraordinary or unusual environmental conditions or failure to follow label directions are beyond the control of Bayer and are therefore, the responsibility of the buyer

10/13

**PERMETHRIN INSECTICIDE SPRAY
ALTERNATE BRAND NAME CATRON® IV
SUB-LABEL 2**

A Screwworm & Ear Tick Spray that controls insect pests on
beef cattle dairy cattle sheep goats hogs and horses

INDICATIONS

- For use on wounds to kill and repel flies and fly maggots
- Controls ear ticks on livestock
- Kills and repels face flies on livestock

Active Ingredient

Permethrin (CAS No 52645 53 1) 0 50%

Other Ingredients

99 50%

Total 100 00%

EPA Reg No 11556-171

EPA Est No XXXXX

Keep Out of Reach of Children

WARNING

See side panel for additional precautionary statements

Net Contents XXXXX

Manufactured For
Bayer HealthCare LLC
Animal Health Division
PO Box 390
Shawnee Mission KS 66201 USA

FIRST AID

If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15 20 minutes • Call a poison control center or doctor for treatment advice
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give any liquid to the person • Do not give anything by mouth to an unconscious person
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 20 minutes • Remove contact lenses if present after the first 5 minutes then continue rinsing eye • Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air

- If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible
- Call a poison control center or doctor for further treatment advice

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment You may also contact 1 800 422 9874 for emergency medical treatment information

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation Do not get on skin or clothing Harmful if absorbed through skin Avoid contact with eyes Harmful if swallowed Causes moderate eye irritation Harmful if inhaled Avoid breathing sprays

Avoid contamination of feed and foodstuffs Remove pets and birds and cover fish aquariums before space spraying or surface application This product is not for use on humans Vacate room after treatment and ventilate before reoccupying Do not allow children or pets to contact treated areas until surfaces are dry

Personal Protective Equipment (PPE)

Applicators and other handlers must wear

- Coveralls over short sleeve shirt and short pants
- Chemical resistant footwear plus socks and
- Chemical resistant gloves made of barrier laminate nitrile rubber neoprene rubber or viton (category E on an EPA chemical resistance category selection chart

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE If no such instructions for washables exist use detergent and hot water Keep and wash PPE separately from other laundry
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate Do not reuse them

User Safety Recommendations

- Users should wash hands before eating drinking chewing gum using tobacco or using the toilet
- Users should remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing
- Users should remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS This pesticide is extremely toxic to aquatic organisms including fish and invertebrates Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean water mark Do not apply when weather conditions favor drift from treated areas Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas Do not contaminate water when disposing of equipment wash waters

12/13

Reason to Issue: Update Label with information, EPA Reg. No. and

Date: 08/09/2012

Supersedes: 08/31/2010

Page 10 of 11

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SHAKE WELL BEFORE USING: Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches except where stated otherwise. Remove birds and cover fish aquariums before spraying.

PRECAUTIONS AND RESTRICTIONS

- Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.
- Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock, only protected handlers may be in the area during application.
- Do not breathe dust, vapors or spray mist.
- Do not apply when food or feed is present.
- Remove or cover food processing equipment and food preparation surfaces, or wash them before use.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Not for broadcast use on indoor residential surfaces.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Not for use in commercial animal premise misting systems.

DIRECTIONS FOR USE ON LIVESTOCK

To kill and control screwworms, fleece worms (wool maggots) and other blow fly maggots in and around superficial wounds: Spray wounds thoroughly allowing spray to penetrate into pockets made by maggots. Apply over discharge around wounds to prevent re-infestation. Treat at five to seven day intervals until wound is healed.

To protect wounds from flies: For castration, de-horning, docking, branding, wire and shear cut wounds, spray directly onto the wound and on surrounding area. Treat navels of newborn animals. Apply to drainage area below wound to prevent fly infestations. Repeat at five to seven day intervals until wounds

Reason to Issue: Update Label with _____, EPA Reg. No. and information.

Date: 08/09/2012

Supersedes: 08/31/2010

Page 11 of 11

are healed. Bacterial infections of wounds should be prevented or treated with supplemental disinfectants or appropriate antibiotic therapy.

To kill ear ticks: For spinose ear ticks: Spray downward directly into animal's ear. For Gulf Coast ear ticks: Spray directly onto ticks on outer surface of animal's ear. Retreat as necessary.

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of stable flies, horse flies, deer flies, face flies, house flies, horn flies, mosquitoes and gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head but do not spray into eyes. Repeat treatment when flies are troublesome.

To control blood sucking lice: Apply to the infested areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control poultry lice: Spray roosts, walls and nest or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For swine: Do not ship animals for slaughter within 5 days of last treatment.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F.

Pesticide Disposal: Do not puncture or incinerate. Call your local solid waste agency for disposal instructions.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available.

CONDITIONS OF SALE: The directions on this label were determined through research to be appropriate for the correct use of this product. This product has been tested under different environmental conditions both indoors and outdoors similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment. To the extent permitted by applicable law, Bayer offers, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Bayer and are, therefore, the responsibility of the buyer.