



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

July 21, 2015

J. Todd Frank
Regulatory Affairs Consultant
Bayer HealthCare LLC, Animal Health
P.O. Box 390
Shawnee Mission, KS 66201

Subject: Notification per PRN 98-10 – Addition of marketing claims and a warranty statement.
Product Name: Permethrin Insecticide Spray
EPA Registration Number: 11556-171
Application Date: June 3, 2015
Decision Number: 505667

Dear Mr. Frank:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

If you have any questions, you may contact Jennifer Gaines at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Jennifer Urbanski" followed by a stylized initial "bu".

Jennifer Urbanski, Ph.D.
Product Manager 04
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 1 of 12

NOTIFICATION

11556-171

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/21/2015

MASTER LABEL

**PERMETHRIN INSECTICIDE SPRAY
ALTERNATE NAME BRAND: CATRON® IV
SUB-LABEL 1**

INDICATIONS

- AN AQUEOUS, STABLE MICRO EMULSION
- CONTROLS PESTS FOR UP TO FOUR WEEKS
- FOR USE IN HOMES AND OTHER BUILDINGS
- FOR USE ON BEDDING, FURNITURE AND OTHER INANIMATE OBJECTS INFESTED WITH LICE
- KILLS LICE AND THEIR EGGS
- FOR USE IN ANIMAL QUARTERS AND MILK ROOMS
- FOR USE ON LIVESTOCK
- CONTROLS INSECT PESTS ON BEEF CATTLE, DAIRY CATTLE, SHEEP, GOATS, HOGS AND HORSES.
- FOR USE ON WOUNDS TO KILL AND REPEL FLIES AND FLY MAGGOTS
- CONTROLS EAR TICKS ON LIVESTOCK
- KILLS AND REPELS FACE FLIES ON LIVESTOCK
- FOR USE ON DOGS AND ON PREMISES TO CONTROL FLEAS AND TICKS
- CONTROLS FLEAS AND TICKS ON DOGS FOR 14 DAYS
- CONTROLS RESIDENTIAL, INDUSTRIAL AND GARDEN INSECTS

Active Ingredient

Permethrin (CAS No. 52645-53-1).....0.50%

Other Ingredients.....99.50%

Total 100.00%

EPA Reg. No. 11556-171

EPA Est. No. XXXXX

Keep Out of Reach of Children

WARNING

See back panel for additional precautionary statements

Net Contents: XXX

Manufactured For:

Bayer HealthCare, LLC

Animal Health Division

PO Box 390

Shawnee Mission, KS 66201 USA

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 2 of 12

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-422-9874 for emergency medical treatment information.	

HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes skin irritation. Do not get on skin or clothing. Harmful if absorbed through skin. Avoid contact with eyes. Harmful if swallowed. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing sprays.

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquariums before space spraying or surface application. **This product is not for use on humans.** Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Coveralls over short-sleeve shirt and short pants,
- Chemical-resistant footwear plus socks, and
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton (category E on an EPA chemical-resistance category selection chart.

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to or near water. Drift and runoff may be hazardous to fish in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater, or rinsate. See Directions for use for additional precautions and requirements.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SHAKE WELL BEFORE USING

Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches except where stated otherwise. Remove birds and cover fish aquariums before spraying.

PRECAUTIONS AND RESTRICTIONS

- Except when applying to livestock and dogs, do not enter or allow others to enter treated area until sprays have dried.
- Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Except when applying to livestock and dogs, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock and dogs, only protected handlers may be in the area during application.
- Do not breathe dust, vapors or spray mist.
- Do not apply when food or feed is present.
- Remove or cover food processing equipment and food preparation surfaces, or wash them before use.
- Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 4 of 12

operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held.

- In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Not for broadcast use on indoor residential surfaces.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Not for use in commercial animal premise misting systems.

DIRECTIONS FOR USE IN HOMES AND OTHER BUILDINGS

Not For Use in USDA Meat and Poultry Plants

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held.

In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood/feed areas of food/feed handling establishments are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Houseflies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees, Black Flies, Skipper Flies, Blow Flies and Small Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as necessary.

Cockroaches, Waterbugs, Palmetto Bugs, Silverfish, Firebrats, Crickets, Scorpions, Spiders, Millipedes, Centipedes, Sowbugs and Pillbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat treatment as necessary.

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 5 of 12

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application as necessary

Exposed stages of Confused Flour Beetles, Saw-Toothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, floors baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Repeat treatment as necessary.

To control Clothes Moths and Carpet Beetles on wood and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill lice and louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

DIRECTIONS FOR USE IN ANIMAL QUARTERS AND MILK ROOMS

For rapid control of House Flies, Mosquitoes, Gnats, Wasps, Hornets, Bees and Small Flying Moths: Close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

For control of Bedbugs and Mites in poultry houses, spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

For control of Poultry Lice, spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of Stable Flies, Horse Flies, Deer Flies, Face Flies, House Flies, Horn Flies, Mosquitoes, and Gnats: Spray about 3 seconds on each side being careful to spray back, withers, and forelegs thoroughly. To protect from Face Flies, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 6 of 12

To protect wounds from flies: For castration, de-horning, branding, wire and shear cut wounds, spray directly onto the wound and on surrounding area. Treat navels of newborn animals. Apply to drainage area below wound to prevent fly infestations. Repeat at five to seven day intervals until wounds are healed. Bacterial infections of wounds should be prevented or treated with supplemental disinfectants or appropriate antibiotic therapy.

To kill and control Screwworms, Fleece Worms (wool maggots) and other Blow Fly maggots in and around superficial wounds: Spray wounds thoroughly allowing spray to penetrate into pockets made by maggots. Apply over discharge around wound to prevent re-infestation. Treat at five to seven day intervals until wound is healed.

To kill ear ticks: For Spinose Ear Ticks: Spray downward directly into animals' ear. Repeat as necessary. For Gulf Coast Ear Ticks: Spray directly onto ticks on outer surface of animals' ear. Repeat as necessary.

To control Blood Sucking Lice: Apply to the infest areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

DIRECTIONS FOR USE ON GARDEN PLANTS (Residential Sites Only)

For use on roses, dahlias, asters and other ornamentals to kill **Japanese Beetles hit by spray, as well as, Whiteflies, Aphids, exposed Thrips, Spiders, Red Mites and Leafminers.**

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel marigolds, rhododendrons, roses rubber plants snapdragons,, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spiders and Red Mites, exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Army Worms.** When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one-second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperature exceeds 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

DIRECTIONS FOR USE ON DOGS AND THEIR PREMISES

Fleas and Ticks (Adults and Larvae): Remove and thoroughly clean or destroy pet bedding. Spray sleeping quarters, bed, entire floor and floor coverings with special attention cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 7 of 12

To control **Fleas, Ticks and Lice** on Dogs: Starting at the tail, stroke against the lay of the hair, spraying the parted hair in short bursts, directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Do not spray directly in/on eyes, mouth or genitalia of pets. Do not repeat treatment for 7 days. Do not use on puppies under 12 weeks. **DO NOT USE ON CATS OR KITTENS.** Consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing animals.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F.

Pesticide Disposal: Do not puncture or incinerate. Call your local solid waste agency for disposal instructions.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available.

Optional Marketing Claims:

- EZ-Spray
- 360° Spray Technology
- EZ-360° Spray
- Spray From Any Angle
- Sprays In Any Direction
- Just Hold And Spray with 360° Reach

CONDITIONS OF SALE: The directions on this label were determined through research to be appropriate for the correct use of this product. This product has been tested under different environmental conditions both indoors and outdoors similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment. To the extent permitted by applicable law, Bayer offers, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Bayer and are, therefore, the responsibility of the buyer.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to the chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY,** and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, Seller's liability for any breach of warranty shall not exceed the purchase price of the material as to which a claim is made.

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 8 of 12

**PERMETHRIN INSECTICIDE SPRAY
ALTERNATE BRAND NAME: CATRON® IV
SUB-LABEL 2**

A Screwworm & Ear Tick Spray that controls insect pests on beef cattle, dairy cattle, sheep, goats, hogs and horses.

INDICATIONS

- For use on wounds to kill and repel flies and fly maggots.
- Controls ear ticks on livestock.
- Kills and repels face flies on livestock.

Active Ingredient

Permethrin (CAS No. 52645-53-1).....0.50%

Other Ingredients.....99.50%

Total 100.00%

EPA Reg. No. 11556-171

EPA Est. No. XXXXX

Keep Out of Reach of Children

WARNING

See side panel for additional precautionary statements

Net Contents: XXXXX

Manufactured For:
Bayer HealthCare, LLC
Animal Health Division
PO Box 390
Shawnee Mission, KS 66201 USA

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 9 of 12

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-422-9874 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Do not get on skin or clothing. Harmful if absorbed through skin. Avoid contact with eyes. Harmful if swallowed. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing sprays.

Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquariums before space spraying or surface application. **This product is not for use on humans.** Vacate room after treatment and ventilate before reoccupying. Do not allow children or pets to contact treated areas until surfaces are dry.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Coveralls over short-sleeve shirt and short pants,
- Chemical-resistant footwear plus socks, and
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or viton (category E on an EPA chemical-resistance category selection chart.

User Safety Requirements

- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
- Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 10 of 12

User Safety Recommendations

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

READ ENTIRE LABEL BEFORE EACH USE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

SHAKE WELL BEFORE USING: Remove protective cap, hold container upright and spray from a distance of 12 to 15 inches except where stated otherwise. Remove birds and cover fish aquariums before spraying.

PRECAUTIONS AND RESTRICTIONS

- Except when applying to livestock, do not enter or allow others to enter treated area until sprays have dried.
- Except when applying to livestock, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to livestock, only protected handlers may be in the area during application.
- Do not breathe dust, vapors or spray mist.
- Do not apply when food or feed is present.
- Remove or cover food processing equipment and food preparation surfaces, or wash them before use.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 11 of 12

before milking.

- Not for broadcast use on indoor residential surfaces.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Not for use in commercial animal premise misting systems.

DIRECTIONS FOR USE ON LIVESTOCK

To kill and control screwworms, fleece worms (wool maggots) and other blow fly maggots in and around superficial wounds: Spray wounds thoroughly allowing spray to penetrate into pockets made by maggots. Apply over discharge around wounds to prevent re-infestation. Treat at five to seven day intervals until wound is healed.

To protect wounds from flies: For castration, de-horning, docking, branding, wire and shear cut wounds, spray directly onto the wound and on surrounding area. Treat navels of newborn animals. Apply to drainage area below wound to prevent fly infestations. Repeat at five to seven day intervals until wounds are healed. Bacterial infections of wounds should be prevented or treated with supplemental disinfectants or appropriate antibiotic therapy.

To kill ear ticks: For spinose ear ticks: Spray downward directly into animal's ear. For Gulf Coast ear ticks: Spray directly onto ticks on outer surface of animal's ear. Retreat as necessary.

To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of stable flies, horse flies, deer flies, face flies, house flies, horn flies, mosquitoes and gnats: Spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head but do not spray into eyes. Repeat treatment when flies are troublesome.

To control blood sucking lice: Apply to the infested areas of the animal using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control poultry lice: Spray roosts, walls and nest or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

For swine: Do not ship animals for slaughter within 5 days of last treatment.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area. Do not transport or store below 32°F.

Pesticide Disposal: Do not puncture or incinerate. Call your local solid waste agency for disposal instructions.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling, if available.

Reason to Issue: Update Label Warranty Statement and Marketing Claims.

Date: 06/02/2015
Supersedes: 08/09/2012
Page 12 of 12

Optional Marketing Claims:

- EZ-Spray
- 360° Spray Technology
- EZ-360° Spray
- Spray From Any Angle
- Sprays In Any Direction
- Just Hold And Spray with 360° Reach

CONDITIONS OF SALE: The directions on this label were determined through research to be appropriate for the correct use of this product. This product has been tested under different environmental conditions both indoors and outdoors similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment. To the extent permitted by applicable law, Bayer offers, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Bayer and are, therefore, the responsibility of the buyer.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to the chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY, and no agent of Seller is authorized to do so except in writing with a specific reference to this warranty. To the extent consistent with applicable law, Seller's liability for any breach of warranty shall not exceed the purchase price of the material as to which a claim is made.