

# CHEMSTOR III

LIQUID PRESERVATIVE FOR HIGH MOISTURE CORN, SORGHUM, WHEAT,  
OATS AND BARLEY. **TO BE USED IN ANIMAL FEED ONLY**

**ACTIVE INGREDIENTS: Propionic acid 67% Min., Formaldehyde 10% Min.**  
**INERT INGREDIENTS: 23% Max. Contains Methanol**

**DIRECTIONS:** To ensure complete coverage of the grain, apply the product with a pressure sprayer system. Determine the moisture level of the harvested feed grain, establish applicator grain throughput and set flow to apply the proper amount of ChemStor III liquid preservative as follows:

Grain Moisture Range, %	Treatment rates if grain is to be fed out within	
	6 months	12 months
20 or less	0.5%	0.7%
21-30	0.7%	0.9%
31-35	0.9%	1.2%
36-41	1.1%	1.4%

If grain temperature is above 70°F when treated, increase the above rates by 0.1% for each 10°F above 70°F. Grain should be treated within 6 hours after harvest.

Do not mix treated grain with untreated grain in the same storage facility. Good harvesting and storage practices should always be followed in the handling, treatment and storage of ChemStor III treated high moisture grain. Do not enter storage facilities without adequate ventilation. Do not treat corn or other cereal grains which might be used for feed, milling purposes or human consumption. Treated corn and other cereal grains are to be used for animal feed only.

**DANGER - POISON**

Warning: Irritant if swallowed. Harmful if dust or vapor in eyes or skin is inhaled. Use in well-ventilated area and do not inhale. Wear goggles, rubber gloves and protective clothing when handling ChemStor III. In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes. Flush mouth after swallowing get medical attention. If swallowed, do not induce vomiting. Give large amounts of water followed by milk or light white bread with water. Methanol may cause blindness. Vapor harmful.

**CAUSES SEVERE BURNS**  
**KEEP OUT OF REACH OF CHILDREN**

After contents have been removed, bulk carrier should be washed and completely drained. Do not contribute to the water by cleaning out equipment or floor with water. Do not allow any spillage to come near heat or open flame or a fire. Use strictly by the directions on the label, state and and federal regulations, and directions and data on the label state and federal regulations.


EPA REG. NO. 11558-2

**CELANESE CHEMICAL COMPANY**

A DIVISION OF CELANESE CORPORATION

1211 AVENUE OF THE AMERICANS • NEW YORK, NEW YORK 100

CHEMSTOR III is a trademark of Celanese Corporation.



**CORROSIVE CAUSES EYE DAMAGE AND SKIN BURNS**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA Reg. No. 11558-2.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under EPA Reg. No. 11558-2.

# CHEMSTOR® III

LIQUID PRESERVATIVE FOR HIGH MOISTURE CORN, SORGHUM, WHEAT,  
OATS AND BARLEY. TO BE USED IN ANIMAL FEED ONLY

**ACTIVE INGREDIENTS:** Propionic acid 67% Min., Formaldehyde 10% Min.  
**INERT INGREDIENTS:** 23% Max. Contains Methanol

**DIRECTIONS:** To ensure complete coverage of the grain, apply the product with a pressure sprayer system. Determine the moisture level of the harvested feed grain, establish applicator grain throughput and set flow to apply the proper amount of ChemStor® III liquid preservative as follows:

Grain Moisture Range, %	Treatment rates if grain is to be fed out within:	
	6 months	12 months
20 or less	0.5%	0.7%
21-30	0.7%	0.9%
31-35	0.9%	1.2%
36-40	1.1%	1.4%

If grain temperature is above 70°F when treated, increase the above rates by 0.1% for each 10°F. above 70°F. Grain should be treated within 6 hours after harvest.

Do not mix treated grain with untreated grain in the same storage facility. Good harvesting and storage practices should always be followed in the handling, treatment, and storage of ChemStor® III treated high moisture grain. Do not enter storage facilities without adequate ventilation. Do not treat corn or other cereal grains which might be used for seed, malting purposes or human consumption. Treated corn and other cereal grains are to be used for animal feed only.

**DANGER** ☠ **POISON** ☠

**CAUSES SEVERE BURNS**  
**KEEP OUT OF REACH OF CHILDREN**

Harmful or fatal if swallowed. Do not get liquid or vapor in eyes, on skin, or clothing. Use in well ventilated area and do not inhale. Wear goggles, rubber gloves and protective clothing when handling ChemStor® III. In case of contact, immediately flush skin or eyes with plenty of water for at least 15 minutes. For eyes, or after swallowing get immediate medical attention. If swallowed, do not induce vomiting. Give large amounts of water followed by milk or egg white beaten with water. Meth-

anol may cause blindness. Vapor harmful. After contents have been removed, bulk carriers should be washed and completely drained. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not use, pour, spill or store near heat or open flame. Read entire label. Use strictly in accordance with danger statements and directions, and with applicable state and federal regulations.


E.P.A REG. NO. 11558-2

**CELANESE CHEMICAL COMPANY**

**A DIVISION OF CELANESE CORPORATION**

**1211 AVENUE OF THE AMES • NEW YORK, NEW YORK 100**

**CHEMSTOR® III** is a Trademark of Celanese Corporation



**CORROSIVE CAUSES EYE DAMAGE AND SKIN BURNS**

**WARRANTIES:** Apart from the claim on this ChemStor® III Label, there is NO WARRANTY, representation or condition of ANY KIND, expressed or implied (including NO WARRANTY OF MERCHANTABILITY) concerning material sold hereunder or containers in which shipped. By purchase and use of this product, USER ASSUMES ALL RISKS AND WAIVES ALL CLAIMS AGAINST THE MANUFACTURER OR DISTRIBUTER, whether based on negligence, or breach of warranty, strict liability in tort or any other cause of action, connected with the use of ChemStor® III, other than in strict accordance with the directions and warnings given on this label.