


Corrosive: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Avoid contamination of food. Avoid prolonged or repeated contact with skin, eyes and clothing. Use with adequate ventilation. Wash thoroughly after handling. Do not use or store near heat or open flame.

When handling formaldehyde solutions, wear goggles, neoprene or rubber gloves, and impervious clothing. Wash thoroughly with soap and water after handling. Observe conditions listed in "Storage" section below. Use full-face NIOSH-approved formaldehyde or acid gas cartridge or canister respirator within use limitations of these devices. In all other situations, use self-contained breathing apparatus (SCBA).

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Use CO₂ or dry chemical for small fires, alcohol-type aqueous film-forming foam or water spray for large fires. Use water spray to cool fire-exposed vessels and structures. Wear self-contained breathing apparatus (SCBA) and complete personal protective equipment when potential for exposure to vapor or products of combustion exists.

Clean up immediately. Place leaking containers in well-ventilated area. Eliminate ignition sources. To clean up spill, flush area sparingly with water or use an absorbent. Avoid runoff into storm sewers and ditches leading to natural waterways. Neutralize with ammonium hydroxide or sodium sulfite. NOTE: This reaction is reversible.



Active ingredient		
Formaldehyde	37	% wt.
Inert Ingredients	63	% wt.
TOTAL	100.0	

	HMS*	NFPA*	KEY
HEALTH	3	2	0-Minimal
FLAMMABILITY	2	2	1-Slight
REACTIVITY	0	0	2-Moderate

6.

POISON

STATEMENT OF PRACTICAL TREATMENT

NOTE TO PHYSICIAN. Pulmonary edema can occur. Signs and symptoms of pulmonary edema can be delayed for several hours.

For manufacturing use only. It is a violation of Federal law to use this product in a manner inconsistent with this label. When used as a pesticide or as a component of a pesticide product, the repackaged, relabeled or formulated pesticide product must be registered for its intended use with the Environmental Protection Agency.

Container Disposal: Completely empty drum into application equipment. Then dispose of empty drum in accordance with Federal, state or local regulations.

FOR INDUSTRIAL USE ONLY

"FOR CHEMICAL EMERGENCY" — SPILL, LEAK, FIRE
EXPOSURE OR ACCIDENT — CALL CHEMREC — DAY OR
NIGHT 800-424-9300

EPA ESTABLISHMENT NO 11558-TX-2
 EPA REGISTRATION NO 11558-10

ACCEPTED

JUL 12 1961

FPA Reg. No. 115-8-10

4508

16. 11. 2017

५५ ॥ १० ॥

BEST AVAILABLE COPY

NET WEIGHT 480 POUNDS (218.2kg)