

HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER!

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Avoid contamination of food. Avoid prolonged or repeated contact with skin, eyes and clothing. Use with adequate ventilation. Wash thoroughly after handling. Do not use or store near heat or open flame.

HANDLING INSTRUCTIONS

When handling formaldehyde solutions, wear goggles, neoprene or rubber gloves, and impervious clothing. Wash thoroughly with soap and water after handling. Observe conditions listed in "Storage" section below. Use full-face NIOSH-approved formaldehyde or acid gas cartridge or canister respirator within use limitations of these devices. In all other situations, use self-contained breathing apparatus (SCBA).

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

IN CASE OF FIRE

Use CO₂ or dry chemical for small fires, alcohol-type aqueous film-forming foam or water spray for large fires. Use water spray to cool fire-exposed vessels and structures. Wear self-contained breathing apparatus (SCBA) and complete personal protective equipment when potential for exposure to vapor or products of combustion exists.

IN CASE OF SPILL

Clean up immediately. Place leaking containers in well-ventilated area. Eliminate ignition sources. To clean up spill, flush area sparingly with water or use an absorbent. Avoid runoff into storm sewers and ditches leading to natural waterways. Neutralize with ammonium hydroxide or sodium sulfite. NOTE: This reaction is reversible.



CELANESE CHEMICAL COMPANY, INC.
1250 V. Mockingbird Lane
Dallas, Texas 75247

37% FORMALDEHYDE 7% Methanol

For Formulation or Repackaging of Pesticides.

Active ingredient	
Formaldehyde	37 % wt
Inert Ingredients	63 % wt
TOTAL	100.0

This product contains approximately 3.5 lbs. of Formaldehyde per gallon.

DANGER!

MAY BE FATAL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF INHALED, ABSORBED OR SWALLOWED
MAY CAUSE CHEMICAL BURN OF EYES
MAY CAUSE SKIN REDDENING AND SWELLING

COMBUSTIBLE
MAY CAUSE ALLERGIC REACTION

SPECIAL HAZARD DESIGNATIONS

	HMIS*	NFPA*	KEY
HEALTH	3	2	0-Minimal
FLAMMABILITY	2	2	1-Slight
REACTIVITY	0	0	2-Moderate

PERSONAL PROTECTION

G*

*Protective equipment, see "Handling Precautions"



POISON

OSHA HAZARD COMMUNICATIONS STANDARD EVALUATION: Hazardous

STATEMENT OF PRACTICAL TREATMENT

If Inhaled, remove to fresh air. If breathing has stopped, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.

In Case of Contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before re-use. Discard contaminated leather clothing.

If Swallowed, induce vomiting. Give tablespoon of salt in a glass of warm water or stick a finger down the throat. Repeat until vomit liquid is clear. Give milk or white of egg beaten with water. Never give anything by mouth to an unconscious person. Call a physician.

NOTE TO PHYSICIAN: Pulmonary edema can occur. Signs and symptoms of pulmonary edema can be delayed for several hours.

DIRECTIONS FOR USE

For manufacturing use only. It is a violation of Federal law to use this product in a manner inconsistent with this label. When used as a pesticide or as a component of a pesticide product, the repackaged, relabeled or formulated pesticide product must be registered for its intended use with the Environmental Protection Agency.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage. Should be stored in a cool, dry place with adequate ventilation and apart from oxidizers, combustibles, acids or oxidizing agents. Storage facilities should be non-combustible and provided with automatic sprinklers.

Disposal: Do not contaminate water, food or feed by disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide spray mixture or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Completely empty drum into application equipment. Then dispose of empty drum in accordance with Federal, state or local regulations.

BEFORE USING THIS CHEMICAL, REVIEW THE INFORMATION ON THE MATERIAL SAFETY DATA SHEET.

WARRANTY FOR INDUSTRIAL USE ONLY

The supplier makes no warranty of any kind, express or implied, concerning the use of this product either singly or in combination with other substances. User assumes all risks incident to its use. To the best of our knowledge, the information contained herein is accurate. However, neither Celanese Corporation nor any of its subsidiaries or affiliates assume any liability whatsoever for the accuracy or completeness of the information contained herein.

FOR CHEMICAL EMERGENCY — SPILL, LEAK, FIRE,
EXPOSURE OR ACCIDENT — CALL CHEMTREC — DAY OR
NIGHT 800-424-9300

EPA ESTABLISHMENT NO. 11558-TX-2
EPA REGISTRATION NO. 445-045A

NET WEIGHT 480 POUNDS (218.2kg)

ACCEPTED

JUL 12 1998

U.S. Environmental Protection Agency
EPA-816-A-98-001
EPA-816-A-98-001
EPA-816-A-98-001

45 D.M.B.

45 D.M.B.

45 D.M.B.