HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER!

Corrosive: Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Avoid contamination of food. Avoid prolonged or repeated contact with skin eyes and clothing. Use with adequate ventilation. Wash thoroughly after handling. Do not use or store near heat or open fame.

HANDLING INSTRUCTIONS

When handling formaldehyde solutions—wear goggles, neoprene or nubber gloves, and impensious clothing. Wash thoroughly with soap and water after handling. Observe conditions listed in "Storage" section below. Use full-lace NIOSH-approved formaldehyde or acid gas cartridge or canister respirator within use limitations of these devices, in all other situations, use self-contained breathing apparatus (SCBA).

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this active ingredient into takes, streams, ponds estuaries, oceans, or public waters unless this prinduct is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the FPA.

IN CASE OF FIRE

Use CO₂ or dry chemical for small fires: alcohol-type aqueous film-forming foam or water spray for large fires. Use water spray to cool fire-exposed vessels and structures. Wear self-contained breathing apparatus (SCBA) and complete personal protective equipment when potential for exposure to vapor or products of combustion exists.

IN CASE OF SPILL

Clean up immediately. Place leaking containers in well-ventilated area. Eliminate ignition sources. To clean up spill, flush area spaningly with water or use an absorbent. Avoid runoff into storm sewers and disches leading to natural waterways. Neutralize with ammonium hydroxide or sodium suffice. NOTE. This reaction is reversible.



CELANESE CHEMICAL COMPANY INC

1259 Wilderingt rdicane Dailys Texas 15241

CFLANESE-

37% FORMALDEHYDE 1% Methanol

For Formulation or Repackaging of Pesticides:

Active ingredient

Formaldehyde Inert Ingredients 37 % wt. 63 % wt.

TOTAL

100.0

This product contains approximately 3.5 lbs. of Formaldehyde per gallon.

DANGER! 🍜

MAY BE FATAL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF INHALED, ABSORBED OR SWALLOWED
MAY CAUSE CHEMICAL BURN OF EYES
MAY CAUSE SKIN REDDENING AND SWELLING
COMBUSTIBLE
MAY CAUSE ALLERGIC REACTION

SPECIAL HAZARD DESIGNATIONS

| 0.000 | HMIS" | NFPA' | , KEY |
|----------------------------|--------|--------|------------------------------------|
| HEALTH | 3 | 2 | 0-Minimal |
| FLAMMABILITY REACTIVITY | 2 0 | 2 0 | 1-Slight 2-Moderal 3-Serious |
| PERSONAL PROTECTION | G. | _ | 4-Severe |

"Protective equipment, see "Handling Precautions"



OSHA HAZARD COMMUNICATIONS STANDARD EVALUATION: Hazardous STATEMENT OF PRACTICAL TREATMENT

Inhaled, remove to fresh air. If breathing has stopped, give artificial respiration, prefer ably mouth to-mouth, if breathing is difficult, give oxygen. Call a physician.

in Case of Contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. Wash clothing before reliuse. Discard contaminated leather clothing.

Swallowed, induce vomiting. Give tablespoon of saft in a glass of warm water or stick a finger down the throat. Repeat until vomit liquid is clear. Give milk or white of egg beaten with water. Never give anything by mouth to an unconsious person. Call a physician.

NOTE TO PHYSICIAN. Purmonary edema can occur. Signs and symptoms of purmonary edema can be detayed for several hours.

DIRECTIONS FOR USE

For manufacturing use only, it is a violation of Federal law to use this product in a manner inconsistent with this label. When used as a pesticide or as a component of a pesticide product, the repackaged, relabeled or formulated pesticide product must be registered for its intended use with the Emironmental Protection Apency.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage. Should be stored in a cool, dry place with adequate verblation and apart from other combustibles, acids or oxidizing agents. Storage facilities should be non-combustible and provided with automatic sonniders.

Disposal: Do not contaminate water, food or feed by disposal Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or insate is a violation of Federal law. If these wastes cannot be disposed of by use according to labe. instructions, contact your State Pesticide or Environmental Control Agency, or Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Cantainer Disposal: Completely empty drum into application equipment. Then dispose of empty drum in accordance with Federal, state or local regulations.

BEFORE USING THIS CHEMICAL, REVIEW THE INFORMATION ON THE MATERIAL SAFETY DATA SHEET.

WARRANTY FOR INDUSTRIAL USE DNLY

The supplier makes no warranty of any lund, express or implied, concerning the use of this product either singly or in combination with other substances. User assumes all risks incident to its use. To the best of our linoviedge, the information contained herein is accurate. However, neither Celanese Corporation nor any of its subsidianes or affiliates assume any liability whatsoever for the accuracy or comprehences of the information contained herein.

FOR CHEMICAL EMERGENCY" — SPILL LEAK FIRE. EXPOSURE OR ACCIDENT — CALL CHEMTREC — DAY OR NIGHT 800-424-9300

EPA ESTABLISHMENT NO. 11558-TX 2 EPA REGISTRATION NO. 11558-12

NET WEIGHT 480 POUNDS (218.2kg)

410 Pin 91

47C Si11 87;

47C Det \$7)



