

3-IN-1

Heavy-Duty Institutional Strength Cleaner-Disinfectant-Deodorizer
(nonhospital strength)

AOAC PHENOL COEFFICIENTS

Staph. aureus (ATCC No. 6538)	19.0
Salmonella typhosa (ATCC No. 6539)	8.4

ACTIVE INGREDIENTS:

	% wt/wt
Octyl Decyl Dimethyl Ammonium Chloride	0.950
Diocetyl Dimethyl Ammonium Chloride	0.475
Didecyl Dimethyl Ammonium Chloride	0.475
Tetrasodium Ethylenediamine Tetraacetate	1.000
Trisodium Phosphate	2.000
INERT INGREDIENTS:	95.100
TOTAL	100.000

EPA REGISTRATION NO. 11559-4

WARNING

KEEP OUT OF REACH OF CHILDREN
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS GALS.

Manufactured by SV Chemicals

1918 Milwaukee Way
Tacoma, Washington 98421

USE DIRECTIONS:

Add three ounces per gallon water. Apply 3-IN-1 to walls, floors, and other hard surfaces such as tables, chairs, and bed frames, with a cloth or mop.

For heavily soiled surfaces preliminary cleaning may be required prior to the application of 3-IN-1 to insure a thorough wetting of all surfaces with the solution.

At three ounces per gallon use-level, 3-IN-1 is effective against Staphylococcus aureus, Salmonella choleraesuis, and Escherichia coli. Germicidal performance against these organisms has been confirmed by the AOAC Use-Dilution Test.

NOTE: This product is not effective at the above recommended use-level of three ounces per gallon against Pseudomonas aeruginosa.

Rinse empty container with water before discarding it.

ATED

1972

INSECTICIDE
FUNGICIDE ACT
EPA REGISTERED

559-4

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. Super Sterisol is formulated for this problem area. It both cleans and disinfects effectively when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection from environmental surfaces.

When used as directed, Super Sterisol will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

This product is economical to use because it is highly concentrated and should be handled with care.

DANGER

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short acting barbiturate drug.

SUPER STERISOL DISINFECTANT

AOAC PHENOL COEFFICIENTS

Staph, aureus (ATCC No. 6538)	104.1
Salmonella typhosa (ATCC No. 6539)	40.6

ACTIVE INGREDIENTS

	% wt/wt
Octyl Decyl Dimethyl Ammonium Chloride	3.750
Diocetyl Dimethyl Ammonium Chloride	1.875
Didecyl Dimethyl Ammonium Chloride	1.875
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Benzyl Dimethyl Ammonium Chloride	5.000
Tetrasodium Ethylenediamine Tetraacetate	3.420
Isopropyl Alcohol	3.000
Ethyl Alcohol	1.000

INERT INGREDIENTS	80.080
	100.000

EPA REGISTRATION NO. 11559-7

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS . . . GALS.

Manufactured by SV Chemicals

1918 Milwaukee Way
Tacoma, Washington 98421

SUPER STERISOL DISINFECTANT

MICROBICIDAL COEFFICIENTS

Staphylococcus aureus (ATCC No. 6538)	104.1
Shigella typhosa (ATCC No. 6539)	40.6

INGREDIENTS	% wt/wt
Decyl Dimethyl Ammonium Chloride	3.750
Dimethyl Ammonium Chloride	1.875
Dimethyl Ammonium Chloride	1.875
(C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	
Dodecyl Dimethyl Ammonium Chloride	5.000
Ethylene Diamine Tetraacetate	3.420
Alcohol	3.000
Alcohol	1.000
INGREDIENTS	80.080
	100.000

EPA REGISTRATION NO. 11559-7

DANGER

KEEP OUT OF REACH OF CHILDREN
SEE REVERSE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET CONTENTS _____ GALS.

Manufactured by SV Chemicals

1918 Milwaukee Way
Tacoma, Washington 98421

Super Sterisol is a Highly Concentrated Germicide Based on a Unique Blend of Quaternaries.

Cleaner, Disinfectant, Deodorizer and Fungicide for Hospital and Institutional Use.

USE DIRECTIONS:

Add 1/2 ounce per gallon of water.

Apply Super Sterisol to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required.

At 1/2 ounce per gallon use-level, Super Sterisol is effective against Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella choleraesuis, and Trichophyton interdigitale, the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use-Dilution test. Fungicidal performance against T. interdigitale was determined by the AOAC Fungicidal test.

The broad spectrum effectiveness of Super Sterisol is shown by its germicidal action against the following additional organisms.

- Escherichia coli
- Klebsiella pneumoniae
- Aerobacter aerogenes (enterobacter)
- Salmonella schottmuelleri
- Streptococcus faecalis
- Shigella dysenteriae
- Brevibacterium ammoniagenes

Rinse empty container with water before discarding it.

ACCEPTED

JUL 26 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 11559-7 SUBJECT
TO ATTACHED COMMENTS.

ACCEPTED

JUL 26 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 11559-7 SUBJECT
TO ATTACHED COMMENTS.