

SUPER SANI-QUAT Algicide is effective against the following algae:

Chlor. Pyren. #2005 (N. S. strain)
P. Iron. #1093 (S. S. A. strain)
P. R. R. #1093 (S. S. A. strain)
O. Sp. (Chalybe)
Lyngbya Versicolor (S. S. A. strain)

Algicidal performance against these algae has been confirmed by an independent laboratory using the Fitzgerald Method of testing.


SUPER SANI-QUAT Algicide is efficient, economical and stable in the solution.

SUPER SANI-QUAT is compatible with all chemicals used in swimming pools and will not damage tile, concrete, metal, or plaster.

SUPER SANI-QUAT improves filter operation and cuts down need for other chemicals.

SUPER SANI-QUAT eliminates foam and a pleasant "feel" to swimming pool water.

SUPER SANI-QUAT is water free and sparkling clear of visible algae, slime and greenish brown stains.



SUPER SANI-QUAT

SWIMMING POOL ALGAECIDE

ACTIVE INGREDIENTS:

Alkyl C₁₄ 60% C₁₂ 25% C₁₀ 15%
Dimethyl Benzyl Ammonium Chloride 50%
L.P. 50% 10%
INERT INGREDIENTS 40%
100%

EPA REGISTRATION NO. 11559 10

DANGER

KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or eye shields and rubber gloves when handling. Harmful or fatal if swallowed. Contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eye contact, physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, or gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call physician immediately.

NOTE TO PHYSICIAN:

Profound mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

32 FL. OZ. (1 QT.)

30
28
26
24
22
20
18
16
14
12
10
8
6
4
2
OUNCES

DIRECTIONS

INITIAL APPLICATION: To a cleaned pool add 26 oz. to 50,000 gallons of water, or ratio thereof.

MAINTENANCE DOSE: Use 0.5 oz. per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

BOOSTER DOSE: Immediately after every rain add 6.5 oz. per 50,000 gallons of water as above.

IMPORTANT: Follow above directions without fail even when pool is not used. Algae growth must be fought at all times.

SIDE SURFACES: Apply to all surfaces, using 1 oz. per 100 sq. ft. of water for sanitizing and 1/2 oz. to 5/8 oz. per 100 sq. ft. of water for disinfection.

DO NOT REUSE EMPTY CONTAINER. Destroy by perforating, crushing and burying in a safe place away from water supplies or return metal drums to a dealer for reconditioning.

THIS PRODUCT IS TOXIC TO FISH. Treated effluent should not be discharged where it will get into lakes, streams, ponds or public water. Apply this product only as directed on the label.

July 22, 1974