

WARNING DANGER: Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Exposure to vapor or liquid may cause toxic symptoms. Do not breathe vapor. Do not get spray or vapor on skin or in eyes or on clothing. At the end of each days operation remove clothing and follow with athorough bath using warm water and soap. Wash all protective clothing before re-use. Do not contaminate feed or food products. Prohibit smoking or eating in the operating area.
NOT FOR USE OR STORAGE IN OR AROUND THE HOME.

Th contents of this can are under pressure, high temperature may burst the container. Do not expose to dirct sunlight, radiator, stoves, hot water or other sources of heat. Never throw empty cans into incinerator or fires. Do not store aerosol at temperatures above 120 degrees Fahrenheit. **ANTIDOTE:** ATROPINE is the emergency antidote for VAPONA insecticide poisoning. 2-PAM is also antidotal and may be administered in conjunction with ATROPINE. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water) NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing and wash skin with soap and running water for at least 10 minutes. Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient to the nearest physician.

INSECTICIDE

SPECIAL FORMULA NO. G-1553

For Control Of Roaches In Buses



DANGER: KEEP OUT OF REACH OF CHILDREN

CONTENTS UNDER PRESSURE.

Read carefully the antidote statement and additional warnings on left side panel.

U. S. D. A. REG. NO. 11561-1

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl dimethyl phosphate 4.99%
Related compounds .38%

INERT INGREDIENTS:

Methyl chloroform (1,1,1-Trichloroethane) 9.63%
Trichloromonofluoromethane 25.50%
Dichlorodifluoromethane 59.50%
100.00%

NET WEIGHT 3.5 OZ.

PRESSURE PRODUCTS CO.

Charles Town, W. Va. 25414

DIRECTIONS

FOR USE BY TRAINED PERSONNEL ONLY

DOSAGE: The total contents of the two containers are required for treatment of a bus having a vclume of approximately 2,000 cubic feet. Buses must be out of service and posted during testment. treatment with tape. Restrooms and compartments should be open.

Temperature inside of bus must be between 70 and 85 degrees Fahrenheit. Seal outside vents before

Wearing mask or espirator of a type passed by U. S. Bureau of Mines for protection against Vapona and natural rubber gloves, protective clothing and goggles, place 2-3.5 oz. filled cans,, one at each end of bus. Remove plastic protective capa. Lock extension on button over outside of valve cup for continuous spraying. Best results are obtained by operating air conditioning circulating system for 10 minutes after the aerosols have been released. Bus should be sealed after treatment for 45 to 60 minutes. When re-entering treatment bus to open windows, wear a fullface mask with a canister of a type approved by the U. S. Bureau of Mines for DDVP protection and rubber gloves. Also wear protective clothing with head and all skin surfaces covered so that no bare skin is exposed. Air out bus for 4 hours before going back into service.