

# ALGACIDE-B

DANGER-KEEP OUT OF REACH OF CHILDREN

ACCEPTED

6-13-72

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
ED UNDER 115763

## FOR CHEMICAL CONTROL OF INDUSTRIAL WATER PROBLEMS

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. INJURIOUS TO EYES. CAUSES IRRITATION. RAPIDLY ABSORBED THROUGH SKIN.

DO NOT GET INTO EYES, ON SKIN OR CLOTHING.

USE GOGGLES TO PROTECT EYES. WASH THOROUGHLY AFTER HANDLING. KEEP PACKAGE TIGHTLY CLOSED WHEN NOT IN USE. USE WITH ADEQUATE VENTILATION.

### FIRST AID

IN CASE OF CONTACT FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN WASH WITH SOAP AND PLENTY OF WATER.

### FISH AND WILDLIFE PRECAUTIONS

THIS PRODUCT IS TOXIC TO FISH AND WILDLIFE. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES. USE ONLY AS DIRECTED.

### DIRECTIONS FOR USE

ALGACIDE-B IS DESIGNED TO INHIBIT THE GROWTH OF MOST KINDS OF ALGAE WHICH ARE COMMON TO INDUSTRIAL WATER COOLING TOWERS.

HEAVILY FOULED SYSTEMS MUST BE CLEANED PRIOR TO TREATMENT WITH THIS PRODUCT. THE INITIAL TREATMENT IS .37 TO .74 LBS. OF ALGACIDE-B PER 1000 GALLONS OF WATER IN THE SYSTEM TO PROVIDE 44 TO 89 PPM. OF ALGACIDE-B. REPEAT INITIAL DOSAGE RECOMMENDATIONS UNTIL CONTROL IS EVIDENT. THE PRODUCT SHOULD BE APPLIED WHEN THE SYSTEM IS IN JEOPARDY OF BECOMING AFFECTED OR AFTER CLEANING SYSTEMS WHOSE EFFICIENCY IS ALREADY IMPAIRED. WHEN CONTROL IS EVIDENT, SUBSEQUENT TREATMENTS SHOULD BE 0.19 TO 0.37 LBS. TO PROVIDE 22 TO 44 PPM. OF ALGACIDE-B PER 1000 GALLONS OF WATER IN THE SYSTEM. ALGACIDE-B SHOULD BE ADDED DIRECTLY TO THE BASIN OF WATER COOLING TOWERS WHERE THE RECIRCULATING WATER WILL READILY TAKE THE ALGACIDE-B INTO SOLUTION. NO PREMIXING REQUIRED. CHLORINE WILL NULLIFY THE ACTIVITY OF THIS PRODUCT.

WHEN USED PROPERLY ALGACIDE WILL EFFECTIVELY INHIBIT THE GROWTH OF THE FOLLOWING TEST ORGANISMS WITH THE AMOUNT OF ALGACIDE-B NECESSARY TO PRODUCE THE RESULTS IN PARENTHESIS: ASPERGILLUS NIGER (25 PPM) AND PENICILLIUM EXPANSUM (30 PPM).



## 314 Spears Ave. Phone 267-6781

ACTIVE INGREDIENTS...90.0%

Sodium pentachlorophenate

.....79.0%

Sodium salt of other Chlorophenols.....11.0%

INERT INGREDIENTS...10.0%

DO NOT REUSE EMPTY DRUM.

RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND

BURYING IN A SAFE PLACE.

E.P.A. REGISTRATION NO.

11576-3

DATE \_\_\_\_\_

GROSS \_\_\_\_\_

TARE \_\_\_\_\_

NET \_\_\_\_\_

CUSTOMER \_\_\_\_\_

NUMBER \_\_\_\_\_