

ALGITROL

CONCENTRATED COOLING TOWER ALGAEICIDE
KEEPS TOWER WATER CLEAR AND FREE OF GROWING ALGAE, REDUCES CHLORINE
DEMAND—CONTROLS ALGAE SLIMES.

ACTIVE INGREDIENTS.(Total).....	21.2%
N-Alkyl(60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)dimethyl benzyl ammonium chloride.....	8.5%
N-Alkyl(68% C ₁₂ , 32% C ₁₄)dimethyl ethylbenzyl ammonium chlorides.....	8.5%
Ethyl Alcohol.....	4.2%
INERT INGREDIENTS.....	78.8%

Pertinent Information

Algitrol is a concentrate and should be diluted before using.

When Algitrol is used as directed, it will control the growth of chlorella pyrenoidosa enoidosa (green), Phormidium inundatum(black algae), Phormidium retzii, Lyngba versicolor(blue green), and other water cooling tower algae.

Algitrol is compatible with most commonly used cooling tower chemicals, but should not be mixed with soap or other cleaners or premixed with other water-treating chemicals.

Algitrol works best when added by itself directly to tower water.

Algitrol is highly concentrated and should be flushed from skin and eyes with water if splashed on them. Algitrol is not a foodstuff and should not come in contact with food.

DIRECTIONS FOR USE

Initial dose: One gallon Algitrol to 5,000 gallons of water.
Maintenance dose: One quart Algitrol to 5,000 gallons of water.

Initial dose is used when the tower is beginning treatment. If tower has visible algae growth, the initial dose should be repeated within 48 hours after the algae debris is removed from the tower. Maintenance dose should be added at least once every 7 days. If high temperatures prevail or tower has heavy use, add maintenance dose more frequently. If makeup water is added at a rate of more than 10% per week of tower capacity, add one quart of Algitrol for each 10,000 gallons of fresh makeup water added per week. Algitrol should be added to the sump of the water cooling tower. This product is toxic to fish. Do not discharge treated effluent into lakes, streams, or ponds.

DANGER-KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes severe eye and skin damage. Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

First Aid---In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Do not induce vomiting. Call a physician immediately.



DATE _____
GROSS _____
TARE _____
NET _____
CUSTOMER _____
NUMBER _____

Note to Physician
Probable mucosal damage
may contraindicate the
use of gastric lavage.
Measures against circu-
latory shock, respiratory
depression and convulsion
may be needed.

Do not reuse empty drum.
Return to drum reconditioner
or destroy by perforating or
crushing and burying in a
safe place.

E.P.A. REG. NO. 11576-6

