

# BACTACIDE-M

DO NOT USE, STORE, POUR, OR SPILL NEAR HEAT OR OPEN FLAME.

ACTIVE INGREDIENTS.....99.5%  
Bis(tributyltin)oxide.....9.5%  
Isopropyl Alcohol.....90.0%  
INERT INGREDIENTS.....0.5%

## WARNING-KEEP OUT REACH OF CHILDREN

HARMFUL OR FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN. INJURIOUS TO EYES. CAUSES SKIN IRRITATION. RAPIDLY ABSORBED THROUGH SKIN.

DO NOT GET INTO EYES, ON SKIN OR CLOTHING. DO NOT TAKE INTERNALLY. WASH THOROUGHLY AFTER HANDLING. WASH CLOTHES BEFORE REUSE. KEEP PACKAGE TIGHTLY CLOSED WHEN NOT IN USE. USE WITH ADEQUATE VENTILATION.

### FIRST AID

IN CASE OF CONTACT WITH EYES, IMMEDIATELY FLUSH WITH WATER AND GET MEDICAL ATTENTION. IN CASE OF CONTACT, REMOVE CONTAMINATED CLOTHING AND IMMEDIATELY WASH SKIN WITH SOAP AND WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION.

THIS PRODUCT IS TOXIC TO FISH. TREATED EFFLUENT SHOULD NOT BE DISCHARGED WHERE IT WILL DRAIN INTO LAKES, STREAMS, PONDS, OR PUBLIC WATER. USE ONLY AS DIRECTED.

### DIRECTIONS FOR USE

INITIAL DOSE: APPLY 2.2 TO 9.0 GALLONS OF PRODUCT PER 10,000 GALLONS OF WATER IN THE SYSTEM. REPEAT UNTIL CONTROL IS ACHIEVED.

SUBSEQUENT DOSE: WHEN MICROBIAL CONTROL IS EVIDENT ADD 2.2 GALLONS OF THIS PRODUCT PER 10,000 GALLONS OF WATER IN THE SYSTEM EVERY 7 DAYS OR AS NEEDED TO MAINTAIN CONTROL. BEGIN TREATMENT WHEN THE SYSTEM IS IN JEOPARDY OF BECOMING AFFECTED OR AFTER CLEANING SYSTEMS WHOSE EFFICIENCY IS ALREADY IMPAIRED.

BACTACIDE-M IS USED TO CONTROL BACTERIA AND FUNGI IN RECIRCULATING COMMERCIAL AND INDUSTRIAL WATER COOLING TOWERS. PRIOR TO ITS USE, SYSTEMS MUST BE CLEANED TO REMOVE BACTERIA GROWTH AND OTHER DEPOSITS. BACTACIDE-M SHOULD BE ADDED TO THE SUMP OF WATER COOLING TOWERS.

DO NOT REUSE EMPTY DRUM. RETURN TO DRUM RECONDITIONER OR DESTROY BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

E.P.A. REG. NO. 11576-8

FOR CHEMICAL CONTROL OF  
BACTERIA IN WATER COOLING  
TOWERS



314 Spears Ave. Phone 267-6781

ACCEPTED

MAR 22 1973

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENT CIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 11576-8 SUBJECT  
TO ATTACHED COMMENTS.

DATE \_\_\_\_\_  
GROSS \_\_\_\_\_  
TARE \_\_\_\_\_  
NET \_\_\_\_\_  
CUSTOMER \_\_\_\_\_  
NUMBER \_\_\_\_\_

11576-8

WEIGHT ONE GALLON-7.1 lbs.