

Net Content 8 oz.

**DOUGLAS INSECT SPRAY**  
(For Use in Homes, Industrial Plants and  
Food Processing Plants)

<b>ACTIVE INGREDIENTS:</b>	100%
d-trans Allethrin (allyl homolog of Cinerin),	.250%
* Piperonyl butoxide, technical	.500%
<sup>1</sup> N-octyl bicycloheptene dicarboximide	.825%
Petroleum distillate	98.425%

\*Consists of .400% (butylcarbityl) (6-propylpiperonyl) ether and .100% other related compounds.

<sup>1</sup> MGK 264, Insecticide Synergist

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

**CAUTION:** Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

When using the product in these areas, apply only when the facility is not in operation.

Harmful if swallowed.

Do not apply directly to food.

Follow directions given above for covering or removing food, utensils and food processing surfaces.

Do not apply while food processing is underway.

Clean thoroughly all food processing or storage surfaces before reuse.

Do Not Use, Pour, Spill or Store Near Heat or Open Flame.

Do Not Reuse Empty Container. Perforate or Crush and bury in a Safe Place.

See side panel for further directions.

DOUGLAS PHARMACEUTICAL INDUSTRIES, INC.  
Kansas City, Missouri 64109

EPA Reg. No. H583-2

Lot No.

**DIRECTIONS FOR USE**

Space Spray to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply with mechanical or compressed air sprayer, or with fogger which gives small particle size. Direct spray upward towards upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1000 cu. ft. of space to be treated. Leave room closed for one-half hour. Ventilate room thoroughly before re-entry. Repeat as necessary for insect control.

Contact or Surface Spray to Kill Roaches, Waterbugs, and Ants: Cover or remove food before application. Apply with a sprayer that gives large wetting droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborages. Use one gallon of spray per 1000 sq. ft. of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. In all cases, contact as many insects as possible directly with the spray. Repeat applications as necessary for control.

**ACCEPTED**

DEC 28 1961