DIRECTIONS

To Operate - Remove Protective Cover

- Shake can before using.
- 2. Hold can 10" to 12" from plant.
- Be sure spray nozzle points outward.
- 4. Press down on actuator, spray lightly in short onesecond bursts.
- 5. Spray plant from all sides including under, as well as upper leaf surfaces.

This spray is particularly effective on African Violets, Philodendron, Azales, Boston Ferns, Fuchsias, Ivy and Rubber Plants. Spray formulated for the control of aphids, spider mites and exposed thrips. For mealy bugs, use special care to wet insects thoroughly. For white fly, repeat application frequently. On other insects repeat application as needed.

Active	Ingredients:

Pyrethrins	.056%
Rotenone	.008%
Other cube resins	.016%
Pine oil	.900%
Petroleum distillate	.406%
Inert Ingredients:	98.614%
•	100.000%

Contains Sodium Nitrite

WARNING:

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° may cause bursting. Never throw container into fire or incinerator.

Remove fish bowls and bird cages from room being sprayed.

Do not remain in treated areas. Ventilate the area after treatment is completed.

This product can be used around foodstuffs and utensils if they are protected from direct contact during spraying.

Do not spray on plates, asphalt tile or furniture.

Do not use this spray on cyclamen, lantana, grassula, and maidenhair fern.

Apply this product only as specified on this label.

MANUFACTURED BY MILFORD, CONNECTICUT



WARNING

Keep out of reach of children See back panel for additional caution

Net Weight: 6.02 CONNECTICUT AEROSOLS, INC. A C C E P T E DEPEREG. NO. 11598-29 DEC 1 5 1975 Under the Louis Face of Colors Fungicide, and F. Act, as amended, for the permitte registered under 1518-29