

Precautionary Statements
Hazards to Humans and Domestic Animals

CAUTION

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and warm water after handling. If poisoning occurs, get prompt medical aid.

STATEMENT OF PRACTICAL TREATMENT:

- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove to fresh air if effects occur, and call Physician.
- IF SWALLOWED: Get medical attention immediately.

NOTE TO PHYSICIAN: Baygon is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is an antidote.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

General: Spray surface to wetting. Point spray away from people, plants and pets. Do not use as a space spray. Use only for spot treatment.

Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings.

Indoor Use: ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (exposed stage), WATERBUGS: Spray into cracks, crevices, around base-boards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around boards, window and door frames, wall cracks, and focal areas of rugs. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

Outdoor Use: ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS, and BROWN DOG TICKS. Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

cai

**PROFESSIONAL STRENGTH
ROACH AND ANT KILLER**

Kills Ants, Roaches, Spiders and Other Listed
Crawling Insects In and Around the Home
Insect-Killing Power Lasts up to Two Weeks Indoors
Spray Only on Surfaces. Do Not Use as a Space Spray.

This formulation gives rapid kill of crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Spray residues kill insects 1-2 weeks indoors after the spray deposit has dried.

- | | | |
|-----------------|------------------------|------------|
| Ants | Fleas | Scorpions |
| Brown Dog Ticks | Millipedes | Silverfish |
| Clover Mites | Roaches | Sowbugs |
| Crickets | Saw-toothed Grain | Spiders |
| Earwigs | Beetle (exposed stage) | |

ACTIVE INGREDIENTS

d-trans Allethrin (allyl homolog of Cinerin I)	0.05%
*Piperonyl butoxide, technical	0.10%
1,1-N-octyl bicycloheptene dicarboximide	0.17%
**2-(1-methylethoxy) phenyl methylcarbamate	1.00%
Petroleum distillate	0.57%
INERT INGREDIENTS	98.11%
	100.00%

*Equivalent to 0.8% (butylcarbitol) (6-propylpiperonyl) ether and 0.2% related compounds.
†MKG-264, Insecticide Synergist
**Baygon, U.S. Pat. No. 3,111,539



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Rear Panel for Additional Caution Statements

NET WEIGHT: OZ.

CONNECTICUT AEROSOLS, INC.
MILFORD, CONN. 06460

EPA Reg. No. 11598-38 EPA Est. No. 11598-CT-1



Precautionary Statements
Hazards to Humans and Domestic Animals

CAUTION

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and warm water after handling. If poisoning occurs, get prompt medical aid.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove to fresh air if effects occur, and call Physician.

IF SWALLOWED: Get medical attention immediately.

NOTE TO PHYSICIAN: Baygon is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is an antidote.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Physical Hazards

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

General: Spray surface to wetting. Point spray away from people, plants and pets. Do not use as a space spray. Use only for spot treatment.

Avoid excessive wetting of plastic, rubber and asphalt surfaces such as tiles and floor coverings.

Indoor Use: ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (exposed stage), WATERBUGS: Spray into cracks, crevices, around base-boards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

Outdoor Use: ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MILLIPEDES, SOWBUGS, and BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

cai

PROFESSIONAL STRENGTH ROACH AND ANT KILLER

Kills Ants, Roaches, Spiders and Other Listed
Crawling Insects In and Around the Home
Insect-Killing Power Lasts up to Two Weeks Indoors
Spray Only on Surfaces. Do Not Use as a Space Spray.

This formulation gives rapid kill of crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Spray residues kill insects 1-2 weeks indoors after the spray deposit has dried.

Ants	Fleas	Scorpions
Brown Dog Ticks	Millipedes	Silverfish
Clover Mites	Roaches	Sowbugs
Crickets	Saw-toothed Grain	Spiders
Earwigs	Beetle (exposed stage)	

ACTIVE INGREDIENTS:

d-trans Allethrin.....	0.05%
*Piperonyl butoxide, technical.....	0.10%
1N-octyl bicycloheptane dicarboximide.....	0.17%
**2-(1-methylethoxy) phenyl methylcarbamate.....	1.00%
INERT INGREDIENTS:.....	98.68%
TOTAL.....	100.00%

*Equivalent to .05% (butylcarbityl) (8-propylpiperonyl) ether and .02% related compounds.
JMGK-264, insecticide Synergist.
**Baygon®, U.S. Pat. No. 3,111,532.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Rear Panel for Additional Caution Statements

NET WEIGHT: OZ

CONNECTICUT AEROSOLS, INC.
MILFORD, CONN. 06460

EPA Reg. No. 11598-38 EPA Est. No. 11598-CT-1

ACCEPTED
AUG 1 1 1981
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 71598-38

BEST AVAILABLE COPY