


. - "



ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 2 9 1985

Formed and the state of the sta 11585-3



STAIN & WOOD PRESERVATIVE SEMI-TRANSPARENT





table and registers, advications would from this same fire at days.

Finnaren and Haley STAIN & WOOD PRESERVATIVE is an oil base semitransparent stain that has been especially formulated to be faderesistant and to repel water. This stain deeply penetrates and brings out its natural beauty, while protecting wood rot, mildew and decay. Finnaren & Haley STAIN & WOOD PRESERVA-TIVE is for exterior use only and is recommended for asbestos), Shakes, Clapboards, Plywood Siding, Decks, Porches, Railings, Outdoor Furniture, Structural Support Timbers. Flat Cold Frames and Greenhouses. This product is not recommended for used for ground, food, feed or potable water contact. desirable plants and shrubs to avoid possible injury. painted or varnished surfaces. When using over previously stained areas, use the same color or a darker color. If repainting eventually desired, surface must be well weathered at least months.

SURFACE PREPARATION: When staining newly constructed or aged non-coated wood surfaces, consult your F & H sales representative for specific surface preparation. All surfaces must be clean and dry before staining. MILDEW - if mildew is present, remove completely from the surface with mildew remover before staining. Follow directions on package. This stain has been formulated to be mildew resistant, but no stain can wholly prevent the growth of mildew under conditions ideal for its growth. Therefore, we assume no responsibility for mildew development.

BEST AVAILABLE COPY

 DIRECTIONS FOR USE: It is a violation of Federal law to use : this product in a manner inconsistent with its labeling. Stir moreoging before using and frequently while using. Do not thin F&H STATUS WOOD PRESERVATIVE Stain may be applied with natural create prosti, rolled or aprayed. Stam only a few boards or a small area. at a time. Vertical boat is or shingles should be stained continuously from the top, always working to the edge of a board or shingle to avoid overtapping. Horizontal siding should be started at the top and worked actors, atways working towards an edge or break such as a dilln of window Avoid overlapping. Keep a well edge. Since stain color - ary on different types of wood, lest the stain first on the wood in an inconspicuous area. Certain woods such as redwood and cedar contain natural eyes (tannin) which sometimes bleed through the stain surface. In time, after exposure to the elements, the lannin stain should disappear IMPORIANT. Where one container is not enough to cover or, and tootage necessary, all containers should be thoroughly intermixed to ensure uniformity of color-

NOTE TO USER: Apply only when temperature of surface, air and stant temperatures are over 50°E (10°C). Do not mix with oil, water, or other types of paint or stain. Clean brushes and equipment with mineral spirits. Do not use oil base stains on hardboard or compressed liber siding. If possible, avoid direct sunlight when applying.

With COMMENTS in EPA Letter Dated:

APR 2 9 1985

Under the Federal Insecticita. Fungicide, and Rodenticide Act as arrended, for the pesticide Registered under EPA Reg. No.

BRYING TIME—Recoal—24 hours.

NOTICE: If not satisfied with this product when applied according to label directions, additional product will be provided or your purchase price will be refunded. Replacement or refund of purchase price is the sole and exclusive remedy.

1

STORAGE AND DISPOSAL STORAGE: DO

not expose this product to excessive heat. DISPOSAL: Household Users: Securely wrap original container in several layers of newspaper and discard in trash. Commercial Users: Pesticide/Product Disposal.—Do not containinate water, food or feed by storage or disposal, Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Iriole rinse (or equivalent). Then ofter for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Warning. Causes skin irritation. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed. Do not breathe vapor or spray mist. Wear goggles, protective clothing and rubber gloves when handling from hly treated lumber. Contaminated clothing should be removed and washed thoroughly before reuse.

FIRST AID: If in eyes: Flush with plenty of water. Get medical attention. If swallowed: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately. If on skin: Wash thoroughly with soap and water. If inhaled: remove victim to fresh air.

ENVIRONMENTAL HAZARDS. This product is toxic to fish. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS.Do not use, pour, spill or store near heat or open flames. Use only with adequate ventilation. Close container after each use.

ACCEPTED
with COMMENTS
in EPA Letter Dates:

APR 2 9 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as arounded, for the pesticide segletered under EPA Reg. No.

BEST AVAILABLE COPY