


**ACCEPTED**  
 JUL 07 1972  
 U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE  
 DIVISION OF FOOD & DRUG ADMINISTRATION  
 FEDERAL REGISTER  
 11600-4



# SANOX II



**DISINFECTANT • CLEANER • SANITIZER • FUNGICIDE • MILDEWSTAT • VIRUCIDE • DEODORIZER FOR HOMES, HOSPITALS, INSTITUTIONAL AND INDUSTRIAL USE**

Effective in hard water up to 400 ppm hardness (calculated as CaCO<sub>3</sub>) in the presence of 5% serum contamination.

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions and industry. SANOX II has been formulated to aid in the reduction of cross-contamination in these areas.

SANOX II is a one-step disinfectant cleaner that is effective against a broad spectrum of bacteria. It is a virucide, fungicide and will prevent the growth of mold and mildew and their odors when used as directed.

SANOX II is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.

SANOX II will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas and other places where bacterial growth can cause malodors.

### Precautionary Statements

#### Hazards to Humans and Domestic Animals

**DANGER:** Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

**Statement of Practical Treatment:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

#### DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply SANOX II to walls, floors and other hard, inanimate, non-porous surfaces such as tables, chairs, countertops, sinks, tile, porcelain and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when solution becomes visibly dirty.

**2 ounces per gallon of water.** SANOX II is an effective hospital disinfectant when applied at this rate to hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes.

#### Active Ingredients

Octyl dimethyl ammonium chloride	1.550%
Dodecyl dimethyl ammonium chloride	0.825%
Dioctyl dimethyl ammonium chloride	0.825%
Alkyl Ox 50% (C <sub>12</sub> : 40% C <sub>10</sub> : 10%)	2.200%
Dimethyl benzyl ammonium chloride	2.200%
Inert ingredients	34.500%
	100.000%

EPA Establishment No. 11600-MN-1

**NET CONTENTS (1 QT.)  
 32 FL. OZ. (0.95L.)**

**KEEP OUT OF REACH OF CHILDREN  
 DANGER**  
 SEE LEFT PANEL FOR ADDITIONAL  
 PRECAUTIONARY STATEMENTS



Another fine product from  
**CONKLIN COMPANY, INC.**  
 Shakopee, Minnesota 55379

© 1977 by the Conklin Co., Inc. 1281

SANOX II is effective at 2 ounces per gallon against the following organisms by the AOAC Use-Dispersion test: *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, *Streptococcus pyogenes*, *Klebsiella pneumoniae*, *Enterobacter aerogenes*, *Streptococcus faecalis*, *Shigella dysenteriae*, *Brevibacterium ammoniagenes*, *Salmonella typhi*, *Serratia marcescens*.

SANOX II is an effective fungicide against *Trichophyton mentagrophytes*—the athlete's foot fungus—when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, and rest facilities, etc.

**1 1/2 ounce per gallon of water.** SANOX II is an effective disinfectant in homes, industry and non-medical institutions when applied at this rate to hard, non-porous surfaces. AOAC Tests confirm its effectiveness against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Serratia marcescens*.

SANOX II will inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces. Allow to dry on surface and repeat when mildew growth returns.

SANOX II is effective against the Influenza A/Brazil Virus on man-made environmental surfaces.

**1 ounce per 2 1/2 gallon of water.** SANOX II is a sanitizer for porous and non-porous, non-food contact surfaces when applied at this rate. Treated surfaces must remain wet for 60 seconds. It is an effective sanitizer against *Staphylococcus aureus* and *Klebsiella pneumoniae* on hard porous and non-porous environmental surfaces.

#### STORAGE AND DISPOSAL:

- Do not contaminate water, food or feed by storage or disposal.
- Open burning is prohibited.
- Do not reuse empty container.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that cannot be used, or chemical residue, should be disposed of in a landfill approved for pesticides or buried in a safe place away from water's edge.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

#### GENERAL:

Consult Federal, State or Local disposal authorities for approved alternative procedures.