


SARINE B1-15
BROAD SPECTRUM FUNGICIDE
BACTERICIDE - ALGAEICIDE
EPA Reg. #11620-2

Ship to:

ACCEPTED
116202
SEP 2 1975
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTER-
 ED UNDER NO. *Comment*



SARINE B1 15

Percent by weight

Active ingredient	15 percent
Poly[oxyethylene(dimethyliminio)ethylene(dimethyliminio)- ethylene dichloride]	15 percent
Inert ingredient	85 percent
Weight per gallon	8.6 pounds
Weight of active ingredient per gallon	1.29 pound

CAUTION
KEEP OUT OF THE
REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes. Avoid skin contact. In case of contact flush with plenty of water for at least 15 minutes. If eye irritation persists get medical attention. Avoid contamination of food.

This product is toxic to fish. Do not discharge effluent to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste. Use only as directed on label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

APPLICATION

Sarine B1 15 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits.

An initial slug addition of 4.00 to 10.00 fluid ounces of Sarine B1 15 per 1,000 mended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.0 to 10.00 fluid ounces of Sarine B1 15 per 1,000 gallons of water (8 to 80 parts per million of Sarine B1 15) should be employed every 2 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

— MANUFACTURED BY —

OLSEN CHEMICAL CO., INC. **62-64 E. 26th Street • Paterson, N J 07514 • (201) 525-2600**

ACCEPTED WITH COMMENTS