

APOLLO

Total Release Fogger

For use in Busses, Motels, Offices, Apartments, Homes, Attics,
Basements, Campers, Boats, Garages, Pet Sleeping areas,
Household Storage Areas, Cabins.

One Unit Treats Up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

1. trans-Allyl isothiocyanate 0.1%
2. trans-Allyl isothiocyanate 0.1%
3. trans-Allyl isothiocyanate 0.1%
4. trans-Allyl isothiocyanate 0.1%
5. trans-Allyl isothiocyanate 0.1%
6. trans-Allyl isothiocyanate 0.1%

INERT INGREDIENTS:

1. trans-Allyl isothiocyanate 0.1%
2. trans-Allyl isothiocyanate 0.1%
3. trans-Allyl isothiocyanate 0.1%
4. trans-Allyl isothiocyanate 0.1%
5. trans-Allyl isothiocyanate 0.1%
6. trans-Allyl isothiocyanate 0.1%

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

Houseflies, Mosquitoes, Cockroaches, Black Carpet Beetles,
Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Ticks,
Spiders, Crickets, Centipedes, Wasps, Pill Bugs and Silverfish

Net Weight 1.0 lb (454 g)

Apollo Industries, Inc.

10000 E. 10th Ave., Suite 100
Denver, Colorado 80231

Precautionary Statements Hazards to Humans and Domestic Animals

CAUTION

PHYSICAL HAZARDS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

STORAGE AND DISPOSAL

TO OPERATE VALVE

BEST DOCUMENT AVAILABLE

NALCO VISCO 3952

MICRO-ORGANISM CONTROL CHEMICAL
BALL BRIQUETTE

ACTIVE INGREDIENTS: (by weight)
Methylene bis (thiocyanate) 10%
INERT INGREDIENTS: 90%
Total 100%
EPA Registration No. 10349-19
EPA Est 1706-11-1 Average Ball WT. - 17 oz.


**KEEP OUT OF REACH OF CHILDREN
DANGER!**

STATEMENT OF PRACTICAL TREATMENT

If swallowed, promptly drink a large quantity of milk, beaten egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. NEVER give an unconscious person anything by mouth.

If on skin, immediately flush contacted area with copious quantities of water for at least 15 minutes. Remove and wash contaminated clothing.

If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.



DANGER!

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

Corrosive. Causes eye and skin damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or clothing. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. See statement of practical treatment.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not discharge treated effluent into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For control of slime forming and free living bacteria in oil field water flood or salt water disposal systems, feed Visco 3950 at 50 to 100 ppm (3.8 bbl/200 bbl).

Repeat dosage as needed.

Feed Visco 3952 directly from the drum or with a ball feeder. Feeding equipment should be plastic or plastic lined.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a land fill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures.

NALCO CHEMICAL COMPANY

P. O. BOX 87 • SUGAR LAND, TEXAS 77478