



**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

To Kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as stated above. Treat dogs and cats with registered tick control product prior to re-entry. Repeat as necessary to bring infestation under control.

To Operate Valve: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: FLAMMABLE

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes and clothing. Wash contaminated skin with soap and water. For eyes, flush with plenty of water. Get medical attention if irritation persists.

Avoid contamination of food and feedstuffs. Do not use in food preparation areas, commercial food processing preparation areas, storage and serving areas. In apartments and living quarters, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

E.P.A. No. 11623-13 E.P.A. Est. 11623-GA-1
NET WT. 7.5 OZ.

Total Release Fogger

For use in Busses, Motels, Offices, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleeping Areas, Household Storage Areas, and Cabins.

One Unit Treats Up to 6,00 Cubic Feet

ACTIVE INGREDIENTS:

d-trans Allethrin (allylhomolog of Cinerin), 0.300%

Related compounds 0.023%

*3-Phenoxybenzyl d-cis trans **2,2-dimethyl-

3-(2-methylpropenyl) cyclopropanecarboxylate 0.191%

*Other isomers 0.009%

***INERT INGREDIENTS 99.477%

..... 100.000%

*d-(cis, trans) phenothrin

**cis/trans isomers ratio: max. 25% (+ or -) cis

min. 75% (+ or -) trans

***Contains Petroleum Distillates.

Kills Houseflies, Mosquitoes, Cockroaches, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Spiders, Crickets, Centipedes, Wasps, Pill Bugs and Silverfish.

CAUTION: FLAMMABLE

KEEP OUT OF REACH OF CHILDREN

CONTENTS UNDER PRESSURE

See side panel for additional precautions.

Manufactured By:

APOLLO INDUSTRIES, INC.

1850 S. Cobb Industrial Blvd.

Smyrna, Georgia 30082

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 response, Page 2.12, Active to Inert Change in Status.