

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

1.

MAY 2 1 1991

Ms. Cynthia Bordelon Apollo Industries, Inc. 1850 South Cobb Industrial Blvd. Smyrna, GA 30082

Phill the land

Dear Ms. Bordelon:

Subject: Revised Label

Total Release Fogger EPA Reg. No. 11623-13 Submission: May 8, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared, delete the references to related compounds of d-trans allethrin and other isomers of d-(cis/trans) phenothrin in the ingredient statement. Include the percentage figure for d-trans allethrin related compounds as part of the total for inert ingredients. Include the percentage for other isomers of phenothrin as part of the declaration for that active so that its percentage reads 0.2%.

Delete =-allyl homolog of cinerin I-- from the ingredient statement. It no longer accurately represents the allethrin in this formulation.

Refer to the Sumithrin Registration Standard for the correct chemical name for d-(cis/trans)phenothrin to be used in the ingredicat statement.

Sincerely,

Richard F. Mountfort
Product Manager (10)

Insecticide-Rodenticide Branch Registration Division (H7505C)

Total Release Fogger

For use in Buses, Motels, Offices, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleeping Areas, Household Storage Areas, and Cabins,

One Unit Treats Up to 6,000 Cubic Feet ACTIVE INGREDIENTS:

d-trans Atlethrin (allythomolog of Cinerini)	0.300%
Related compounds	0.023%
"3-Phonoxybonz;1 d-cis trans "12,2-dimethyl-	
3-(2-methylpropenyl) cyclopropanecarboxlate.	0.191%
*Other isomers	0.009%
***INERT INGREDIENTS	99.477%
	100.000%

'd-(cis. trans) phenothrin

"cic/trans isomers ratio; max, 25% (+ or -) cis min. 75% (+ or -) trans

Contains Petroleum Distillates.

Kills Housefiles, Mosquitoes, Cockroaches, Black Carpet Beetles, Saw-toothed Grain Beetles, Flice Weevils, Small Flying Mothe, Fleas, Ticks, Spiders, Crickete, Centipedes, Weeps, PH Bugs, and Silverlish.

KEEP OUT OF REACH OF CHILDREN **CAUTION: CONTENTS UNDER PRESSURE** See side panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manne' inconsistent with its labeling. Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to area to be treated. Sout oil fans and air conditioners. Put out all flames and pilot lights: Sout off fans and air conditioners. Put out all flames and pilet lights; Close doors and windows. Point valve opening away from face and eyes when releasing. Use not unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry. Te Kill Ticks and Fless: Destroy old pet bedding and replace. Use product as stated above. Treat dogs and cats with registered tick control product prior to re-entry. Repeat as necessary to bring intestation under control. To Operate Valve: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under logger. Leave open, placing several layers of newspaper or pad under logger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 rejnutes. Repeat spraying in two weeks or when necessary.

PRECAUTIONARY STATEMENTS Hezerde to Humana and Domestic Animala EXTREMELY FLAMMABLE

EXTREMELY FLAMMABLE
Harmful if swallowed. Avoid Inhalation of vapors. Avoid contact
with skin, eyes and clothing. Wash contaminated skin with scap
and water. For eyes, flush with plenty of water. Get medical
attention if irritation persists. Avoid contamination or food and
feedstuffs. Do not use in food preparation areas, commercial food
processing preparation areas, storage and serving areas. In
apartments and living quarters, all food processing surfaces and
utensits should be covered during treatment or thoroughly washed
before use. Cover exposed food. Remove pets, birds, and cover
fish aquariums before spraying. PHYSICAL OR CHEMECAL
HAZARDS: Contents under pressure. Do not use or store near
heat or open flame. Do not puncture or incinerate container,
Exposure to temperatures above 130°F may cause bursting.
STATEMENT OF PRACTICAL TREATMENT: If ewellewed: Catl
a physician or Poison Control Center immediately. Do not induce a physician or Poison Control Center immediately. Do not induce vomiting. Vomiting may cause aspiration pheumonia. If Inhaled; Remove patient to fresh eir. Apply artificial respiration if Indicated, if en skin: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attenion if Irritation persists. If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists. STORAGE AND DISPOSAL: Storage: Store in a cool, dry area away from heat or open flame. Disposel: Do not incinerate or puncture empty con,ainer, Replace cap. Wrap container and put in trash collection. E.P.A. No. 11623-13 E.P.A. Est. 11623-GA-1

NET WT. 7.5 OZ.

ACCEPTED WITH COMMENTS IN EPA Letter Dates

61

Fungicide, and Rodeni Eide ACI Manufactured By:

Fungicide, and Rodeni Eide APOLLO INDUSTRIES, INC.

Pedicide APOLLO INDUSTRIES, INC.

Reg. No. 1850 S. Cobb Industrial Blvd.

Smyrna, Georgia 30082

(404) 433 00082 MAY 2 1 1991 Under the Federal Insection Fungicide, and Rodent cide Act