APGLLO

Total Release Fogger

For use in Buses, Motels, Offices, Apartments, Homes, Attics, Basements, Campers, Boats, Garages, Pet Sleeping Areas, Household Storage Areas, and Cabins.

One Unit Treats Up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

cyclopropaneca/boxylate 0,200%
WINERT INGREDIENTS 99,500%
100,000%

*d-(cis, trans) phenothrin ***Contains Petroleum Distillates.

Kille Housefiles, Mesquitoes, Cockrenches, Black, Carpet Bootes, Stat-Acothed Grain Besties, Rice Wesvile, Email Rying Meths, Fisss, Ticks, Spiders, Crickets, Consipedes, Waspe, Pill Bugs, and Silverfish.

KEEP OUT OF REACH OF CHILDREN CAUTION: CONTENTS UNDER PRESSURE See alde panel for additional precautions.

Manufactured By:

APOLLO INDUSTRIES, INC.

1850 S. Cobb Industrial Blvd, Smyma, Georgia 30082 (404) 433-0210

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilet lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry. To KIN Ticks and Fleas: Destroy old pet bedding and replace. Use product as stated above. Treat dogs and cats with registered tick control product prior to re-entry. Repeat as necessary to bring infestation under control. To Operate Valve: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place togger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under logger. Leave building at once and keep building closed for four hours before aining out. Open all doors and windows and allow to air for 30 minutes Repeat spraying in two weeks or when necessary.

PRECAUTIONARY STATEMENTS
Hexards to Humans and Domestic Animals
EXTREMELY FLAMMABLE

Harmful it swallowed. Avoid Inhalation of vapors. Avoid contact with skin, eyes and clothing. Wash contaminated skin with soad and water. For eyes, flush with plenty of water. Get medical attention it irritation persists. Avoid contamination of food and feedstuffs. Do not use in food preparation areas, commercial food processing preparation areas, storage and serving areas. In apartments and living quarters, all food processing surfaces and utensils should be covered during treatment or theroughly was hed before use. Cover exposed food. Remove pets, birds, and cover fish equariums before spraying, PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. STATEMENT OF PRACTICAL TREATMENT: If awakewed; Call a physician or Poison Control Center Immediately. Do not Induce vomiting. Vomiting may cause aspiration pheumonia. If Inhaled: Remove patient to Iresh air. Apply artificial respiration if indicated, if on skin: Remove contaminated c'othing and wash affected skin areas with soap and water. Get medical attenion if Irritation persists. If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists. STORAGE AND DISPOSAL: Sterage; Store in a cool, dry area away from heat or open flame. Disposal: On not incinerate or puncture empty container. Replace cap. Wrap container and put in trash collection. E.P.A. No. 11623-13 E.P.A. Est. 11623-GA-1

NET WT. 7.5 OZ.

Jun 20 1991

Jun 20 1991

Jun 20 1991

Junder the Federal Insecticide Act

Junder the Federal Insecticide posticide

Jungicide and tor the posticide

as an ended under

as a gestered under

EPA Regy No.

BEST AVAILABLE COPY